

t2_quofield (TM- RNYT5rW6dStpZVpZ7QtKZ6rF8CDSAySZu)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v6_struct_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_quofield : \iota \Rightarrow \iota$ be given. Let $k3_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k1_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l4_algstr_0 : \iota \Rightarrow o$ be given. Let $l4_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l3_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (k1_xtuple_0 (k4_tarski X0 X1) = X0) \wedge (k2_xtuple_0 (k4_tarski X0 X1) = X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X2 (k2_zfmisc_1 X0 X1)))) \Rightarrow (k3_domain_1 X0 X1 X2 = k2_xtuple_0 X2) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge ((m1_subset_1 X2 X0) \wedge (m1_subset_1 X3 X1)))) \Rightarrow (k1_domain_1 X0 X1 X2 X3 = k4_tarski X2 X3) \quad (5)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge (l5_algstr_0 X0))) \Rightarrow (\neg v1_xboole_0 (k1_quofield X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l5_algstr_0 X0) \Rightarrow ((l4_algstr_0 X0) \wedge (l4_struct_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.(l4_struct_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l3_struct_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l2_struct_0 X0)) \Rightarrow (m1_subset_1 (k1_quofield X0) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge ((m1_subset_1 X2 X0) \wedge (m1_subset_1 X3 X1)))) \Rightarrow (m1_subset_1 (k1_domain_1 X0 X1 X2 X3) (k2_zfmisc_1 X0 X1)) \quad (12)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l2_struct_0 X0)) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))) \Rightarrow ((X1 = k1_quofield X0) \Leftrightarrow (\forall X2.(X2 \in X1) \Leftrightarrow (\exists X3.(m1_subset_1 X3 (u1_struct_0 X0)) \wedge (\exists X4.(m1_subset_1 X4 (u1_struct_0 X0)) \wedge ((X2 = k1_domain_1 (u1_struct_0 X0) (u1_struct_0 X0) X3 X4) \wedge (X4 \neq k4_struct_0 X0))))))) \quad (13)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (v1_xboole_0 X1)) \quad (14)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v6_struct_0 X0) \wedge (l5_algstr_0 X0))) \Rightarrow (\forall X1.(m2_subset_1 X1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)) (k1_quofield X0)) \Rightarrow (k3_domain_1 (u1_struct_0 X0) (u1_struct_0 X0) X1 \neq k4_struct_0 X0))$$