

t2_rmod_3

(TMWiJS3tpDj2S6P2APVPLCsFoC8Hdeh5HP1)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v4_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_rmod_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_rmod_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rmod_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
 & X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
 & ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\
 & (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
 & X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\
 & (l1_vectsp_2 X1 X0)))))))) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\
 & X1)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 X1)) \Rightarrow (\forall X4. \\
 & (m1_rmod_2 X4 X0 X1) \Rightarrow (\neg (k3_rmod_2 X0 X1 X2 X4 = k3_rmod_2 X0 X1 X3 X4) \wedge \\
 & (\forall X5. (m1_subset_1 X5 (u1_struct_0 X1)) \Rightarrow (\neg (r1_struct_0 \\
 & X4 X5) \wedge (k3_rlvect_1 X1 X2 X5 = X3))))))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
 & X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
 & ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\
 & (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
 & X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\
 & (l1_vectsp_2 X1 X0)))))))) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\
 & X1)) \Rightarrow (\forall X3. (m1_rmod_2 X3 X0 X1) \Rightarrow (X2 \in k3_rmod_2 X0 X1 X2 X3))))
 \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\
& (l1_vectsp_2 X1 X0))))))) \Rightarrow (\forall X2.(m1_rmod_2 X2 X0 X1) \Rightarrow (\forall X3. \\
& (m1_rmod_2 X3 X0 X1) \Rightarrow (\forall X4.(r1_struct_0 (k1_rmod_3 X0 X1 \\
& X2 X3) X4) \Leftrightarrow (\exists X5.(m1_subset_1 X5 (u1_struct_0 X1)) \wedge (\exists X6. \\
& (m1_subset_1 X6 (u1_struct_0 X1)) \wedge ((r1_struct_0 X2 X5) \wedge ((r1_struct_0 \\
& X3 X6) \wedge (X4 = k3_rlvect_1 X1 X5 X6)))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.(l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \tag{4}$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \tag{5}$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (\forall X1.(l1_vectsp_2 X1 X0) \Rightarrow (l2_algstr_0 X1)) \tag{6}$$

Assume the following.

$$\forall X0.(l1_algstr_0 X0) \Rightarrow (l1_struct_0 X0) \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\
& (l1_vectsp_2 X1 X0))))))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X1)) \Rightarrow (\forall X3.(m1_rmod_2 X3 X0 X1) \Rightarrow (k3_rmod_2 X0 X1 X2 X3 = \text{ReplSep} \\
& (\text{toset } (\lambda X4 : \iota.m1_subset_1 X4 (u1_struct_0 X1))) (\lambda X4 : \\
& \iota.r1_struct_0 X3 X4) (\lambda X4 : \iota.k3_rlvect_1 X1 X2 X4))))))
\end{aligned} \tag{8}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((v2_rlvect_1 X0) \wedge (l1_algstr_0 X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (k3_rlvect_1 X0 X1 X2 = k3_rlvect_1 X0 X2 X1) \tag{9}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v3_group_1 \\ & X0) \wedge ((v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (v2_rlvect_1 X0) \wedge \\ & ((v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v2_rlvect_1 \\ & X1) \wedge (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge (v4_vectsp_2 X1 X0) \wedge \\ & (l1_vectsp_2 X1 X0)))))) \Rightarrow (\forall X2.(m1_rmod_2 X2 X0 X1) \Rightarrow (\forall X3. \\ & (m1_rmod_2 X3 X0 X1) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\ & X1) \Rightarrow ((r1_struct_0 X2 X4) \vee (r1_struct_0 X3 X4)) \Rightarrow (r1_struct_0 \\ & (k1_rmod_3 X0 X1 X2 X3) X4)))))) \end{aligned}$$