

## t2\_tbsp\_1 (TMVCRdFn- PCfPW4aNP1hCXJxtL2DWSchV1Hh)

October 27, 2020

Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k6\_numbers : \iota$  be given. Let  $np\_1 : \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k4\_power : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xreal\_0 : \iota \Rightarrow o$  be given. Let  $v2\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $v3\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $k3\_power : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $np\_0 : \iota$  be given. Let  $k4\_xcmplx\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v1\_xcmplx\_0 : \iota \Rightarrow o$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0.(v1\_xreal\_0 X0) \Rightarrow (\forall X1.(v1\_xreal\_0 X1) \Rightarrow (\neg(\neg r1\_xxreal\_0 X0 X1) \wedge ((\neg v2\_xxreal\_0 X0) \wedge (\neg v3\_xxreal\_0 X1)))) \quad (1)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 X0) \Rightarrow (X0 = k1\_xboole\_0) \quad (2)$$

Assume the following.

$$\forall X0.(v1\_xreal\_0 X0) \Rightarrow (\forall X1.(v1\_xreal\_0 X1) \Rightarrow (\forall X2.(v1\_xreal\_0 X2) \Rightarrow (\neg(\neg r1\_xxreal\_0 X1 X0) \wedge ((\neg r1\_xxreal\_0 X2 k6\_numbers) \wedge ((\neg r1\_xxreal\_0 np\_1 X2) \wedge (r1\_xxreal\_0 (k3\_power X2 X0) (k3\_power X2 X1)))))))) \quad (3)$$

Assume the following.

$$\forall X0.(v1\_xreal\_0 X0) \Rightarrow (\forall X1.(v1\_xreal\_0 X1) \Rightarrow (\neg(\neg r1\_xxreal\_0 X0 k6\_numbers) \wedge (r1\_xxreal\_0 (k3\_power X0 X1) k6\_numbers))) \quad (4)$$

Assume the following.

$$\forall X0.(v1\_xreal\_0 X0) \Rightarrow (k3\_power X0 k6\_numbers = np\_1) \quad (5)$$

Assume the following.

$$\forall X0.(v1\_xxreal\_0 X0) \Rightarrow (\forall X1.(v1\_xxreal\_0 X1) \Rightarrow ((r1\_xxreal\_0 X0 X1) \wedge (r1\_xxreal\_0 X1 X0)) \Rightarrow (X0 = X1)) \quad (6)$$

Assume the following.

$$(m2\_subset\_1 np\_0 k1\_numbers k5\_numbers) \wedge ((m1\_subset\_1 np\_0 k5\_numbers) \wedge (m1\_subset\_1 np\_0 k1\_numbers)) \quad (7)$$

Assume the following.

$$v1\_xboole\_0 np\_0 \quad (8)$$

Assume the following.

$$k4\_xcmplx\_0 np\_0 = np\_0 \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2.(m2\_subset\_1 X2 X0 X1) \Leftrightarrow (m1\_subset\_1 X2 X1)) \quad (10)$$

Assume the following.

$$k6\_numbers = k1\_xboole\_0 \quad (11)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.((m1\_subset\_1 X0 k1\_numbers) \wedge (m1\_subset\_1 X1 k1\_numbers)) \Rightarrow (k4\_power X0 X1 = k3\_power X0 X1) \quad (13)$$

Assume the following.

$$(\neg v1\_xboole\_0 k4\_ordinal1) \wedge (v3\_ordinal1 k4\_ordinal1) \quad (14)$$

Assume the following.

$$\forall X0.((\neg v3\_xxreal\_0 X0) \wedge (v1\_xreal\_0 X0)) \Rightarrow ((v1\_xcmplx\_0 (k4\_xcmplx\_0 X0)) \wedge (\neg v2\_xxreal\_0 (k4\_xcmplx\_0 X0))) \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1\_xboole\_0 X0) \wedge ((\neg v1\_xboole\_0 X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)))) \Rightarrow (\forall X2.(m2\_subset\_1 X2 X0 X1) \Rightarrow (m1\_subset\_1 X2 X0)) \quad (16)$$

Assume the following.

$$m1\_subset\_1 \ k5\_numbers \ (k1\_zfmisc\_1 \ k1\_numbers) \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_xreal\_0 \ X0)\wedge(v1\_xreal\_0 \ X1))\Rightarrow(v1\_xreal\_0 \ (k3\_power \ X0 \ X1)) \quad (18)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_xxreal\_0 \ X0)\wedge(v1\_xxreal\_0 \ X1))\Rightarrow((r1\_xxreal\_0 \ X0 \ X1)\vee(r1\_xxreal\_0 \ X1 \ X0)) \quad (19)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 \ X0 \ k4\_ordinal1)\Rightarrow(v7\_ordinal1 \ X0) \quad (20)$$

Assume the following.

$$\forall X0.(v1\_xreal\_0 \ X0)\Rightarrow(v1\_xxreal\_0 \ X0) \quad (21)$$

Assume the following.

$$\forall X0.(v7\_ordinal1 \ X0)\Rightarrow(v1\_xxreal\_0 \ X0) \quad (22)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 \ X0 \ k5\_numbers)\Rightarrow(\neg v3\_xxreal\_0 \ X0) \quad (23)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 \ X0 \ k1\_numbers)\Rightarrow(v1\_xreal\_0 \ X0) \quad (24)$$

Assume the following.

$$\forall X0.(v1\_xboole\_0 \ X0)\Rightarrow(\forall X1.(m1\_subset\_1 \ X1 \ (k1\_zfmisc\_1 \ X0))\Rightarrow(v1\_xboole\_0 \ X1)) \quad (25)$$

**Theorem 1**

$$\forall X0.(m1\_subset\_1 \ X0 \ k1\_numbers)\Rightarrow(\neg(\neg r1\_xxreal\_0 \ X0 \ k6\_numbers)\wedge((\neg r1\_xxreal\_0 \ np\_1 \ X0)\wedge(\neg\forall X1.(m2\_subset\_1 \ X1 \ k1\_numbers \ k5\_numbers)\Rightarrow((r1\_xxreal\_0 \ (k4\_power \ X0 \ X1) \ np\_1)\wedge(\neg r1\_xxreal\_0 \ (k4\_power \ X0 \ X1) \ k6\_numbers))))))$$