

## t2\_trees\_1

(TMckUBBsG4dgoxFv4XHJfzA1ikCcG4zDRjn)

October 27, 2020

Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_finseq\_1 : \iota \Rightarrow o$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0.((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow \\ & \quad (\forall X1.((v1\_relat\_1 X1) \wedge ((v1\_funct\_1 X1) \wedge (v1\_finseq\_1 \\ & \quad X1)))) \Rightarrow (\forall X2.((v1\_relat\_1 X2) \wedge ((v1\_funct\_1 X2) \wedge (v1\_finseq\_1 \\ & \quad X2)))) \Rightarrow (((r1\_tarski X0 X2) \wedge ((r1\_tarski X1 X2) \wedge (k3\_finseq\_1 X0 = \\ & \quad k3\_finseq\_1 X1)))) \Rightarrow (X0 = X1))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (r1\_tarski X0 X1) \Leftrightarrow (\forall X2. (X2 \in X0) \Rightarrow (X2 \in X1)) \quad (2)$$

### Theorem 1

$$\begin{aligned} & \forall X0.((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow \\ & \quad (\forall X1.((v1\_relat\_1 X1) \wedge ((v1\_funct\_1 X1) \wedge (v1\_finseq\_1 \\ & \quad X1)))) \Rightarrow (((r1\_tarski X0 X1) \wedge (k3\_finseq\_1 X0 = k3\_finseq\_1 X1)) \Rightarrow \\ & \quad (X0 = X1))) \end{aligned}$$