

t30_classes1
(TMZehp4kwxhfrBSb5Famhs6W8Czs5tYnYPb)

October 27, 2020

Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $k4_classes1 : \iota \Rightarrow \iota$ be given. Let $k1_ordinal1 : \iota \Rightarrow \iota$ be given. Let $k9_setfam_1 : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v5_ordinal1 : \iota \Rightarrow o$ be given. Let $v4_ordinal1 : \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_tarski : \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & (k4_classes1\ k1_xboole_0 = k1_xboole_0) \wedge ((\forall X0.(v3_ordinal1 \\
 & X0) \Rightarrow (k4_classes1\ (k1_ordinal1\ X0) = k9_setfam_1\ (k4_classes1 \\
 & X0))) \wedge (\forall X0.(v3_ordinal1\ X0) \Rightarrow (\forall X1.((v1_relat_1 \\
 & X1) \wedge ((v1_funct_1\ X1) \wedge (v5_ordinal1\ X1))) \Rightarrow (((v4_ordinal1\ X0) \wedge \\
 & ((k9_xtuple_0\ X1 = X0) \wedge (\forall X2.(v3_ordinal1\ X2) \Rightarrow ((X2 \in X0) \Rightarrow \\
 & (k1_funct_1\ X1\ X2 = k4_classes1\ X2)))))) \Rightarrow ((X0 = k1_xboole_0) \vee (k4_classes1 \\
 & X0 = k3_tarski\ (k10_xtuple_0\ X1))))))
 \end{aligned} \tag{1}$$

Theorem 1

$$\forall X0.(v3_ordinal1\ X0) \Rightarrow (k4_classes1\ (k1_ordinal1\ X0) = k9_setfam_1\ (k4_classes1\ X0))$$