

t30_clvect_2 (TMGiZVEVT- bLk8N5Fdvsn7gwDKWH7SEHZvf6)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v2_csspace : \iota \Rightarrow o$ be given. Let $l1_csspace : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_clvect_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_clvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v2_comseq_2 : \iota \Rightarrow o$ be given. Let $k2_clvect_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_clvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_clvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_seq_2 : \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
 & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\
 & ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\
 & X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1. (v1_xcmplx_0 X1) \Rightarrow \\
 & (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\
 & X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
 & X0)))))) \Rightarrow ((v1_clvect_2 X2 X0) \Rightarrow (v1_clvect_2 (k6_clvect_1 X0 X2 \\
 & X1) X0))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\
& ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\
& X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (\\
& u1_struct_0 X0)) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 \\
& X2 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow (((v1_clvect_2 \\
& X2 X0) \wedge (k1_clvect_2 X0 X2 = X1)) \Rightarrow ((v2_comseq_2 (k2_clvect_2 X0 \\
& (k4_normsp_1 X0 X2 X1)) \wedge (k2_seq_2 (k2_clvect_2 X0 (k4_normsp_1 \\
& X0 X2 X1)) = k6_numbers))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\
& ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\
& X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1.(v1_xcmplx_0 X1) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow ((v1_clvect_2 X2 X0) \Rightarrow (k1_clvect_2 X0 (k6_clvect_1 X0 \\
& X2 X1) = k1_clvect_1 X0 (k1_clvect_2 X0 X2) X1))))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.(l1_csspace X0) \Rightarrow (l1_clvect_1 X0) \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 \\
& X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge \\
& ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 \\
& X0) \wedge (l1_clvect_1 X0)))))))))) \wedge (((v1_funct_1 X1) \wedge ((v1_funct_2 \\
& X1 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\
& (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \wedge (v1_xcmplx_0 \\
& X2)) \Rightarrow ((v1_funct_1 (k6_clvect_1 X0 X1 X2)) \wedge ((v1_funct_2 (k6_clvect_1 \\
& X0 X1 X2) k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 (k6_clvect_1 \\
& X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 X0))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0) \wedge (l1_clvect_1 \\
& X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (v1_xcmplx_0 X2))) \Rightarrow \\
& (m1_subset_1 (k1_clvect_1 X0 X1 X2) (u1_struct_0 X0))
\end{aligned} \tag{6}$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v2_clvect_1 X0) \wedge \\ & ((v3_clvect_1 X0) \wedge ((v4_clvect_1 X0) \wedge ((v5_clvect_1 X0) \wedge ((v2_csspace \\ & X0) \wedge (l1_csspace X0)))))))))) \Rightarrow (\forall X1. (m1_subset_1 X1 (\\ & u1_struct_0 X0)) \Rightarrow (\forall X2. (v1_xcmplx_0 X2) \Rightarrow (\forall X3. (\\ & (v1_funct_1 X3) \wedge ((v1_funct_2 X3 k5_numbers (u1_struct_0 X0)) \wedge \\ & (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow (((v1_clvect_2 X3 X0) \wedge (k1_clvect_2 X0 X3 = X1)) \Rightarrow ((v2_comseq_2 \\ & (k2_clvect_2 X0 (k4_normsp_1 X0 (k6_clvect_1 X0 X3 X2) (k1_clvect_1 \\ & X0 X1 X2)))) \wedge (k2_seq_2 (k2_clvect_2 X0 (k4_normsp_1 X0 (k6_clvect_1 \\ & X0 X3 X2) (k1_clvect_1 X0 X1 X2))) = k6_numbers)))))) \end{aligned}$$