

t30_rusub_1

(TMKGkY6rZpWx3XSxe1K7uNHsAAq2RSzfFre)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_bhsp_1 : \iota \Rightarrow o$ be given. Let $l1_bhsp_1 : \iota \Rightarrow o$ be given. Let $m1_rusub_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_rusub_1 : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_bhsp_1 : \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_algstr_0 : \iota \Rightarrow \iota$ be given. Let $k1_realset1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_rlvect_1 : \iota \Rightarrow \iota$ be given. Let $k5_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $u1_bhsp_1 : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v2_bhsp_1 X1) \wedge (l1_bhsp_1 X1)))))))))) \Rightarrow (\forall X2.((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge ((v5_rlvect_1 X2) \wedge ((v6_rlvect_1 X2) \wedge ((v7_rlvect_1 X2) \wedge ((v8_rlvect_1 X2) \wedge ((v2_bhsp_1 X2) \wedge (l1_bhsp_1 X2)))))))))) \Rightarrow (((m1_rusub_1 X0 X1) \wedge (m1_rusub_1 X1 X2)) \Rightarrow (m1_rusub_1 X0 X2))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \tag{2}$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.(m1_rusub_1 X1 X0) \Rightarrow ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v2_bhsp_1 X1) \wedge (l1_bhsp_1 X1)))))))))))))) \quad (4) \end{aligned}$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (5)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (6)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (7)$$

Assume the following.

$$\forall X0.(l1_bhsp_1 X0) \Rightarrow (l1_rlvect_1 X0) \quad (8)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (m1_subset_1 (k4_struct_0 X0) (u1_struct_0 X0)) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow ((v1_bhsp_1 (k1_rusub_1 X0)) \wedge (m1_rusub_1 (k1_rusub_1 X0) X0)) \quad (10) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhsp_1 X0) \wedge (l1_bhsp_1 X0)))))))))) \Rightarrow (\forall X1.((v1_bhsp_1 X1) \wedge (m1_rusub_1 X1 X0)) \Rightarrow ((X1 = k1_rusub_1 X0) \Leftrightarrow (u1_struct_0 X1 = k6_domain_1 (u1_struct_0 X0) (k4_struct_0 X0)))) \quad (11) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhspl1 \\
& X0) \wedge (l1_bhspl1 X0)))))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\
& ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 \\
& X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge \\
& ((v8_rlvect_1 X1) \wedge ((v2_bhspl1 X1) \wedge (l1_bhspl1 X1)))))))))) \Rightarrow \\
& ((m1_rusub_1 X1 X0) \Leftrightarrow ((r1_tarski (u1_struct_0 X1) (u1_struct_0 \\
& X0)) \wedge ((k4_struct_0 X1 = k4_struct_0 X0) \wedge ((u1_algstr_0 X1 = k1_realset1 \\
& (u1_algstr_0 X0) (u1_struct_0 X1)) \wedge ((u1_rlvect_1 X1 = k5_relat_1 \\
& (u1_rlvect_1 X0) (k2_zfmisc_1 k1_numbers (u1_struct_0 X1))) \wedge \\
& (u1_bhspl1 X1 = k1_realset1 (u1_bhspl1 X0) (u1_struct_0 X1)))))))))
\end{aligned} \tag{12}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v2_bhspl1 \\
& X0) \wedge (l1_bhspl1 X0)))))))))) \Rightarrow (\forall X1.(m1_rusub_1 X1 X0) \Rightarrow \\
& (k1_rusub_1 X1 = k1_rusub_1 X0))
\end{aligned}$$