

t30_scmfsa_9
(TMNZ6Buvftg3e62dkyFhxE5X7ZRDse5vbzv)

October 27, 2020

Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $v1_ami_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_scmfsa_2 : \iota$ be given. Let $r4_scmfsa7b : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k16_funcop_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k11_scmfsa_2 : \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $k2_funcop_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $r3_scmfsa7b : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k7_funcop_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_compos_1 : \iota \Rightarrow o$ be given. Let $v1_compos_0 : \iota \Rightarrow o$ be given. Let $u1_compos_1 : \iota \Rightarrow \iota$ be given. Let $v2_compos_0 : \iota \Rightarrow o$ be given. Let $v3_compos_0 : \iota \Rightarrow o$ be given. Let $v5_compos_0 : \iota \Rightarrow o$ be given. Let $l1_extpro_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_memstr_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_extpro_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $np_3 : \iota$ be given. Assume the following.

$$\forall X0. \forall X1. (X0 \neq k1_xboole_0) \Rightarrow (k10_xtuple_0 (k2_funcop_1 X0 X1) = k1_tarski X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \neg (X0 \in X1) \wedge (v1_xboole_0 X1) \quad (2)$$

Assume the following.

$$\forall X0. ((v1_ami_2 X0) \wedge (m1_subset_1 X0 (u1_struct_0 k1_scmfsa_2))) \Rightarrow (\forall X1. (m2_subset_1 X1 k1_numbers k5_numbers) \Rightarrow (\neg r3_scmfsa7b (k11_scmfsa_2 X1) X0)) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.k7_funcop_1 X0 X1 = k2_funcop_1 X0 X1 \quad (5)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.v1_relat_1 (k2_zfmisc_1 X0 X1) \quad (7)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (v4_relat_1 (k16_funcop_1 X1 X2) X0) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X2 X1)) \Rightarrow (v5_relat_1 (k2_funcop_1 X0 X2) X1) \quad (10)$$

Assume the following.

$$v1_xboole_0 k1_xboole_0 \quad (11)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (12)$$

Assume the following.

$$\forall X0.(l1_compos_1 X0) \Rightarrow ((v1_compos_0 (u1_compos_1 X0)) \wedge ((v2_compos_0 (u1_compos_1 X0)) \wedge ((v3_compos_0 (u1_compos_1 X0)) \wedge (v5_compos_0 (u1_compos_1 X0)))))) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.(l1_extpro_1 X1 X0) \Rightarrow ((l1_memstr_0 X1 X0) \wedge (l1_compos_1 X1)) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.(v1_funct_1 (k7_funcop_1 X0 X1)) \wedge ((v1_funct_2 (k7_funcop_1 X0 X1) X0 (k1_tarski X1)) \wedge (m1_subset_1 (k7_funcop_1 X0 X1) (k1_zfmisc_1 (k2_zfmisc_1 X0 (k1_tarski X1)))))) \quad (15)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (16)$$

Assume the following.

$$(v1_extpro_1 k1_scmfsa_2 np_3) \wedge (l1_extpro_1 k1_scmfsa_2 np_3) \quad (17)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (m1_subset_1 (k11_scmfsa_2 X0) (u1_compos_1 k1_scmfsa_2)) \quad (18)$$

Assume the following.

$$\forall X0.\forall X1.k16_funcop_1 X0 X1 = k7_funcop_1 (k1_tarski X0) X1 \quad (19)$$

Assume the following.

$$\begin{aligned} \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\ X0 (u1_compos_1 k1_scmfsa_2)) \wedge (v1_funct_1 X0)))) \Rightarrow (\forall X1. \\ ((v1_ami_2 X1) \wedge (m1_subset_1 X1 (u1_struct_0 k1_scmfsa_2))) \Rightarrow \\ ((r4_scmfsa7b X0 X1) \Leftrightarrow (\exists X2.(m1_subset_1 X2 (u1_compos_1 \\ k1_scmfsa_2)) \wedge ((X2 \in k10_xtuple_0 X0) \wedge (r3_scmfsa7b X2 X1)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall X0.\forall X1.k2_funcop_1 X0 X1 = k2_zfmisc_1 X0 (k1_tarski X1) \quad (21)$$

Assume the following.

$$\forall X0.\forall X1.(X1 = k1_tarski X0) \Leftrightarrow (\forall X2.(X2 \in X1) \Leftrightarrow (X2 = X0)) \quad (22)$$

Assume the following.

$$\forall X0.(v5_compos_0 X0) \Rightarrow (\neg v1_xboole_0 X0) \quad (23)$$

Theorem 1

$$\begin{aligned} \forall X0.(m2_subset_1 X0 k1_numbers k5_numbers) \Rightarrow (\forall X1. \\ (m2_subset_1 X1 k1_numbers k5_numbers) \Rightarrow (\forall X2.((v1_ami_2 \\ X2) \wedge (m1_subset_1 X2 (u1_struct_0 k1_scmfsa_2))) \Rightarrow (\neg r4_scmfsa7b \\ (k16_funcop_1 X0 (k11_scmfsa_2 X1)) X2))) \end{aligned}$$