

## t30\_vectsp\_6

(TMQeEHG3V3ya26rW8JcPXtmrCH72DLtWsFY)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v8\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v9\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v10\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v11\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_vectsp\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_vectsp\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k6\_vectsp\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k2\_vectsp\_6 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k6\_algstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $m1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m2\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $k9\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v1\_vectsp\_1 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_rlvect\_1 \\
 & X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v2\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))) \Rightarrow \\
 & (\forall X1. (m1\_subset\_1 X1 (u1\_struct\_0 X0)) \Rightarrow (k6\_algstr\_0 X0 \\
 & (k4\_struct\_0 X0) X1 = k4\_struct\_0 X0))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\ & X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\ & ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\ & (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\ & X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\ & X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\ & (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\ & X1)) \Rightarrow (k3\_funct\_2 (u1\_struct\_0 X1) (u1\_struct\_0 X0) (k2\_vectsp\_6 \\ & X0 X1) X2 = k4\_struct\_0 X0)) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((\neg v1\_xboole\_0 X1) \wedge (m1\_funct\_2 X2 X0 X1)) \Rightarrow (\forall X3. (m2\_funct\_2 X3 X0 X1 X2) \Leftrightarrow (m1\_subset\_1 X3 X2)) \quad (3)$$

Assume the following.

$$\forall X0. ((\neg v2\_struct\_0 X0) \wedge (l1\_struct\_0 X0)) \Rightarrow (\neg v1\_xboole\_0 (u1\_struct\_0 X0)) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((\neg v1\_xboole\_0 X1) \wedge (m1\_funct\_2 \\ & X2 X0 X1)) \Rightarrow (\forall X3. (m2\_funct\_2 X3 X0 X1 X2) \Rightarrow ((v1\_funct\_1 X3) \wedge \\ & ((v1\_funct\_2 X3 X0 X1) \wedge (m1\_subset\_1 X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X1)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge (l2\_struct\_0 X0)) \wedge \\ & ((\neg v2\_struct\_0 X1) \wedge (l1\_vectsp\_1 X1 X0))) \Rightarrow (\forall X2. (m1\_vectsp\_6 \\ & X2 X0 X1) \Rightarrow (m2\_funct\_2 X2 (u1\_struct\_0 X1) (u1\_struct\_0 X0) (k9\_funct\_2 \\ & (u1\_struct\_0 X1) (u1\_struct\_0 X0)))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0. (l6\_algstr\_0 X0) \Rightarrow ((l2\_algstr\_0 X0) \wedge (l5\_algstr\_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0. (l2\_struct\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (8)$$

Assume the following.

$$\forall X0. (l2\_algstr\_0 X0) \Rightarrow ((l2\_struct\_0 X0) \wedge (l1\_algstr\_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l1\_struct\_0 X0) \Rightarrow (\forall X1.(l1\_vectsp\_1 X1 X0) \Rightarrow (l2\_algstr\_0 X1)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.(\neg v1\_xboole\_0 X1) \Rightarrow (m1\_funct\_2 (k9\_funct\_2 X0 X1) X0 X1) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge \\ & ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \wedge (((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge (l1\_vectsp\_1 X1 X0)))))))))) \wedge ((m1\_subset\_1 X2 (u1\_struct\_0 X0)) \wedge (m1\_vectsp\_6 X3 X0 X1))) \Rightarrow (m1\_vectsp\_6 (k6\_vectsp\_6 X0 X1 X2 X3) X0 X1) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.(l2\_struct\_0 X0) \Rightarrow (m1\_subset\_1 (k4\_struct\_0 X0) (u1\_struct\_0 X0)) \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1\_xboole\_0 X0) \wedge \\ & (((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 X0 X1) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))))) \wedge (m1\_subset\_1 X3 X0))) \Rightarrow (m1\_subset\_1 (k3\_funct\_2 X0 X1 X2 X3) X1) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2\_struct\_0 X0) \wedge (l2\_struct\_0 X0)) \wedge \\ & ((\neg v2\_struct\_0 X1) \wedge (l1\_vectsp\_1 X1 X0))) \Rightarrow (m1\_vectsp\_6 (k2\_vectsp\_6 X0 X1) X0 X1) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 \\
& X0)) \Rightarrow (\forall X3.(m1\_vectsp\_6 X3 X0 X1) \Rightarrow (\forall X4.(m1\_vectsp\_6 \\
& X4 X0 X1) \Rightarrow ((X4 = k6\_vectsp\_6 X0 X1 X2 X3) \Leftrightarrow (\forall X5.(m1\_subset\_1 \\
& X5 (u1\_struct\_0 X1)) \Rightarrow (k3\_funct\_2 (u1\_struct\_0 X1) (u1\_struct\_0 \\
& X0) X4 X5 = k6\_algstr\_0 X0 X2 (k3\_funct\_2 (u1\_struct\_0 X1) (u1\_struct\_0 \\
& X0) X3 X5)))))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge (l2\_struct\_0 X0)) \Rightarrow (\forall X1. \\
& ((\neg v2\_struct\_0 X1) \wedge (l1\_vectsp\_1 X1 X0)) \Rightarrow (\forall X2.(m1\_vectsp\_6 \\
& X2 X0 X1) \Rightarrow (\forall X3.(m1\_vectsp\_6 X3 X0 X1) \Rightarrow ((r1\_vectsp\_6 X0 X1 \\
& X2 X3) \Leftrightarrow (\forall X4.(m1\_subset\_1 X4 (u1\_struct\_0 X1)) \Rightarrow (k3\_funct\_2 \\
& (u1\_struct\_0 X1) (u1\_struct\_0 X0) X2 X4 = k3\_funct\_2 (u1\_struct\_0 \\
& X1) (u1\_struct\_0 X0) X3 X4))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\forall X0.(l6\_algstr\_0 X0) \Rightarrow (((\neg v2\_struct\_0 X0) \wedge (v5\_vectsp\_1 X0)) \Rightarrow ((\neg v2\_struct\_0 X0) \wedge ((v1\_vectsp\_1 X0) \wedge (v2\_vectsp\_1 X0)))) \tag{18}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2.(m1\_vectsp\_6 X2 X0 X1) \Rightarrow \\
& (r1\_vectsp\_6 X0 X1 (k6\_vectsp\_6 X0 X1 (k4\_struct\_0 X0) X2) (k2\_vectsp\_6 \\
& X0 X1)))
\end{aligned}$$