

t31_lopban_3
(TMHBd5SDdhxkbwr1XPj1pRYHpNZzmcGptuo)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_seq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_power : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $np_1 : \iota$ be given. Let $v1_series_1 : \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $k3_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v3_valued_0 : \iota \Rightarrow o$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1. ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2. (m2_subset_1 X2 k1_numbers k5_numbers) \Rightarrow \\
& (r1_xxreal_0 k6_numbers (k1_seq_1 (k4_normsp_0 X0 X1) X2)))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\
& (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers k1_numbers) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \Rightarrow \\
& (\neg(\forall X2.(m2_subset_1 X2 k1_numbers k5_numbers) \Rightarrow ((r1_xxreal_0 \\
& k6_numbers (k3_funct_2 k5_numbers k1_numbers X0 X2)) \wedge (k3_funct_2 \\
& k5_numbers k1_numbers X1 X2 = k2_power X2 (k3_funct_2 k5_numbers \\
& k1_numbers X0 X2)))))) \wedge ((\exists X2.(m2_subset_1 X2 k1_numbers \\
& k5_numbers) \wedge (\forall X3.(m2_subset_1 X3 k1_numbers k5_numbers) \Rightarrow \\
& ((r1_xxreal_0 X2 X3) \Rightarrow (r1_xxreal_0 np_1 (k3_funct_2 k5_numbers \\
& k1_numbers X1 X3)))))) \wedge (v1_series_1 X0)))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2.(m2_subset_1 \\
& X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1))
\end{aligned} \tag{3}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\
& (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X1)))))) \wedge (m1_subset_1 X3 X0))) \Rightarrow (k3_funct_2 X0 \\
& X1 X2 X3 = k1_funct_1 X2 X3)
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v3_valued_0 \\
& X0))) \Rightarrow (k1_seq_1 X0 X1 = k1_funct_1 X0 X1)
\end{aligned} \tag{6}$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1) \wedge (v3_ordinal1 k4_ordinal1) \tag{7}$$

Assume the following.

$$v3_membered k1_numbers \tag{8}$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \tag{9}$$

Assume the following.

$$\forall X0.(l2_normsp_0 X0) \Rightarrow ((l1_normsp_0 X0) \wedge (l2_struct_0 X0)) \tag{10}$$

Assume the following.

$$\forall X0.(l1_normsp_1 X0) \Rightarrow ((l1_rlvect_1 X0) \wedge (l2_normsp_0 X0)) \quad (11)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0) \wedge (l1_normsp_0 X0)) \wedge \\ & ((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 X0)) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow ((v1_funct_1 (k4_normsp_0 X0 X1)) \wedge ((v1_funct_2 (k4_normsp_0 \\ & X0 X1) k5_numbers k1_numbers) \wedge (m1_subset_1 (k4_normsp_0 X0 X1) \\ & (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.(v3_membered X1) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v3_valued_0 X2)) \quad (15)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\ & X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\ & (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\ & X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\ & X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\ & k1_numbers) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers \\ & k1_numbers)))))) \Rightarrow (\neg (\forall X3.(m2_subset_1 X3 k1_numbers k5_numbers) \Rightarrow \\ & (k1_seq_1 X2 X3 = k2_power X3 (k1_seq_1 (k4_normsp_0 X0 X1) X3))) \wedge \\ & ((\exists X3.(m2_subset_1 X3 k1_numbers k5_numbers) \wedge (\forall X4. \\ & (m2_subset_1 X4 k1_numbers k5_numbers) \Rightarrow ((r1_xxreal_0 X3 X4) \Rightarrow \\ & (r1_xxreal_0 np_1 (k1_seq_1 X2 X4)))))) \wedge (v1_series_1 (k4_normsp_0 \\ & X0 X1)))))) \end{aligned}$$