

t31_matroid0 (TMT- dzMU1h5gmLPaCHR6znJeWhsUUEZod8eC)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_pencil_1 : \iota \Rightarrow o$ be given. Let $v1_matroid0 : \iota \Rightarrow o$ be given. Let $v2_matroid0 : \iota \Rightarrow o$ be given. Let $v4_matroid0 : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_matroid0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $k4_matroid0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0.\forall X1.\forall X2.\neg(X0 \in X1) \wedge ((m1_subset_1 X1 (k1_zfmisc_1 X2)) \wedge (v1_xboole_0 X2)) \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.(r1_tarski (k1_tarski X0) X1) \Leftrightarrow (X0 \in X1) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.(((\neg v2_struct_0 X0) \wedge ((\neg v3_pencil_1 X0) \wedge ((v1_matroid0 \\ & X0) \wedge ((v2_matroid0 X0) \wedge ((v4_matroid0 X0) \wedge (l1_pre_topc X0)))))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow \\ & (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((X2 \in k6_matroid0 \\ & X0 X1) \Leftrightarrow (k4_matroid0 X0 (k4_subset_1 (u1_struct_0 X0) X1 (k6_domain_1 \\ & (u1_struct_0 X0) X2)) = k4_matroid0 X0 X1)))) \quad (4) \end{aligned}$$

Assume the following.

$$\forall X0.\forall X1.(r1_tarski X0 X1) \Rightarrow (k2_xboole_0 X0 X1 = X1) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((m1_subset_1 X1 (k1_zfmisc_1 X0))\wedge(m1_subset_1 X2 (k1_zfmisc_1 X0)))\Rightarrow(k4_subset_1 X0 X1 X2 = k2_xboole_0 X1 X2) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow (m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(r1_tarski X0 X1)\Leftrightarrow(\forall X2.(X2 \in X0)\Rightarrow (X2 \in X1)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.k2_xboole_0 X0 X1 = k2_xboole_0 X1 X0 \quad (10)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge((\neg v3_pencil_1 X0)\wedge((v1_matroid0 X0)\wedge((v2_matroid0 X0)\wedge((v4_matroid0 X0)\wedge(l1_pre_topc X0))))))\Rightarrow (\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow (r1_tarski X1 (k6_matroid0 X0 X1)))$$