

t31_rpr_1

(TMM8vKg5TXFPwXanoZsynNMrsFkiWKQQQXx)

October 27, 2020

Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rpr_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $k6_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k4_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v1_xboole_0 X0) \wedge (v1_finset_1 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\ & (k1_zfmisc_1 X0)) \Rightarrow (k1_rpr_1 X0 (k7_subset_1 X0 X1 X2) = k9_real_1 \\ & (k1_rpr_1 X0 X1) (k1_rpr_1 X0 (k9_subset_1 X0 X1 X2)))))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v1_xboole_0 X0) \wedge (v1_finset_1 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\ & (k1_zfmisc_1 X0)) \Rightarrow ((r1_tarski X1 X2) \Rightarrow (r1_xxreal_0 (k1_rpr_1 \\ & X0 X1) (k1_rpr_1 X0 X2)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski (k3_xboole_0 X0 X1) X0 \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.(v1_xreal_0 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow (\forall X2. \\ & (v1_xreal_0 X2) \Rightarrow (\forall X3.(v1_xreal_0 X3) \Rightarrow (((r1_xxreal_0 \\ & X0 X1) \wedge (r1_xxreal_0 X2 X3)) \Rightarrow (r1_xxreal_0 (k6_xcmplx_0 X0 X3) (\\ & k6_xcmplx_0 X1 X2)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k1_numbers)\wedge(v1_xreal_0 X1))\Rightarrow(k9_real_1 X0 X1 = k6_xcmplx_0 X0 X1) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X1 (k1_zfmisc_1 X0))\Rightarrow(k7_subset_1 X0 X1 X2 = k4_xboole_0 X1 X2) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0))\Rightarrow(m1_subset_1 (k9_subset_1 X0 X1 X2) (k1_zfmisc_1 X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((v1_finset_1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 X0)))\Rightarrow(m1_subset_1 (k1_rpr_1 X0 X1) k1_numbers) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.((v1_xxreal_0 X0)\wedge(v1_xxreal_0 X1))\Rightarrow((r1_xxreal_0 X0 X1)\vee(r1_xxreal_0 X1 X0)) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.k3_xboole_0 X0 X1 = k3_xboole_0 X1 X0 \quad (11)$$

Assume the following.

$$\forall X0.(v1_xreal_0 X0)\Rightarrow(v1_xxreal_0 X0) \quad (12)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers)\Rightarrow(v1_xreal_0 X0) \quad (13)$$

Theorem 1

$$\forall X0.((\neg v1_xboole_0 X0)\wedge(v1_finset_1 X0))\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 X0))\Rightarrow(r1_xxreal_0 (k9_real_1 (k1_rpr_1 X0 X1) (k1_rpr_1 X0 X2)) (k1_rpr_1 X0 (k7_subset_1 X0 X1 X2))))))$$