

t31_scm_halt

(TMLb7f3m4YFUbSdRdRjhhfjW2uHsognuo8M)

October 27, 2020

Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_compos_1 : \iota \Rightarrow \iota$ be given. Let $k1_scmfsa_2 : \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v5_funct_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_3 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $v1_afinsq_1 : \iota \Rightarrow o$ be given. Let $r2_scm_halt : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r6_scmfsa7b : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_scmfsa_m : \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_scmfsa_2 : \iota \Rightarrow \iota$ be given. Let $k6_numbers : \iota$ be given. Let $np_1 : \iota$ be given. Let $k8_memstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_extpro_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_funct_4 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((v1_relat_1 X0) \wedge ((v4_relat_1 X0 (u1_struct_0 k1_scmfsa_2)) \wedge \\ & ((v1_funct_1 X0) \wedge (v5_funct_1 X0 (k2_memstr_0 np_3 k1_scmfsa_2)))))) \Rightarrow \\ & (k1_funct_1 (k1_scmfsa_m X0) (k4_scmfsa_2 k6_numbers) = np_1) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1_relat_1 X0) \wedge ((v4_relat_1 X0 (u1_struct_0 k1_scmfsa_2)) \wedge \\ & ((v1_funct_1 X0) \wedge ((v5_funct_1 X0 (k2_memstr_0 np_3 k1_scmfsa_2)) \wedge \\ & (v1_partfun1 X0 (u1_struct_0 k1_scmfsa_2)))))) \Rightarrow ((k1_funct_1 \\ & X0 (k4_scmfsa_2 k6_numbers) = np_1) \Rightarrow (k8_memstr_0 np_3 k1_scmfsa_2 \\ & X0 = k1_scmfsa_m X0)) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((v1_relat_1 X0) \wedge ((v4_relat_1 X0 (u1_struct_0 k1_scmfsa_2)) \wedge \\ & ((v1_funct_1 X0) \wedge (v5_funct_1 X0 (k2_memstr_0 np_3 k1_scmfsa_2)))))) \Rightarrow \\ & (k1_scmfsa_m (k1_scmfsa_m X0) = k1_scmfsa_m X0) \end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 (u1_struct_0 k1_scmf_sa_2)) \wedge \\
& ((v1_funct_1 X0) \wedge ((v5_funct_1 X0 (k2_memstr_0 np_3 k1_scmf_sa_2)) \wedge \\
& (v1_partfun1 X0 (u1_struct_0 k1_scmf_sa_2)))))) \Rightarrow ((v1_relat_1 \\
& (k1_scmf_sa_m X0)) \wedge ((v4_relat_1 (k1_scmf_sa_m X0) (u1_struct_0 \\
& k1_scmf_sa_2)) \wedge ((v1_funct_1 (k1_scmf_sa_m X0)) \wedge ((v5_funct_1 \\
& (k1_scmf_sa_m X0) (k2_memstr_0 np_3 k1_scmf_sa_2)) \wedge (v1_partfun1 \\
& (k1_scmf_sa_m X0) (u1_struct_0 k1_scmf_sa_2))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 (u1_struct_0 k1_scmf_sa_2)) \wedge \\
& ((v1_funct_1 X0) \wedge (v5_funct_1 X0 (k2_memstr_0 np_3 k1_scmf_sa_2)))))) \Rightarrow \\
& ((v1_relat_1 (k1_scmf_sa_m X0)) \wedge ((v4_relat_1 (k1_scmf_sa_m X0) \\
& (u1_struct_0 k1_scmf_sa_2)) \wedge ((v1_funct_1 (k1_scmf_sa_m X0)) \wedge \\
& (v5_funct_1 (k1_scmf_sa_m X0) (k2_memstr_0 np_3 k1_scmf_sa_2))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v1_xboole_0 X0) \wedge ((v1_relat_1 X0) \wedge ((v4_relat_1 \\
& X0 k5_numbers) \wedge ((v5_relat_1 X0 (u1_compos_1 k1_scmf_sa_2)) \wedge \\
& (v1_funct_1 X0) \wedge ((v1_finset_1 X0) \wedge (v1_afinsq_1 X0)))))) \Rightarrow (\\
& \forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 X1 (u1_struct_0 k1_scmf_sa_2)) \wedge \\
& ((v1_funct_1 X1) \wedge ((v5_funct_1 X1 (k2_memstr_0 np_3 k1_scmf_sa_2)) \wedge \\
& (v1_partfun1 X1 (u1_struct_0 k1_scmf_sa_2)))))) \Rightarrow (\forall X2. \\
& ((v1_relat_1 X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 \\
& (u1_compos_1 k1_scmf_sa_2)) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 \\
& k5_numbers)))))) \Rightarrow ((r6_scmf_sa7b X0 X1 X2) \Leftrightarrow (r1_extpro_1 np_3 k1_scmf_sa_2 \\
& (k1_funct_4 X2 X0) (k8_memstr_0 np_3 k1_scmf_sa_2 X1))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v1_xboole_0 X0) \wedge ((v1_relat_1 X0) \wedge ((v4_relat_1 \\
& X0 k5_numbers) \wedge ((v5_relat_1 X0 (u1_compos_1 k1_scmf_sa_2)) \wedge \\
& (v1_funct_1 X0) \wedge ((v1_finset_1 X0) \wedge (v1_afinsq_1 X0)))))) \Rightarrow (\\
& \forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 X1 (u1_struct_0 k1_scmf_sa_2)) \wedge \\
& ((v1_funct_1 X1) \wedge ((v5_funct_1 X1 (k2_memstr_0 np_3 k1_scmf_sa_2)) \wedge \\
& (v1_partfun1 X1 (u1_struct_0 k1_scmf_sa_2)))))) \Rightarrow (\forall X2. \\
& ((v1_relat_1 X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 \\
& (u1_compos_1 k1_scmf_sa_2)) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 \\
& k5_numbers)))))) \Rightarrow ((r2_scm_halt X0 X1 X2) \Leftrightarrow (r1_extpro_1 np_3 k1_scmf_sa_2 \\
& (k1_funct_4 X2 X0) (k1_scmf_sa_m X1))))))
\end{aligned} \tag{7}$$

Theorem 1

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v4_relat_1 X0 k5_numbers) \wedge ((v5_relat_1 \\ & X0 (u1_compos_1 k1_scmfsa_2)) \wedge ((v1_funct_1 X0) \wedge (v1_partfun1 \\ & X0 k5_numbers)))))) \Rightarrow (\forall X1.((v1_relat_1 X1) \wedge ((v4_relat_1 \\ & X1 (u1_struct_0 k1_scmfsa_2)) \wedge ((v1_funct_1 X1) \wedge ((v5_funct_1 \\ & X1 (k2_memstr_0 np_3 k1_scmfsa_2)) \wedge (v1_partfun1 X1 (u1_struct_0 \\ & k1_scmfsa_2)))))) \Rightarrow (\forall X2.((\neg v1_xboole_0 X2) \wedge ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 k5_numbers) \wedge ((v5_relat_1 X2 (u1_compos_1 \\ & k1_scmfsa_2)) \wedge ((v1_funct_1 X2) \wedge ((v1_finset_1 X2) \wedge (v1_afinsq_1 \\ & X2)))))) \Rightarrow ((r2_scm_halt X2 X1 X0) \Leftrightarrow (r6_scmfsa7b X2 (k1_scmfsa_m \\ & X1) X0)))) \end{aligned}$$