

t31\_tex\_1

(TMHMBYP93qJrEee3L2gdyjCuzRLVrTZFhB1)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v2\_pre\_topc : \iota \Rightarrow o$  be given. Let  $l1\_pre\_topc : \iota \Rightarrow o$  be given. Let  $v1\_tdlat\_3 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_tops\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $k4\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_tops\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0.(v1\_xboole\_0 X0) \Rightarrow (X0 = k1\_xboole\_0) \quad (1)$$

Assume the following.

$$\forall X0.k4\_xboole\_0 X0 k1\_xboole\_0 = X0 \quad (2)$$

Assume the following.

$$\forall X0.\exists X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \wedge (v1\_xboole\_0 X1) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \Rightarrow (k3\_subset\_1 X0 (k3\_subset\_1 X0 X1) = X1) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \Rightarrow (m1\_subset\_1 (k3\_subset\_1 X0 X1) (k1\_zfmisc\_1 X0)) \quad (5)$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0 X0) \wedge ((v2\_pre\_topc X0) \wedge (l1\_pre\_topc X0))) \Rightarrow ((v1\_tdlat\_3 X0) \Leftrightarrow (\forall X1.((\neg v1\_xboole\_0 X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0)))) \Rightarrow (\neg v2\_tops\_1 X1 X0))) \quad (6)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0) \Rightarrow (\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))) \Rightarrow ((v2\_tops\_1 X1 X0) \Leftrightarrow (v1\_tops\_1 (k3\_subset\_1 (u1\_struct\_0 X0) X1) X0))) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0))\Rightarrow(k3\_subset\_1 X0 X1 = k4\_xboole\_0 X0 X1) \quad (8)$$

Assume the following.

$$\forall X0.(l1\_pre\_topc X0)\Rightarrow((v1\_tdlat\_3 X0)\Rightarrow(v2\_pre\_topc X0)) \quad (9)$$

**Theorem 1**

$$\forall X0.((\neg v2\_struct\_0 X0)\wedge((v2\_pre\_topc X0)\wedge(l1\_pre\_topc X0)))\Rightarrow((v1\_tdlat\_3 X0)\Leftrightarrow(\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (u1\_struct\_0 X0))))\Rightarrow(\neg(X1\neq u1\_struct\_0 X0)\wedge(v1\_tops\_1 X1 X0)))$$