

t32_boolealg (TMR- WwqXqd1cGZyxRMr7hM1jyfQp2a3Y5xCx)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v10_lattices : \iota \Rightarrow o$ be given. Let $v17_lattices : \iota \Rightarrow o$ be given. Let $l3_lattices : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_boolealg : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_boolealg : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_lattices : \iota \Rightarrow \iota$ be given. Let $r3_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_lattices : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v6_lattices : \iota \Rightarrow o$ be given. Let $v8_lattices : \iota \Rightarrow o$ be given. Let $v9_lattices : \iota \Rightarrow o$ be given. Let $l1_lattices : \iota \Rightarrow o$ be given. Let $l2_lattices : \iota \Rightarrow o$ be given. Let $v4_lattices : \iota \Rightarrow o$ be given. Let $v5_lattices : \iota \Rightarrow o$ be given. Let $v7_lattices : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v10_lattices X0) \wedge (l3_lattices \\ & X0))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 \\ & (u1_struct_0 X0)) \Rightarrow (r3_lattices X0 (k4_lattices X0 X1 X2) (k3_lattices \\ & X0 X1 X3)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v10_lattices X0) \wedge ((v17_lattices \\ & X0) \wedge (l3_lattices X0)))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r1_boolealg \\ & X0 (k1_boolealg X0 X1 X2) (k5_lattices X0)) \Leftrightarrow (r3_lattices X0 X1 X2)))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1.(((\neg v2_struct_0 X0) \wedge ((v6_lattices X0) \wedge \\ & ((v8_lattices X0) \wedge ((v9_lattices X0) \wedge (l3_lattices X0)))))) \wedge (\\ & m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (k4_lattices X0 X1 X1 = X1) \end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.(l3_lattices X0) \Rightarrow ((l1_lattices X0) \wedge (l2_lattices X0)) \tag{4}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(v4_lattices X0)\wedge(l2_lattices X0))\wedge(m1_subset_1 X1 (u1_struct_0 X0))\wedge(m1_subset_1 X2 (u1_struct_0 X0)))\Rightarrow(m1_subset_1 (k3_lattices X0 X1 X2) (u1_struct_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0.(l3_lattices X0)\Rightarrow(((\neg v2_struct_0 X0)\wedge(v10_lattices X0))\Rightarrow((\neg v2_struct_0 X0)\wedge(v4_lattices X0)\wedge(v5_lattices X0)\wedge(v6_lattices X0)\wedge(v7_lattices X0)\wedge(v8_lattices X0)\wedge(v9_lattices X0)))) \quad (6)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge(v10_lattices X0)\wedge(v17_lattices X0)\wedge(l3_lattices X0))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))\Rightarrow(r1_boolealg X0 (k1_boolealg X0 X1 (k3_lattices X0 X1 X2)) (k5_lattices X0))))$$