

t32_jordan1b (TMJajStc- PaFNpTJGVQX3kSb5UfKe6CpTEHf)

October 27, 2020

Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v2_connspl_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k15_euclid : \iota \Rightarrow \iota$ be given. Let $np_2 : \iota$ be given. Let $v2_compts_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_sppol_1 : \iota \Rightarrow o$ be given. Let $v2_sppol_1 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r2_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_rltopsp1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_matrix_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_jordan8 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_jordan1a : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k9_jordan6 : \iota \Rightarrow \iota$ be given. Let $k3_topreal1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_jordan9 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xxreal_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xxreal_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $np_3 : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $np_4 : \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_ordinal1 : \iota \Rightarrow o$ be given. Let $v6_membered : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_matrix_1 : \iota \Rightarrow o$ be given. Let $k3_finseq_2 : \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1.((v2_connspl_1 \\
& X1 (k15_euclid np_2)) \wedge ((v2_compts_1 X1 (k15_euclid np_2)) \wedge \\
& ((\neg v1_sppol_1 X1) \wedge (\neg v2_sppol_1 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\
& (u1_struct_0 (k15_euclid np_2)))))) \Rightarrow (\forall X2.(m1_subset_1 \\
& X2 k5_numbers) \Rightarrow (\neg (r1_xxreal_0 np_1 X2) \wedge ((r1_xxreal_0 X2 (k3_finseq_1 \\
& (k1_jordan8 X1 X0)) \wedge (r2_subset_1 (k1_rltopsp1 (k15_euclid np_2) \\
& (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) (k1_jordan8 X1 \\
& X0) X2 np_1) (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) (k1_jordan8 \\
& X1 X0) X2 (k3_finseq_1 (k1_jordan8 X1 X0)))) (k9_jordan6 (k3_topreal1 \\
& np_2 (k1_jordan9 X1 X0)))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.(v1_xxreal_0 X0) \Rightarrow (\forall X1.(v1_xxreal_0 X1) \Rightarrow (\forall X2. \\ & (v1_xxreal_0 X2) \Rightarrow (((r1_xxreal_0 X0 X1) \wedge (r1_xxreal_0 X1 X2)) \Rightarrow \\ & (r1_xxreal_0 X0 X2)))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (\neg(r1_xxreal_0 np_3 (k3_finseq_1 X0)) \wedge (r1_xxreal_0 (k3_finseq_1 \\ & X0) (k1_jordan1a X0))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\ & (\neg(r1_xxreal_0 np_2 (k3_finseq_1 X0)) \wedge (r1_xxreal_0 (k1_jordan1a \\ & X0) np_1)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X0 (k1_zfmisc_1 (\\ & u1_struct_0 (k15_euclid np_2)))))) \Rightarrow (\forall X1.(v7_ordinal1 \\ & X1) \Rightarrow (r1_xxreal_0 np_4 (k3_finseq_1 (k1_jordan8 X0 X1)))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_4) \wedge (m2_subset_1 np_4 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_4 k5_numbers) \wedge (m1_subset_1 np_4 k1_numbers)) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_3) \wedge (m2_subset_1 np_3 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_3 k5_numbers) \wedge (m1_subset_1 np_3 k1_numbers)) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_2) \wedge (m2_subset_1 np_2 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_2 k5_numbers) \wedge (m1_subset_1 np_2 k1_numbers)) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (9)$$

Assume the following.

$$r1_xxreal_0 np_3 np_4 \quad (10)$$

Assume the following.

$$r1_xxreal_0 np_2 np_4 \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0))))\Rightarrow(\forall X2.(m2_subset_1 \\ & X2 X0 X1)\Leftrightarrow(m1_subset_1 X2 X1)) \end{aligned} \quad (12)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.v1_relat_1 (k2_zfmisc_1 X0 X1) \quad (14)$$

Assume the following.

$$(\neg v1_xboole_0 k4_ordinal1)\wedge(v3_ordinal1 k4_ordinal1) \quad (15)$$

Assume the following.

$$v6_membered k4_ordinal1 \quad (16)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge((\neg v1_xboole_0 X1)\wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 X0))))\Rightarrow(\forall X2.(m2_subset_1 \\ & X2 X0 X1)\Rightarrow(m1_subset_1 X2 X0)) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(m2_finseq_1 X1 X0)\Rightarrow((v1_funct_1 X1)\wedge \\ & (v1_finseq_1 X1)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers \\ & X0)))) \end{aligned} \quad (19)$$

Assume the following.

$$m1_subset_1 k5_numbers (k1_zfmisc_1 k1_numbers) \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0)\wedge((v1_funct_1 X0)\wedge(v1_finseq_1 X0)))\Rightarrow \\ & (m2_subset_1 (k3_finseq_1 X0) k1_numbers k5_numbers) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((m1_subset_1 X0 (k1_zfmisc_1 (u1_struct_0 \\ & (k15_euclid np_2))))\wedge(v7_ordinal1 X1))\Rightarrow((v1_matrix_1 (k1_jordan8 \\ & X0 X1))\wedge(m2_finseq_1 (k1_jordan8 X0 X1) (k3_finseq_2 (u1_struct_0 \\ & (k15_euclid np_2)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow (m2_subset_1 (k1_jordan1a X0) k1_numbers k5_numbers) \quad (23)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_xreal_0 X0) \wedge (v1_xreal_0 X1)) \Rightarrow (r1_xreal_0 X0 X1) \vee (r1_xreal_0 X1 X0) \quad (24)$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 (k1_zfmisc_1 (u1_struct_0 (k15_euclid np_2)))) \Rightarrow ((v1_xboole_0 X0) \Rightarrow (v1_sppol_1 X0)) \quad (25)$$

Assume the following.

$$\forall X0. (v1_xreal_0 X0) \Rightarrow (v1_xreal_0 X0) \quad (26)$$

Assume the following.

$$\forall X0. (v1_relat_1 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (v1_relat_1 X1)) \quad (27)$$

Assume the following.

$$\forall X0. (m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xreal_0 X0) \quad (28)$$

Assume the following.

$$\forall X0. (v6_membered X0) \Rightarrow (\forall X1. (m1_subset_1 X1 X0) \Rightarrow (v7_ordinal1 X1)) \quad (29)$$

Theorem 1

$$\begin{aligned} & \forall X0. (m1_subset_1 X0 k5_numbers) \Rightarrow (\forall X1. ((v2_connsp_1 \\ & X1 (k15_euclid np_2)) \wedge ((v2_compts_1 X1 (k15_euclid np_2)) \wedge \\ & ((\neg v1_sppol_1 X1) \wedge ((\neg v2_sppol_1 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 \\ & (u1_struct_0 (k15_euclid np_2)))))))) \Rightarrow (\neg r2_subset_1 (k1_rltopsp1 \\ & (k15_euclid np_2) (k3_matrix_1 (u1_struct_0 (k15_euclid np_2)) \\ & (k1_jordan8 X1 X0) (k1_jordan1a (k1_jordan8 X1 X0)) np_1) (k3_matrix_1 \\ & (u1_struct_0 (k15_euclid np_2)) (k1_jordan8 X1 X0) (k1_jordan1a \\ & (k1_jordan8 X1 X0) (k3_finseq_1 (k1_jordan8 X1 X0)))) (k9_jordan6 \\ & (k3_topreal1 np_2 (k1_jordan9 X1 X0)))))) \end{aligned}$$