

t32_moebius1 (TMK-
szEMH4VK3dbw1gZr9zWVNWS1CHddUty3)

October 27, 2020

Let $k2_moebius1 : \iota \Rightarrow \iota$ be given. Let $np_3 : \iota$ be given. Let $k1_real_1 : \iota \Rightarrow \iota$ be given. Let $np_1 : \iota$ be given. Let $v7_ordinal1 : \iota \Rightarrow o$ be given. Let $v1_int_2 : \iota \Rightarrow o$ be given. Let $k1_polynom2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_newton : \iota$ be given. Let $k13_nat_3 : \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k1_newton : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_card_1 : \iota \Rightarrow \iota$ be given. Let $v2_xxreal_0 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $k5_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $k5_card_1 : \iota \Rightarrow \iota$ be given. Let $k2_newton : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $v1_moebius1 : \iota \Rightarrow o$ be given. Let $k6_numbers : \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0.((v7_ordinal1 X0) \wedge (v1_int_2 X0)) \Rightarrow (k1_polynom2 k10_newton (k13_nat_3 X0) = k1_tarski X0) \quad (1)$$

Assume the following.

$$\forall X0.(v1_xcmplx_0 X0) \Rightarrow (k1_newton X0 np_1 = X0) \quad (2)$$

Assume the following.

$$v1_int_2 np_3 \quad (3)$$

Assume the following.

$$\forall X0.k1_card_1 (k1_tarski X0) = np_1 \quad (4)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_3) \wedge (m2_subset_1 np_3 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_3 k5_numbers) \wedge (m1_subset_1 np_3 k1_numbers)) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & ((v2_xxreal_0 np_1) \wedge (m2_subset_1 np_1 k1_numbers k5_numbers)) \wedge \\ & ((m1_subset_1 np_1 k5_numbers) \wedge (m1_subset_1 np_1 k1_numbers)) \end{aligned} \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\forall X0.(v1_finset_1 X0) \Rightarrow (k5_card_1 X0 = k1_card_1 X0) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((m1_subset_1 X0 k1_numbers) \wedge (v7_ordinal1 X1)) \Rightarrow (k2_newton X0 X1 = k1_newton X0 X1) \quad (9)$$

Assume the following.

$$\forall X0.v1_finset_1 (k1_tarski X0) \quad (10)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (m1_subset_1 (k1_real_1 X0) k1_numbers) \quad (11)$$

Assume the following.

$$\begin{aligned} \forall X0.(v7_ordinal1 X0) \Rightarrow (\forall X1.(v1_xreal_0 X1) \Rightarrow (((\\ v1_moebius1 X0) \Rightarrow ((X1 = k2_moebius1 X0) \Leftrightarrow (X1 = k6_numbers))) \wedge ((\\ \neg v1_moebius1 X0) \Rightarrow ((X1 = k2_moebius1 X0) \Leftrightarrow (\exists X2.((\neg v1_xboole_0 \\ X2) \wedge (v7_ordinal1 X2)) \wedge ((X2 = X0) \wedge (X1 = k2_newton (k1_real_1 np_1) \\ (k5_card_1 (k1_polynom2 k10_newton (k13_nat_3 X2)))))))))) \quad (12) \end{aligned}$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k4_ordinal1) \Rightarrow (v7_ordinal1 X0) \quad (13)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0) \Rightarrow (v7_ordinal1 X0) \quad (14)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xreal_0 X0) \quad (15)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k1_numbers) \Rightarrow (v1_xcmplx_0 X0) \quad (16)$$

Assume the following.

$$\forall X0.((v7_ordinal1 X0) \wedge (v1_int_2 X0)) \Rightarrow ((\neg v1_xboole_0 X0) \wedge ((v7_ordinal1 X0) \wedge (v1_int_2 X0))) \quad (17)$$

Assume the following.

$$\forall X0.(m1_subset_1 X0 k5_numbers) \Rightarrow ((v1_int_2 X0) \Rightarrow (\neg v1_moebius1 X0)) \quad (18)$$

Theorem 1 $k2_moebius1 np_3 = k1_real_1 np_1$.