

t32_nfcont_1

(TMHXeEozrV3GMxdgsUbX5abn4aocW84b4e1)

October 27, 2020

Let $v2_struct.0 : \iota \Rightarrow o$ be given. Let $v13_algstr.0 : \iota \Rightarrow o$ be given. Let $v2_rlvect.1 : \iota \Rightarrow o$ be given. Let $v3_rlvect.1 : \iota \Rightarrow o$ be given. Let $v4_rlvect.1 : \iota \Rightarrow o$ be given. Let $v5_rlvect.1 : \iota \Rightarrow o$ be given. Let $v6_rlvect.1 : \iota \Rightarrow o$ be given. Let $v7_rlvect.1 : \iota \Rightarrow o$ be given. Let $v8_rlvect.1 : \iota \Rightarrow o$ be given. Let $v3_normsp.0 : \iota \Rightarrow o$ be given. Let $v4_normsp.0 : \iota \Rightarrow o$ be given. Let $v2_normsp.1 : \iota \Rightarrow o$ be given. Let $l1_normsp.1 : \iota \Rightarrow o$ be given. Let $v1_funct.1 : \iota \Rightarrow o$ be given. Let $m1_subset.1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc.1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc.1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct.0 : \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_relset.1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_nfcont.1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r3_nfcont.1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_relset.1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat.1 : \iota \Rightarrow o$ be given. Let $k5_relat.1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_xtuple.0 : \iota \Rightarrow \iota$ be given. Let $k3_xboole.0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_relset.1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_xtuple.0 : \iota \Rightarrow \iota$ be given. Let $k7_relat.1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v5_relat.1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_relat.1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_nfcont.1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (v1_relat.1 X1) \Rightarrow (k5_relat.1 (k5_relat.1 X1 X0) X0 = k5_relat.1 X1 X0) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (v1_relat.1 X1) \Rightarrow (k9_xtuple.0 (k5_relat.1 X1 X0) = k3_xboole.0 (k9_xtuple.0 X1) X0) \quad (2)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge \\
& ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 \\
& X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow (((v1_nfcont_1 (k1_relset_1 \\
& (u1_struct_0 X1) X2) X1) \wedge (r3_nfcont_1 X1 X0 X2 (k1_relset_1 (u1_struct_0 \\
& X1) X2))) \Rightarrow (v1_nfcont_1 (k2_relset_1 (u1_struct_0 X0) X2) X0)))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0. \forall X1. (r1_tarski X0 X1) \Rightarrow (k3_xboole_0 X0 X1 = X0) \tag{4}$$

Assume the following.

$$\forall X0. \forall X1. (v1_relat_1 X1) \Rightarrow (k10_xtuple_0 (k5_relat_1 X1 X0) = k7_relat_1 X1 X0) \tag{5}$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski X0 X0 \tag{6}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (k7_relset_1 X0 X1 X2 X3 = k7_relat_1 X2 X3) \tag{7}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v5_relat_1 X1 X0)) \Rightarrow (k2_relset_1 X0 X1 = k10_xtuple_0 X1) \tag{8}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \forall X3. ((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))) \Rightarrow (k2_partfun1 X0 X1 X2 X3 = k5_relat_1 X2 X3) \tag{9}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (k1_relset_1 X0 X1 = k9_xtuple_0 X1) \tag{10}$$

Assume the following.

$$\forall X0.\forall X1.(v1_relat_1 X0)\Rightarrow(v1_relat_1 (k5_relat_1 X0 X1)) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((v1_funct_1 X2)\wedge \\ & (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))\Rightarrow((v1_funct_1 \\ & (k2_partfun1 X0 X1 X2 X3))\wedge(m1_subset_1 (k2_partfun1 X0 X1 X2 X3) \\ & (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ & X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v5_rlvect_1 X0)\wedge \\ & ((v6_rlvect_1 X0)\wedge((v7_rlvect_1 X0)\wedge((v8_rlvect_1 X0)\wedge((v3_normsp_0 \\ & X0)\wedge((v4_normsp_0 X0)\wedge((v2_normsp_1 X0)\wedge(l1_normsp_1 X0))))))))))\Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v2_rlvect_1 \\ & X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v5_rlvect_1 X1)\wedge \\ & ((v6_rlvect_1 X1)\wedge((v7_rlvect_1 X1)\wedge((v8_rlvect_1 X1)\wedge((v3_normsp_0 \\ & X1)\wedge((v4_normsp_0 X1)\wedge((v2_normsp_1 X1)\wedge(l1_normsp_1 X1))))))))))\Rightarrow \\ & (\forall X2.((v1_funct_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow(\forall X3.(r3_nfcont_1 \\ & X0 X1 X2 X3)\Leftrightarrow(r1_tarski X3 (k1_relset_1 (u1_struct_0 X0) X2))\wedge \\ & (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0))\Rightarrow((X4 \in X3)\Rightarrow(r1_nfcont_1 \\ & X0 X1 (k2_partfun1 (u1_struct_0 X0) (u1_struct_0 X1) X2 X3) X4)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.k3_xboole_0 X0 X1 = k3_xboole_0 X1 X0 \quad (14)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (16)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\ & X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\ & (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\ & X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge \\ & ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 \\ & X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow \\ & (\forall X2. ((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow (\forall X3. (m1_subset_1 \\ & X3 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow (((r1_tarski X3 (k1_relset_1 \\ & (u1_struct_0 X1) X2)) \wedge ((v1_nfcont_1 X3 X1) \wedge (r3_nfcont_1 X1 X0 \\ & X2 X3))) \Rightarrow (v1_nfcont_1 (k7_relset_1 (u1_struct_0 X1) (u1_struct_0 \\ & X0) X2 X3) X0)))))) \end{aligned}$$