

t32\_sin\_cos6 (TMKrg-  
WJr6EHvFLbvV4x8WyTnQgG9a1JVFFa)

October 27, 2020

Let  $v1\_xreal\_0 : \iota \Rightarrow o$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k8\_real\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k10\_real\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $np\_3 : \iota$  be given. Let  $np\_2 : \iota$  be given. Let  $k32\_sin\_cos : \iota$  be given. Let  $k17\_sin\_cos : \iota \Rightarrow \iota$  be given. Let  $k1\_real\_1 : \iota \Rightarrow \iota$  be given. Let  $np\_1 : \iota$  be given. Let  $k21\_sin\_cos : \iota \Rightarrow \iota$  be given. Let  $k6\_numbers : \iota$  be given. Let  $k18\_sin\_cos : \iota \Rightarrow \iota$  be given. Let  $k7\_real\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $v2\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k31\_sin\_cos : \iota$  be given. Let  $v6\_membered : \iota \Rightarrow o$  be given. Let  $v3\_membered : \iota \Rightarrow o$  be given. Let  $v2\_membered : \iota \Rightarrow o$  be given. Let  $v1\_int\_1 : \iota \Rightarrow o$  be given. Let  $v5\_membered : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & (k21\_sin\_cos (k10\_real\_1 k32\_sin\_cos np\_2) = k6\_numbers) \wedge (( \\
 & k18\_sin\_cos (k10\_real\_1 k32\_sin\_cos np\_2) = np\_1) \wedge ((k21\_sin\_cos \\
 & k32\_sin\_cos = k1\_real\_1 np\_1) \wedge ((k18\_sin\_cos k32\_sin\_cos = k6\_numbers) \wedge \\
 & ((k21\_sin\_cos (k7\_real\_1 k32\_sin\_cos (k10\_real\_1 k32\_sin\_cos \\
 & np\_2)) = k6\_numbers) \wedge ((k18\_sin\_cos (k7\_real\_1 k32\_sin\_cos ( \\
 & k10\_real\_1 k32\_sin\_cos np\_2)) = k1\_real\_1 np\_1) \wedge ((k21\_sin\_cos \\
 & (k8\_real\_1 np\_2 k32\_sin\_cos) = np\_1) \wedge (k18\_sin\_cos (k8\_real\_1 \\
 & np\_2 k32\_sin\_cos) = k6\_numbers))))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& (\neg r1\_xxreal\_0 (k10\_real\_1 k32\_sin\_cos np\_2) k6\_numbers) \wedge (( \\
& \quad \neg r1\_xxreal\_0 k32\_sin\_cos (k10\_real\_1 k32\_sin\_cos np\_2)) \wedge (( \\
& \neg r1\_xxreal\_0 k32\_sin\_cos k6\_numbers) \wedge ((\neg r1\_xxreal\_0 (k10\_real\_1 \\
& \quad k32\_sin\_cos np\_2) (k1\_real\_1 (k10\_real\_1 k32\_sin\_cos np\_2))) \wedge \\
& \quad ((\neg r1\_xxreal\_0 (k8\_real\_1 np\_2 k32\_sin\_cos) k32\_sin\_cos) \wedge ( \\
& \quad (\neg r1\_xxreal\_0 (k8\_real\_1 (k10\_real\_1 np\_3 np\_2) k32\_sin\_cos) \\
& \quad (k10\_real\_1 k32\_sin\_cos np\_2)) \wedge ((\neg r1\_xxreal\_0 k6\_numbers ( \\
& \quad k1\_real\_1 (k10\_real\_1 k32\_sin\_cos np\_2))) \wedge ((\neg r1\_xxreal\_0 ( \\
& \quad k8\_real\_1 np\_2 k32\_sin\_cos) k6\_numbers) \wedge ((\neg r1\_xxreal\_0 (k8\_real\_1 \\
& \quad (k10\_real\_1 np\_3 np\_2) k32\_sin\_cos) k32\_sin\_cos) \wedge ((\neg r1\_xxreal\_0 \\
& \quad (k8\_real\_1 np\_2 k32\_sin\_cos) (k8\_real\_1 (k10\_real\_1 np\_3 np\_2) \\
& \quad k32\_sin\_cos)) \wedge (\neg r1\_xxreal\_0 (k8\_real\_1 (k10\_real\_1 np\_3 np\_2) \\
& \quad k32\_sin\_cos) k6\_numbers))))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\forall X0.(v1\_xxreal\_0 X0) \Rightarrow (r1\_xxreal\_0 (k1\_real\_1 np\_1) (k17\_sin\_cos X0)) \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v1\_xxreal\_0 X0) \Rightarrow (\forall X1.(v1\_xxreal\_0 X1) \Rightarrow (\forall X2. \\
& (v1\_xxreal\_0 X2) \Rightarrow (((r1\_xxreal\_0 X0 X1) \wedge (r1\_xxreal\_0 X1 X2)) \Rightarrow \\
& \quad (r1\_xxreal\_0 X0 X2))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v1\_xxreal\_0 X0) \Rightarrow (((r1\_xxreal\_0 k6\_numbers X0) \wedge (( \\
& \quad r1\_xxreal\_0 X0 (k8\_real\_1 np\_2 k32\_sin\_cos)) \wedge (k17\_sin\_cos X0 = \\
& \quad k1\_real\_1 np\_1))) \Rightarrow (X0 = k8\_real\_1 (k10\_real\_1 np\_3 np\_2) k32\_sin\_cos))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v1\_xxreal\_0 X0) \Rightarrow (\forall X1.(v1\_xxreal\_0 X1) \Rightarrow (( \\
& \quad (r1\_xxreal\_0 X0 X1) \wedge (r1\_xxreal\_0 X1 X0)) \Rightarrow (X0 = X1))
\end{aligned} \tag{6}$$

Assume the following.

$$m1\_subset\_1 k1\_xboole\_0 k4\_ordinal1 \tag{7}$$

Assume the following.

$$\begin{aligned}
& ((v2\_xxreal\_0 np\_3) \wedge (m2\_subset\_1 np\_3 k1\_numbers k5\_numbers)) \wedge \\
& ((m1\_subset\_1 np\_3 k5\_numbers) \wedge (m1\_subset\_1 np\_3 k1\_numbers))
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& ((v2\_xxreal\_0 np\_2) \wedge (m2\_subset\_1 np\_2 k1\_numbers k5\_numbers)) \wedge \\
& ((m1\_subset\_1 np\_2 k5\_numbers) \wedge (m1\_subset\_1 np\_2 k1\_numbers))
\end{aligned} \tag{9}$$

Assume the following.

$$k6\_numbers = k1\_xboole\_0 \quad (10)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (11)$$

Assume the following.

$$k32\_sin\_cos = k31\_sin\_cos \quad (12)$$

Assume the following.

$$v6\_membered\ k4\_ordinal1 \quad (13)$$

Assume the following.

$$\forall X0.(v1\_xreal\_0\ X0) \Rightarrow (v1\_xreal\_0\ (k17\_sin\_cos\ X0)) \quad (14)$$

Assume the following.

$$v3\_membered\ k1\_numbers \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.((m1\_subset\_1\ X0\ k1\_numbers) \wedge (v1\_xreal\_0\ X1)) \Rightarrow (m1\_subset\_1\ (k8\_real\_1\ X0\ X1)\ k1\_numbers) \quad (16)$$

Assume the following.

$$m1\_subset\_1\ k32\_sin\_cos\ k1\_numbers \quad (17)$$

Assume the following.

$$v1\_xreal\_0\ k31\_sin\_cos \quad (18)$$

Assume the following.

$$\forall X0.(m1\_subset\_1\ X0\ k1\_numbers) \Rightarrow (m1\_subset\_1\ (k21\_sin\_cos\ X0)\ k1\_numbers) \quad (19)$$

Assume the following.

$$\forall X0.\forall X1.((m1\_subset\_1\ X0\ k1\_numbers) \wedge (v1\_xreal\_0\ X1)) \Rightarrow (m1\_subset\_1\ (k10\_real\_1\ X0\ X1)\ k1\_numbers) \quad (20)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_xxreal\_0\ X0) \wedge (v1\_xxreal\_0\ X1)) \Rightarrow ((r1\_xxreal\_0\ X0\ X1) \vee (r1\_xxreal\_0\ X1\ X0)) \quad (21)$$

Assume the following.

$$\forall X0.\forall X1.((m1\_subset\_1 X0 k1\_numbers)\wedge(v1\_xreal\_0 X1))\Rightarrow(k8\_real\_1 X0 X1 = k8\_real\_1 X1 X0) \quad (22)$$

Assume the following.

$$\forall X0.(v1\_xreal\_0 X0)\Rightarrow(v1\_xxreal\_0 X0) \quad (23)$$

Assume the following.

$$\forall X0.(v3\_membered X0)\Rightarrow(v2\_membered X0) \quad (24)$$

Assume the following.

$$\forall X0.(v1\_int\_1 X0)\Rightarrow(v1\_xreal\_0 X0) \quad (25)$$

Assume the following.

$$\forall X0.(m1\_subset\_1 X0 k1\_numbers)\Rightarrow(v1\_xreal\_0 X0) \quad (26)$$

Assume the following.

$$\forall X0.(v6\_membered X0)\Rightarrow(v5\_membered X0) \quad (27)$$

Assume the following.

$$\forall X0.(v5\_membered X0)\Rightarrow(\forall X1.(m1\_subset\_1 X1 X0)\Rightarrow(v1\_int\_1 X1)) \quad (28)$$

Assume the following.

$$\forall X0.(v2\_membered X0)\Rightarrow(\forall X1.(m1\_subset\_1 X1 X0)\Rightarrow(v1\_xxreal\_0 X1)) \quad (29)$$

**Theorem 1**

$$\forall X0.(v1\_xreal\_0 X0)\Rightarrow(\neg(\neg(r1\_xxreal\_0 X0 (k8\_real\_1 (k10\_real\_1 np\_3 np\_2) k32\_sin\_cos))\wedge((r1\_xxreal\_0 X0 (k8\_real\_1 np\_2 k32\_sin\_cos))\wedge(r1\_xxreal\_0 (k17\_sin\_cos X0) (k1\_real\_1 np\_1))))))$$