

t32\_vectsp\_4  
(TMXxD6TLsuTEwbQ5vf9tDXHGS5EofViTbQb)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v7\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v8\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v9\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v10\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v11\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $l1\_vectsp\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_vectsp\_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_struct\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1. ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2. (m1\_vectsp\_4 X2 X0 X1) \Rightarrow \\
& (\forall X3. (m1\_vectsp\_4 X3 X0 X1) \Rightarrow ((\forall X4. (m1\_subset\_1 \\
& X4 (u1\_struct\_0 X1) \Rightarrow ((r1\_struct\_0 X2 X4) \Rightarrow (r1\_struct\_0 X3 X4)) \Rightarrow \\
& (m1\_vectsp\_4 X2 X0 X3))))))
\end{aligned}
\tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v7\_vectsp\_1 \\
& X1 X0) \wedge ((v8\_vectsp\_1 X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 \\
& X1 X0) \wedge ((v11\_vectsp\_1 X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 \\
& X1) \wedge ((v4\_rlvect\_1 X1) \wedge (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2. \\
& ((\neg v2\_struct\_0 X2) \wedge ((v13\_algstr\_0 X2) \wedge ((v7\_vectsp\_1 X2 X0) \wedge \\
& (v8\_vectsp\_1 X2 X0) \wedge ((v9\_vectsp\_1 X2 X0) \wedge ((v10\_vectsp\_1 X2 X0) \wedge \\
& ((v11\_vectsp\_1 X2 X0) \wedge ((v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 X2) \wedge ( \\
& (v4\_rlvect\_1 X2) \wedge (l1\_vectsp\_1 X2 X0)))))))))) \Rightarrow (((m1\_vectsp\_4 \\
& X2 X0 X1) \wedge (m1\_vectsp\_4 X1 X0 X2)) \Rightarrow (X2 = X1)))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v3\_group\_1 \\
& X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 X0) \wedge \\
& ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 \\
& X1 X0) \wedge ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 \\
& X1 X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (m1\_vectsp\_4 X1 X0 X1))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge \\
& ((v3\_group\_1 X0) \wedge ((v4\_vectsp\_1 X0) \wedge ((v5\_vectsp\_1 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \wedge \\
& ((\neg v2\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v8\_vectsp\_1 X1 X0) \wedge \\
& ((v9\_vectsp\_1 X1 X0) \wedge ((v10\_vectsp\_1 X1 X0) \wedge ((v11\_vectsp\_1 X1 \\
& X0) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge \\
& (l1\_vectsp\_1 X1 X0)))))))))) \Rightarrow (\forall X2. (m1\_vectsp\_4 X2 X0 \\
& X1) \Rightarrow ((\neg v2\_struct\_0 X2) \wedge ((v13\_algstr\_0 X2) \wedge ((v8\_vectsp\_1 X2 \\
& X0) \wedge ((v9\_vectsp\_1 X2 X0) \wedge ((v10\_vectsp\_1 X2 X0) \wedge ((v11\_vectsp\_1 \\
& X2 X0) \wedge ((v2\_rlvect\_1 X2) \wedge ((v3\_rlvect\_1 X2) \wedge ((v4\_rlvect\_1 X2) \wedge \\
& (l1\_vectsp\_1 X2 X0))))))))))
\end{aligned} \tag{4}$$

**Theorem 1**

$$\begin{aligned} & \forall X0.((\neg v2\_struct\_0 X0) \wedge (v13\_algstr\_0 X0) \wedge (v3\_group\_1 \\ & X0) \wedge (v4\_vectsp\_1 X0) \wedge (v5\_vectsp\_1 X0) \wedge (v2\_rlvect\_1 X0) \wedge \\ & ((v3\_rlvect\_1 X0) \wedge (v4\_rlvect\_1 X0) \wedge (l6\_algstr\_0 X0)))))) \Rightarrow \\ & (\forall X1.((\neg v2\_struct\_0 X1) \wedge (v13\_algstr\_0 X1) \wedge (v7\_vectsp\_1 \\ & X1 X0) \wedge (v8\_vectsp\_1 X1 X0) \wedge (v9\_vectsp\_1 X1 X0) \wedge (v10\_vectsp\_1 \\ & X1 X0) \wedge (v11\_vectsp\_1 X1 X0) \wedge (v2\_rlvect\_1 X1) \wedge (v3\_rlvect\_1 \\ & X1) \wedge (v4\_rlvect\_1 X1) \wedge (l1\_vectsp\_1 X1 X0)))))) \Rightarrow (\forall X2. \\ & ((v7\_vectsp\_1 X2 X0) \wedge (m1\_vectsp\_4 X2 X0 X1)) \Rightarrow ((\forall X3.(m1\_subset\_1 \\ & X3 (u1\_struct\_0 X1)) \Rightarrow (r1\_struct\_0 X2 X3)) \Rightarrow (X2 = X1))) \end{aligned}$$