

t33_ncfcont1

(TMXgmBNW76uM54XA2anaQv6SSSUMnJqT9gZ)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_clvect_1 : \iota \Rightarrow o$ be given. Let $v3_clvect_1 : \iota \Rightarrow o$ be given. Let $v4_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_clvect_1 : \iota \Rightarrow o$ be given. Let $v8_clvect_1 : \iota \Rightarrow o$ be given. Let $l2_clvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r2_ncfcont1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $v3_normsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_normsp_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_ordinal1 : \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_clvect_1 : \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v9_clvect_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_clvect_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given.

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))) \Rightarrow (((v3_normsp_1 X1 X0) \wedge (v3_normsp_1 \\
& X2 X0)) \Rightarrow (k6_normsp_1 X0 (k3_normsp_1 X0 X1 X2) = k5_algstr_0 X0 (\\
& k6_normsp_1 X0 X1) (k6_normsp_1 X0 X2))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))) \Rightarrow (((v3_normsp_1 X1 X0) \wedge (v3_normsp_1 \\
& X2 X0)) \Rightarrow (k6_normsp_1 X0 (k2_normsp_1 X0 X1 X2) = k3_rlvect_1 X0 (\\
& k6_normsp_1 X0 X1) (k6_normsp_1 X0 X2))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\
& ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\
& X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge \\
& ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 \\
& X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow (\forall X3.((v1_funct_1 \\
& X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) \\
& (u1_struct_0 X1)))))) \Rightarrow (\forall X4.((v1_funct_1 X4) \wedge ((v1_funct_2 \\
& X4 k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\
& (k2_zfmisc_1 k5_numbers (u1_struct_0 X0)))))) \Rightarrow ((r1_tarski (\\
& k2_relset_1 (u1_struct_0 X0) X4) (k9_subset_1 (u1_struct_0 X0) \\
& (k1_relset_1 (u1_struct_0 X0) X2) (k1_relset_1 (u1_struct_0 X0) \\
& X3))) \Rightarrow ((r2_funct_2 k5_numbers (u1_struct_0 X1) (k8_funct_2 k5_numbers \\
& (u1_struct_0 X1) (u1_struct_0 X0) X4 (k6_vfunct_1 (u1_struct_0 \\
& X0) X1 X2 X3)) (k2_normsp_1 X1 (k8_funct_2 k5_numbers (u1_struct_0 \\
& X1) (u1_struct_0 X0) X4 X2) (k8_funct_2 k5_numbers (u1_struct_0 \\
& X1) (u1_struct_0 X0) X4 X3))) \wedge (r2_funct_2 k5_numbers (u1_struct_0 \\
& X1) (k8_funct_2 k5_numbers (u1_struct_0 X1) (u1_struct_0 X0) X4 \\
& (k2_vfunct_1 (u1_struct_0 X0) X1 X2 X3)) (k3_normsp_1 X1 (k8_funct_2 \\
& k5_numbers (u1_struct_0 X1) (u1_struct_0 X0) X4 X2) (k8_funct_2 \\
& k5_numbers (u1_struct_0 X1) (u1_struct_0 X0) X4 X3))))))))) \tag{3}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))) \Rightarrow (((v3_normsp_1 X1 X0) \wedge (v3_normsp_1 \\
& X2 X0)) \Rightarrow (v3_normsp_1 (k3_normsp_1 X0 X1 X2) X0))) \tag{4}
\end{aligned}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1_tarski X0 X1) \wedge (r1_tarski X1 X2)) \Rightarrow (r1_tarski X0 X2) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& X0)))))) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers \\
& (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& k5_numbers (u1_struct_0 X0)))))) \Rightarrow (((v3_normsp_1 X1 X0) \wedge (v3_normsp_1 \\
& X2 X0)) \Rightarrow (v3_normsp_1 (k2_normsp_1 X0 X1 X2) X0)))
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski (k3_xboole_0 X0 X1) X0 \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((v1_funct_1 X2) \wedge \\
& ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X0 X1)))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\
& X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 \\
& X3) \Leftrightarrow (X2 = X3))
\end{aligned} \tag{8}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k9_subset_1 X0 X1 X2 = k3_xboole_0 X1 X2) \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\
& (((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge (\\
& (v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 \\
& X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge \\
& ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \wedge \\
& (((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X0 (u1_struct_0 X1)))) \wedge ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow (k6_vfunct_1 X0 X1 X2 \\
& X3 = k1_vfunct_1 X0 X1 X2 X3)
\end{aligned} \tag{10}$$

Assume the following.

$$k5_numbers = k4_ordinal1 \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((v2_rlvect_1 X0) \wedge (l1_algstr_0 \\
& X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 \\
& X0)))) \Rightarrow (k3_rlvect_1 X0 X1 X2 = k1_algstr_0 X0 X1 X2)
\end{aligned} \tag{12}$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(k1_relset_1 X0 X1 = k9_xtuple_0 X1) \quad (13)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (14)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (15)$$

Assume the following.

$$\forall X0.(l2_normsp_0 X0)\Rightarrow((l1_normsp_0 X0)\wedge(l2_struct_0 X0)) \quad (16)$$

Assume the following.

$$\forall X0.(l2_clvect_1 X0)\Rightarrow((l1_clvect_1 X0)\wedge(l2_normsp_0 X0)) \quad (17)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0)\Rightarrow((l2_struct_0 X0)\wedge(l1_algstr_0 X0)) \quad (18)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0)\Rightarrow(l2_algstr_0 X0) \quad (19)$$

Assume the following.

$$\forall X0.(l1_normsp_1 X0)\Rightarrow((l1_rlvect_1 X0)\wedge(l2_normsp_0 X0)) \quad (20)$$

Assume the following.

$$\begin{aligned} &\forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((\neg v1_xboole_0 \\ &X2)\wedge(((v1_funct_1 X3)\wedge((v1_funct_2 X3 X0 X2)\wedge(m1_subset_1 X3 \\ &(k1_zfmisc_1 (k2_zfmisc_1 X0 X2))))))\wedge((v1_relat_1 X4)\wedge((v5_relat_1 \\ &X4 X1)\wedge(v1_funct_1 X4))))\Rightarrow((v1_funct_1 (k8_funct_2 X0 X1 X2 X3 \\ &X4)\wedge((v1_funct_2 (k8_funct_2 X0 X1 X2 X3 X4) X0 X1)\wedge(m1_subset_1 \\ &(k8_funct_2 X0 X1 X2 X3 X4) (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v1_relat_1 X1)\wedge((v5_relat_1 X1 X0)\wedge(v1_funct_1 X1)))\Rightarrow(m1_subset_1 (k7_partfun1 X0 X1 X2) X0) \quad (22)$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\
& \quad (((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge \\
& \quad (v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge ((v6_rlvect_1 \\
& \quad X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge \\
& \quad ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \wedge \\
& \quad (((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& \quad X0 (u1_struct_0 X1)))))) \wedge ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
& \quad (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow ((v1_funct_1 (k6_vfunct_1 \\
& \quad X0 X1 X2 X3)) \wedge (m1_subset_1 (k6_vfunct_1 X0 X1 X2 X3) (k1_zfmisc_1 \\
& \quad (k2_zfmisc_1 X0 (u1_struct_0 X1))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (l2_algstr_0 \\
& \quad X0)) \wedge (((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& \quad X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& \quad X0)))))) \wedge ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\
& \quad X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& \quad X0)))))) \Rightarrow ((v1_funct_1 (k3_normsp_1 X0 X1 X2)) \wedge ((v1_funct_2 \\
& \quad (k3_normsp_1 X0 X1 X2) k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 \\
& \quad (k3_normsp_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& \quad X0))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((\neg v1_xboole_0 X0) \wedge \\
& \quad (((\neg v2_struct_0 X1) \wedge (l2_algstr_0 X1)) \wedge (((v1_funct_1 X2) \wedge (m1_subset_1 \\
& \quad X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \wedge ((v1_funct_1 \\
& \quad X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\
& \quad X1)))))) \Rightarrow ((v1_funct_1 (k2_vfunct_1 X0 X1 X2 X3)) \wedge (m1_subset_1 \\
& \quad (k2_vfunct_1 X0 X1 X2 X3) (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\
& \quad X1))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (l2_algstr_0 \\
& \quad X0)) \wedge (((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers (u1_struct_0 \\
& \quad X0)) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& \quad X0)))))) \wedge ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers (u1_struct_0 \\
& \quad X0)) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& \quad X0)))))) \Rightarrow ((v1_funct_1 (k2_normsp_1 X0 X1 X2)) \wedge ((v1_funct_2 \\
& \quad (k2_normsp_1 X0 X1 X2) k5_numbers (u1_struct_0 X0)) \wedge (m1_subset_1 \\
& \quad (k2_normsp_1 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers (u1_struct_0 \\
& \quad X0))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(m1_subset_1 (k1_relset_1 X0 X1) (k1_zfmisc_1 X0)) \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge((v13_algstr_0 X0)\wedge((v2_rlvect_1 \\ & X0)\wedge((v3_rlvect_1 X0)\wedge((v4_rlvect_1 X0)\wedge((v3_normsp_0 X0)\wedge \\ & ((v4_normsp_0 X0)\wedge((v2_clvect_1 X0)\wedge((v3_clvect_1 X0)\wedge((v4_clvect_1 \\ & X0)\wedge((v5_clvect_1 X0)\wedge((v8_clvect_1 X0)\wedge(l2_clvect_1 X0))))))))))\Rightarrow \\ & (\forall X1.((\neg v2_struct_0 X1)\wedge((v13_algstr_0 X1)\wedge((v2_rlvect_1 \\ & X1)\wedge((v3_rlvect_1 X1)\wedge((v4_rlvect_1 X1)\wedge((v5_rlvect_1 X1)\wedge \\ & ((v6_rlvect_1 X1)\wedge((v7_rlvect_1 X1)\wedge((v8_rlvect_1 X1)\wedge((v3_normsp_0 \\ & X1)\wedge((v4_normsp_0 X1)\wedge((v2_normsp_1 X1)\wedge(l1_normsp_1 X1))))))))))\Rightarrow \\ & (\forall X2.((v1_funct_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X0) (u1_struct_0 X1))))))\Rightarrow(\forall X3.(m1_subset_1 \\ & X3 (u1_struct_0 X0))\Rightarrow((r2_ncfcont1 X0 X1 X2 X3)\Leftrightarrow((X3 \in k1_relset_1 \\ & (u1_struct_0 X0) X2)\wedge(\forall X4.((v1_funct_1 X4)\wedge((v1_funct_2 \\ & X4 k5_numbers (u1_struct_0 X0))\wedge(m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 k5_numbers (u1_struct_0 X0))))))\Rightarrow(((r1_tarski \\ & (k2_relset_1 (u1_struct_0 X0) X4) (k1_relset_1 (u1_struct_0 X0) \\ & X2))\wedge((v9_clvect_1 X4 X0)\wedge(k7_clvect_1 X0 X4 = X3)))\Rightarrow((v3_normsp_1 \\ & (k8_funct_2 k5_numbers (u1_struct_0 X1) (u1_struct_0 X0) X4 X2) \\ & X1)\wedge(k7_partfun1 (u1_struct_0 X1) X2 X3 = k6_normsp_1 X1 (k8_funct_2 \\ & k5_numbers (u1_struct_0 X1) (u1_struct_0 X0) X4 X2))))))))) \quad (28) \end{aligned}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(X2 = k3_xboole_0 X0 X1)\Leftrightarrow(\forall X3.(X3 \in X2)\Leftrightarrow((X3 \in X0)\wedge(X3 \in X1))) \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge \\ & (l2_algstr_0 X1))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1))))))\Rightarrow(\forall X3. \\ & ((v1_funct_1 X3)\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 \\ & (u1_struct_0 X1))))))\Rightarrow(\forall X4.((v1_funct_1 X4)\wedge(m1_subset_1 \\ & X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1))))))\Rightarrow((X4 = k2_vfunct_1 \\ & X0 X1 X2 X3)\Leftrightarrow((k1_relset_1 X0 X4 = k9_subset_1 X0 (k1_relset_1 X0 \\ & X2) (k1_relset_1 X0 X3))\wedge(\forall X5.(m1_subset_1 X5 X0)\Rightarrow((X5 \in \\ & k1_relset_1 X0 X4)\Rightarrow(k7_partfun1 (u1_struct_0 X1) X4 X5 = k5_algstr_0 \\ & X1 (k7_partfun1 (u1_struct_0 X1) X2 X5) (k7_partfun1 (u1_struct_0 \\ & X1) X3 X5))))))))) \quad (30) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(\neg v1_xboole_0 X0) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge \\
& (l2_algstr_0 X1)) \Rightarrow (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 \\
& X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow (\forall X3. \\
& ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 \\
& (u1_struct_0 X1)))))) \Rightarrow (\forall X4.((v1_funct_1 X4) \wedge (m1_subset_1 \\
& X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow ((X4 = k1_vfunct_1 \\
& X0 X1 X2 X3) \Leftrightarrow ((k1_relset_1 X0 X4 = k9_subset_1 X0 (k1_relset_1 X0 \\
& X2) (k1_relset_1 X0 X3)) \wedge (\forall X5.(m1_subset_1 X5 X0) \Rightarrow ((X5 \in \\
& k1_relset_1 X0 X4) \Rightarrow (k7_partfun1 (u1_struct_0 X1) X4 X5 = k1_algstr_0 \\
& X1 (k7_partfun1 (u1_struct_0 X1) X2 X5) (k7_partfun1 (u1_struct_0 \\
& X1) X3 X5))))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0) \wedge \\
& (((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 X1) \wedge \\
& (v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge (v5_rlvect_1 X1) \wedge (v6_rlvect_1 \\
& X1) \wedge (v7_rlvect_1 X1) \wedge (v8_rlvect_1 X1) \wedge ((v3_normsp_0 X1) \wedge \\
& ((v4_normsp_0 X1) \wedge (v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \wedge \\
& (((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& X0 (u1_struct_0 X1)))))) \wedge ((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow (k6_vfunct_1 X0 X1 X2 \\
& X3 = k6_vfunct_1 X0 X1 X3 X2)
\end{aligned} \tag{32}$$

Assume the following.

$$\forall X0.\forall X1.k3_xboole_0 X0 X1 = k3_xboole_0 X1 X0 \tag{33}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \tag{34}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \tag{35}$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v3_normsp_0 X0) \wedge \\
& ((v4_normsp_0 X0) \wedge ((v2_clvect_1 X0) \wedge ((v3_clvect_1 X0) \wedge ((v4_clvect_1 \\
& X0) \wedge ((v5_clvect_1 X0) \wedge ((v8_clvect_1 X0) \wedge (l2_clvect_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge \\
& ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 \\
& X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow (\forall X3.((v1_funct_1 \\
& X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) \\
& (u1_struct_0 X1)))))) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\
& X0)) \Rightarrow ((r2_ncfcont1 X0 X1 X2 X4) \wedge (r2_ncfcont1 X0 X1 X3 X4)) \Rightarrow ((r2_ncfcont1 \\
& X0 X1 (k6_vfunct_1 (u1_struct_0 X0) X1 X2 X3) X4) \wedge (r2_ncfcont1 X0 \\
& X1 (k2_vfunct_1 (u1_struct_0 X0) X1 X2 X3) X4))))))
\end{aligned}$$