

t33\_sgraph1  
(TMXJMU4LbmsHbnZ1u2uwNRhqobmcW2zGHNq)

October 27, 2020

Let  $m1\_sgraph1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $m2\_finseq\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_2 : \iota \Rightarrow \iota$  be given. Let  $r3\_sgraph1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_sgraph1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1\_sgraph1 X1 X0) \Rightarrow (\forall X2. (m1\_subset\_1 \\ & \quad X2 (u1\_struct\_0 X1)) \Rightarrow (\forall X3. (m1\_subset\_1 X3 (u1\_struct\_0 \\ & X1)) \Rightarrow (\forall X4. (X4 \in k5\_sgraph1 X0 X1 X2 X3) \Leftrightarrow (\exists X5. (m2\_finseq\_2 \\ & \quad X5 (u1\_struct\_0 X1) (k3\_finseq\_2 (u1\_struct\_0 X1))) \wedge ((X4 = X5) \wedge \\ & \quad (r3\_sgraph1 X0 X1 X2 X3 X5)))))) \end{aligned} \quad (1)$$

**Theorem 1**

$$\begin{aligned} & \forall X0. \forall X1. (m1\_sgraph1 X1 X0) \Rightarrow (\forall X2. (m1\_subset\_1 \\ & \quad X2 (u1\_struct\_0 X1)) \Rightarrow (\forall X3. (m1\_subset\_1 X3 (u1\_struct\_0 \\ & X1)) \Rightarrow (\forall X4. (m2\_finseq\_2 X4 (u1\_struct\_0 X1) (k3\_finseq\_2 \\ & (u1\_struct\_0 X1))) \Rightarrow ((r3\_sgraph1 X0 X1 X2 X3 X4) \Rightarrow (X4 \in k5\_sgraph1 \\ & \quad X0 X1 X2 X3)))))) \end{aligned}$$