

t34_aff_1

(TMLN4LA5evwE75XkJkNQ2ufYHmui9vMK1h7)

October 27, 2020

Let $v7_struct_0 : \iota \Rightarrow o$ be given. Let $v1_diraf : \iota \Rightarrow o$ be given. Let $l1_analoaf : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $r2_aff_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 \\ & X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (\forall X5. \\ & (m1_subset_1 X5 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow ((r2_aff_1 \\ & X0 X1 X2 X5) \wedge (r2_analoaf X0 X1 X2 X3 X4)) \Rightarrow ((X1 = X2) \vee (r2_aff_1 X0 X3 \\ & X4 X5)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow ((r2_analoaf X0 X1 X2 X2 X1) \wedge (r2_analoaf X0 \\ & X1 X2 X1 X2)))) \end{aligned} \tag{2}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v7_struct_0 X0) \wedge ((v1_diraf X0) \wedge (l1_analoaf X0))) \Rightarrow \\ & (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 \\ & (u1_struct_0 X0)))) \Rightarrow ((r2_aff_1 X0 X1 X2 X3) \Rightarrow (r2_aff_1 X0 X2 X1 X3)))) \end{aligned}$$