

t34_connsp_3 (TMdKrq-
LyJtkg4j7wiEmd3bzMopMxQgWzFMy)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_connsp_3 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_connsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_connsp_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_connsp_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (1)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc X0))) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((v3_connsp_1 X1 X0) \Leftrightarrow (\exists X2. (m1_subset_1 X2 (u1_struct_0 X0)) \wedge (X1 = k1_connsp_1 X0 X2)))) \quad (2)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc X0))) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (((v2_connsp_1 X1 X0) \wedge (r1_tarski (k1_connsp_1 X0 X2) X1)) \Rightarrow (X1 = k1_connsp_1 X0 X2)))) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \vee (X0 \in X1)) \quad (4)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc X0))) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (((X2 \in X1) \wedge (m1_connsp_3 X1 X0)) \Rightarrow (r1_tarski (k1_connsp_1 X0 X2) X1)))) \quad (5)$$

Assume the following.

$$\forall X0.\exists X1.m1_subset_1 X1 X0 \quad (6)$$

Assume the following.

$$\forall X0.(l1_pre_topc X0)\Rightarrow(\forall X1.(m1_connsp_3 X1 X0)\Rightarrow(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \quad (7)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_pre_topc X0)\wedge(l1_pre_topc X0)))\Rightarrow(\forall X1.((\neg v1_xboole_0 X1)\wedge(m1_connsp_3 X1 X0))\Rightarrow(v2_connsp_1 X1 X0)\Rightarrow(v3_connsp_1 X1 X0))$$