

t34_functor3

(TMMwC7vNXpbHz2Z9R5KbkEuHUP7aRK3qTvc)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_altcat_1 : \iota \Rightarrow o$ be given. Let $v11_altcat_1 : \iota \Rightarrow o$ be given. Let $v12_altcat_1 : \iota \Rightarrow o$ be given. Let $l2_altcat_1 : \iota \Rightarrow o$ be given. Let $v15_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_functor3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_functor3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_altcat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_altcat_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_xboole_0 : \iota$ be given. Let $k5_altcat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_altcat_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r8_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $m2_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l2_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_altcat_1 : \iota \Rightarrow o$ be given. Let $l1_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k3_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_functor0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_functor2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v11_altcat_1 \\
 & X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1. (m1_subset_1 \\
 & X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m1_subset_1 X2 (u1_struct_0 \\
 & X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4. \\
 & (m1_subset_1 X4 (k1_altcat_1 X0 X1 X2)) \Rightarrow (\forall X5. (m1_subset_1 \\
 & X5 (k1_altcat_1 X0 X2 X3)) \Rightarrow (((v3_altcat_3 X4 X0 X1 X2) \wedge (v3_altcat_3 \\
 & X5 X0 X2 X3)) \Rightarrow ((k1_altcat_1 X0 X1 X2 = k1_xboole_0) \vee ((k1_altcat_1 \\
 & X0 X2 X3 = k1_xboole_0) \vee ((k1_altcat_1 X0 X3 X1 = k1_xboole_0) \vee ((\\
 & v3_altcat_3 (k5_altcat_1 X0 X1 X2 X3 X4 X5) X0 X1 X3) \wedge (k1_altcat_3 \\
 & X0 X1 X3 (k5_altcat_1 X0 X1 X2 X3 X4 X5) = k5_altcat_1 X0 X3 X2 X1 (k1_altcat_3 \\
 & X0 X2 X3 X5) (k1_altcat_3 X0 X1 X2 X4))))))))))))) \\
 & \tag{1}
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v11_altcat_1 \\
& \quad X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))))) \Rightarrow (\forall X1.((\\
& \neg v2_struct_0 X1) \wedge ((v2_altcat_1 X1) \wedge ((v11_altcat_1 X1) \wedge ((v12_altcat_1 \\
& \quad X1) \wedge (l2_altcat_1 X1)))))) \Rightarrow (\forall X2.((v15_functor0 X2 X0 X1) \wedge \\
& \quad (m2_functor0 X2 X0 X1)) \Rightarrow (\forall X3.((v15_functor0 X3 X0 X1) \wedge (\\
& \quad m2_functor0 X3 X0 X1)) \Rightarrow (\forall X4.((v15_functor0 X4 X0 X1) \wedge (m2_functor0 \\
& \quad X4 X0 X1)) \Rightarrow (((r1_functor3 X0 X1 X2 X3) \wedge (r1_functor3 X0 X1 X3 X4)) \Rightarrow \\
& \quad (r1_functor3 X0 X1 X2 X4))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((\neg v2_struct_0 \\
& \quad X0) \wedge ((v2_altcat_1 X0) \wedge ((v11_altcat_1 X0) \wedge ((v12_altcat_1 X0) \wedge \\
& \quad (l2_altcat_1 X0)))))) \wedge (((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 X1) \wedge \\
& \quad ((v11_altcat_1 X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))))) \wedge \\
& \quad (((v15_functor0 X2 X0 X1) \wedge (m2_functor0 X2 X0 X1)) \wedge ((v15_functor0 \\
& \quad X3 X0 X1) \wedge (m2_functor0 X3 X0 X1)))) \Rightarrow ((r1_functor3 X0 X1 X2 X3) \Rightarrow \\
& \quad (r1_functor3 X0 X1 X3 X2))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. ((\neg v1_xboole_0 X0) \wedge (((v1_relat_1 \\
& \quad X1) \wedge ((v4_relat_1 X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))))) \wedge \\
& \quad ((v1_relat_1 X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 \\
& \quad X2 X0)))))) \Rightarrow ((r8_pboole X0 X1 X2) \Leftrightarrow (X1 = X2))
\end{aligned} \tag{4}$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. (((\neg v2_struct_0 \\
& \quad X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))))) \wedge \\
& \quad (((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 X1) \wedge ((v12_altcat_1 X1) \wedge (\\
& \quad l2_altcat_1 X1)))))) \wedge (((v15_functor0 X2 X0 X1) \wedge (m2_functor0 X2 \\
& \quad X0 X1)) \wedge ((v15_functor0 X3 X0 X1) \wedge (m2_functor0 X3 X0 X1)))) \Rightarrow (\forall X4. \\
& \quad (m2_functor2 X4 X0 X1 X2 X3) \Rightarrow (m1_functor2 X4 X0 X1 X2 X3))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge \\
& \quad ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))))) \wedge ((\neg v2_struct_0 X1) \wedge \\
& \quad ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \Rightarrow (\forall X2. (m2_functor0 \\
& \quad X2 X0 X1) \Rightarrow (l2_functor0 X2 X0 X1))
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\
& X0)\wedge((v2_altcat_1 X0)\wedge((v11_altcat_1 X0)\wedge((v12_altcat_1 X0)\wedge \\
& (l2_altcat_1 X0)))))\wedge(((\neg v2_struct_0 X1)\wedge((v2_altcat_1 X1)\wedge \\
& ((v11_altcat_1 X1)\wedge((v12_altcat_1 X1)\wedge(l2_altcat_1 X1)))))\wedge \\
& (((v15_functor0 X2 X0 X1)\wedge(m2_functor0 X2 X0 X1))\wedge((v15_functor0 \\
& X3 X0 X1)\wedge(m2_functor0 X3 X0 X1))))\Rightarrow(\forall X4.(m1_functor3 \\
& X4 X0 X1 X2 X3)\Rightarrow(m2_functor2 X4 X0 X1 X2 X3))
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\
& X0)\wedge((v2_altcat_1 X0)\wedge((v12_altcat_1 X0)\wedge(l2_altcat_1 X0))))\wedge \\
& (((\neg v2_struct_0 X1)\wedge((v2_altcat_1 X1)\wedge((v12_altcat_1 X1)\wedge \\
& l2_altcat_1 X1))))\wedge((m2_functor0 X2 X0 X1)\wedge(m2_functor0 X3 X0 \\
& X1)))\Rightarrow(\forall X4.(m1_functor2 X4 X0 X1 X2 X3)\Rightarrow((v1_relat_1 X4)\wedge \\
& ((v4_relat_1 X4 (u1_struct_0 X0))\wedge((v1_funct_1 X4)\wedge(v1_partfun1 \\
& X4 (u1_struct_0 X0))))))
\end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.((l1_altcat_1 X0)\wedge(l1_altcat_1 X1))\Rightarrow(\\
& \forall X2.(l2_functor0 X2 X0 X1)\Rightarrow(l1_functor0 X2 X0 X1))
\end{aligned} \tag{10}$$

Assume the following.

$$\forall X0.(l2_altcat_1 X0)\Rightarrow(l1_altcat_1 X0) \tag{11}$$

Assume the following.

$$\forall X0.(l1_altcat_1 X0)\Rightarrow(l1_struct_0 X0) \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\
& \forall X6.(((\neg v2_struct_0 X0)\wedge((v2_altcat_1 X0)\wedge((v11_altcat_1 \\
& X0)\wedge((v12_altcat_1 X0)\wedge(l2_altcat_1 X0)))))\wedge(((\neg v2_struct_0 \\
& X1)\wedge((v2_altcat_1 X1)\wedge((v11_altcat_1 X1)\wedge((v12_altcat_1 X1)\wedge \\
& (l2_altcat_1 X1)))))\wedge(((v15_functor0 X2 X0 X1)\wedge(m2_functor0 \\
& X2 X0 X1))\wedge(((v15_functor0 X3 X0 X1)\wedge(m2_functor0 X3 X0 X1))\wedge((\\
& (v15_functor0 X4 X0 X1)\wedge(m2_functor0 X4 X0 X1))\wedge((m2_functor2 \\
& X5 X0 X1 X2 X3)\wedge(m2_functor2 X6 X0 X1 X3 X4))))))\Rightarrow(m2_functor2 (\\
& k5_functor2 X0 X1 X2 X3 X4 X5 X6) X0 X1 X2 X4)
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\
& \forall X6.(((\neg v2_struct_0 X0)\wedge((v2_altcat_1 X0)\wedge((v12_altcat_1 \\
& X0)\wedge(l2_altcat_1 X0))))\wedge(((\neg v2_struct_0 X1)\wedge((v2_altcat_1 \\
& X1)\wedge((v12_altcat_1 X1)\wedge(l2_altcat_1 X1))))\wedge((m2_functor0 X2 \\
& X0 X1)\wedge((m2_functor0 X3 X0 X1)\wedge((m2_functor0 X4 X0 X1)\wedge((m1_functor2 \\
& X5 X0 X1 X2 X3)\wedge(m1_functor2 X6 X0 X1 X3 X4))))))\Rightarrow(m1_functor2 (\\
& k3_functor2 X0 X1 X2 X3 X4 X5 X6) X0 X1 X2 X4)
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\
& X0)\wedge(l1_altcat_1 X0))\wedge(((\neg v2_struct_0 X1)\wedge(l1_altcat_1 X1))\wedge \\
& ((l1_functor0 X2 X0 X1)\wedge(m1_subset_1 X3 (u1_struct_0 X0))))\Rightarrow \\
& (m1_subset_1 (k3_functor0 X0 X1 X2 X3) (u1_struct_0 X1))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. \\
& (((\neg v2_struct_0 X0)\wedge((v2_altcat_1 X0)\wedge((v12_altcat_1 X0)\wedge(\\
& l2_altcat_1 X0))))\wedge(((\neg v2_struct_0 X1)\wedge((v2_altcat_1 X1)\wedge(\\
& v12_altcat_1 X1)\wedge(l2_altcat_1 X1))))\wedge((m2_functor0 X2 X0 X1)\wedge \\
& ((m2_functor0 X3 X0 X1)\wedge((m1_functor2 X4 X0 X1 X2 X3)\wedge(m1_subset_1 \\
& X5 (u1_struct_0 X0))))))\Rightarrow(m1_subset_1 (k2_functor2 X0 X1 X2 X3 \\
& X4 X5) (k1_altcat_1 X1 (k3_functor0 X0 X1 X2 X5) (k3_functor0 X0 X1 \\
& X3 X5)))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0)\wedge((v2_altcat_1 X0)\wedge((v11_altcat_1 \\
& X0)\wedge((v12_altcat_1 X0)\wedge(l2_altcat_1 X0))))\Rightarrow(\forall X1.((\\
& \neg v2_struct_0 X1)\wedge((v2_altcat_1 X1)\wedge((v11_altcat_1 X1)\wedge((v12_altcat_1 \\
& X1)\wedge(l2_altcat_1 X1))))\Rightarrow(\forall X2.((v15_functor0 X2 X0 X1)\wedge \\
& (m2_functor0 X2 X0 X1))\Rightarrow(\forall X3.((v15_functor0 X3 X0 X1)\wedge(\\
& m2_functor0 X3 X0 X1))\Rightarrow(\forall X4.((v15_functor0 X4 X0 X1)\wedge(m2_functor0 \\
& X4 X0 X1))\Rightarrow(((r2_functor2 X0 X1 X2 X3)\wedge(r2_functor2 X0 X1 X3 X4))\Rightarrow \\
& (\forall X5.(m2_functor2 X5 X0 X1 X2 X3)\Rightarrow(\forall X6.(m2_functor2 \\
& X6 X0 X1 X3 X4)\Rightarrow(\forall X7.(m2_functor2 X7 X0 X1 X2 X4)\Rightarrow((X7 = k5_functor2 \\
& X0 X1 X2 X3 X4 X5 X6)\Leftrightarrow(r8_pboole (u1_struct_0 X0) X7 (k3_functor2 \\
& X0 X1 X2 X3 X4 X5 X6))))))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v11_altcat_1 \\
& \quad X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 X1) \wedge ((v11_altcat_1 X1) \wedge ((v12_altcat_1 \\
& \quad X1) \wedge (l2_altcat_1 X1)))))) \Rightarrow (\forall X2.((v15_functor0 X2 X0 X1) \wedge \\
& \quad (m2_functor0 X2 X0 X1)) \Rightarrow (\forall X3.((v15_functor0 X3 X0 X1) \wedge (\\
& \quad m2_functor0 X3 X0 X1)) \Rightarrow ((r1_functor3 X0 X1 X2 X3) \Rightarrow (\forall X4.(\\
& \quad m2_functor2 X4 X0 X1 X2 X3) \Rightarrow ((m1_functor3 X4 X0 X1 X2 X3) \Leftrightarrow (\forall X5. \\
& \quad (m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (v3_altcat_3 (k2_functor2 \\
& \quad X0 X1 X2 X3 X4 X5) X1 (k3_functor0 X0 X1 X2 X5) (k3_functor0 X0 X1 X3 X5)))))))))) \\
& \hspace{15em} (18)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& \quad X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& \quad X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \Rightarrow (\forall X2.(m2_functor0 \\
& \quad X2 X0 X1) \Rightarrow (\forall X3.(m2_functor0 X3 X0 X1) \Rightarrow (\forall X4.(m2_functor0 \\
& \quad X4 X0 X1) \Rightarrow ((r1_functor2 X0 X1 X2 X3) \wedge (r1_functor2 X0 X1 X3 X4) \Rightarrow \\
& \quad (\forall X5.(m1_functor2 X5 X0 X1 X2 X3) \Rightarrow (\forall X6.(m1_functor2 \\
& \quad X6 X0 X1 X3 X4) \Rightarrow (\forall X7.(m1_functor2 X7 X0 X1 X2 X4) \Rightarrow ((X7 = k3_functor2 \\
& \quad X0 X1 X2 X3 X4 X5 X6) \Leftrightarrow (\forall X8.(m1_subset_1 X8 (u1_struct_0 X0)) \Rightarrow \\
& \quad (k2_functor2 X0 X1 X2 X4 X7 X8 = k5_altcat_1 X1 (k3_functor0 X0 X1 X2 \\
& \quad X8) (k3_functor0 X0 X1 X3 X8) (k3_functor0 X0 X1 X4 X8) (k2_functor2 \\
& \quad X0 X1 X2 X3 X5 X8) (k2_functor2 X0 X1 X3 X4 X6 X8)))))))))) \\
& \hspace{15em} (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v11_altcat_1 \\
& \quad X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 X1) \wedge ((v11_altcat_1 X1) \wedge ((v12_altcat_1 \\
& \quad X1) \wedge (l2_altcat_1 X1)))))) \Rightarrow (\forall X2.((v15_functor0 X2 X0 X1) \wedge \\
& \quad (m2_functor0 X2 X0 X1)) \Rightarrow (\forall X3.((v15_functor0 X3 X0 X1) \wedge (\\
& \quad m2_functor0 X3 X0 X1)) \Rightarrow ((r1_functor3 X0 X1 X2 X3) \Leftrightarrow ((r2_functor2 \\
& \quad X0 X1 X2 X3) \wedge ((r1_functor2 X0 X1 X3 X2) \wedge (\exists X4.(m2_functor2 \\
& \quad X4 X0 X1 X2 X3) \wedge (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (\\
& \quad v3_altcat_3 (k2_functor2 X0 X1 X2 X3 X4 X5) X1 (k3_functor0 X0 X1 X2 \\
& \quad X5) (k3_functor0 X0 X1 X3 X5)))))))))) \\
& \hspace{15em} (20)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v12_altcat_1 \\
& \quad X0) \wedge (l2_altcat_1 X0)))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_altcat_1 \\
& \quad X1) \wedge ((v12_altcat_1 X1) \wedge (l2_altcat_1 X1)))) \Rightarrow (\forall X2.(m2_functor0 \\
& \quad X2 X0 X1) \Rightarrow (\forall X3.(m2_functor0 X3 X0 X1) \Rightarrow ((r1_functor2 X0 X1 \\
& \quad X2 X3) \Leftrightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (k1_altcat_1 \\
& \quad X1 (k3_functor0 X0 X1 X2 X4) (k3_functor0 X0 X1 X3 X4) \neq k1_xboole_0)))))) \\
& \hspace{15em} (21)
\end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_altcat_1 X0) \wedge ((v11_altcat_1 \\ & \quad X0) \wedge ((v12_altcat_1 X0) \wedge (l2_altcat_1 X0)))))) \Rightarrow (\forall X1.((\\ & \neg v2_struct_0 X1) \wedge ((v2_altcat_1 X1) \wedge ((v11_altcat_1 X1) \wedge ((v12_altcat_1 \\ & \quad X1) \wedge (l2_altcat_1 X1)))))) \Rightarrow (\forall X2.((v15_functor0 X2 X0 X1) \wedge \\ & \quad (m2_functor0 X2 X0 X1)) \Rightarrow (\forall X3.((v15_functor0 X3 X0 X1) \wedge (\\ & \quad m2_functor0 X3 X0 X1)) \Rightarrow (\forall X4.((v15_functor0 X4 X0 X1) \wedge (m2_functor0 \\ & \quad X4 X0 X1)) \Rightarrow (\forall X5.(m1_functor3 X5 X0 X1 X2 X3) \Rightarrow (\forall X6. \\ & \quad (m1_functor3 X6 X0 X1 X3 X4) \Rightarrow (((r1_functor3 X0 X1 X2 X3) \wedge (r1_functor3 \\ & \quad X0 X1 X3 X4)) \Rightarrow (m1_functor3 (k5_functor2 X0 X1 X2 X3 X4 X5 X6) X0 X1 X2 \\ & \quad X4)))))))))) \end{aligned}$$