

# t34\_matrix\_6 (TMP- noECKR3mdwQaKBFzxCrApTcjj2qomiYt)

October 27, 2020

Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v6\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v33\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v5\_group\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $m1\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k6\_numbers : \iota$  be given. Let  $v3\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_matrix\_1 : \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_2 : \iota \Rightarrow \iota$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_matrix\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_matrix\_3 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_matrix\_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k2\_matrix\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_matrix\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
& \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
& X0) \wedge ((v33\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ( \\
& (v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v4\_vectsp\_1 \\
& X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1\_matrix\_1 X1) \wedge (m2\_finseq\_1 X1 (k3\_finseq\_2 (u1\_struct\_0 \\
& X0)))) \Rightarrow (\forall X2. ((v1\_matrix\_1 X2) \wedge (m2\_finseq\_1 X2 (k3\_finseq\_2 \\
& (u1\_struct\_0 X0)))) \Rightarrow (((k3\_finseq\_1 X1 = k3\_finseq\_1 X2) \wedge (k1\_matrix\_1 \\
& X1 = k1\_matrix\_1 X2)) \Rightarrow (k2\_matrix\_3 X0 (k1\_matrix\_4 X0 X1 X2) = k1\_matrix\_4 \\
& X0 X2 X1))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
& X0) \wedge ((v33\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge \\
& (v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v4\_vectsp\_1 \\
& X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (\forall X1. \\
& (v7\_ordinal1 X1) \Rightarrow (\forall X2.(m1\_matrix\_1 X2 (u1\_struct\_0 X0) \\
& X1 X1) \Rightarrow (k5\_matrix\_1 X1 (u1\_struct\_0 X0) (k1\_matrix\_6 X1 X0 X2) = \\
& k1\_matrix\_6 X1 X0 (k5\_matrix\_1 X1 (u1\_struct\_0 X0) X2))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.(\neg v1\_xboole\_0 X1) \Rightarrow ( \\
& \forall X2.(m1\_matrix\_1 X2 X1 X0 X0) \Rightarrow ((k3\_finseq\_1 X2 = X0) \wedge ((k1\_matrix\_1 \\
& X2 = X0) \wedge (k2\_matrix\_1 X2 = k2\_zfmisc\_1 (k2\_finseq\_1 X0) (k2\_finseq\_1 \\
& X0))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.((\neg v2\_struct\_0 X1) \wedge \\
& ((\neg v6\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge ((v33\_algstr\_0 X1) \wedge ( \\
& (v3\_group\_1 X1) \wedge ((v5\_group\_1 X1) \wedge ((v2\_rlvect\_1 X1) \wedge ((v3\_rlvect\_1 \\
& X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge ((v5\_vectsp\_1 X1) \wedge \\
& (l6\_algstr\_0 X1)))))))))) \Rightarrow (\forall X2.(m1\_matrix\_1 X2 (u1\_struct\_0 \\
& X1) X0 X0) \Rightarrow (\forall X3.(m1\_matrix\_1 X3 (u1\_struct\_0 X1) X0 X0) \Rightarrow \\
& (k5\_matrix\_1 X0 (u1\_struct\_0 X1) (k2\_matrix\_6 X0 X1 X2 X3) = k2\_matrix\_6 \\
& X0 X1 (k5\_matrix\_1 X0 (u1\_struct\_0 X1) X2) (k5\_matrix\_1 X0 (u1\_struct\_0 \\
& X1) X3))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1.((v1\_matrix\_1 X1) \wedge \\
& (m2\_finseq\_1 X1 (k3\_finseq\_2 X0))) \Rightarrow (\neg(\neg r1\_xreal\_0 (k3\_finseq\_1 \\
& X1) k6\_numbers) \wedge ((\neg r1\_xreal\_0 (k1\_matrix\_1 X1) k6\_numbers) \wedge \\
& (k4\_matrix\_1 X0 (k4\_matrix\_1 X0 X1) \neq X1))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.((v7\_ordinal1 X0) \wedge ((\neg v1\_xboole\_0 \\
& X1) \wedge (m1\_matrix\_1 X2 X1 X0 X0))) \Rightarrow (k5\_matrix\_1 X0 X1 X2 = k4\_matrix\_1 \\
& X1 X2)
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1\ X0)\wedge \\
& (((\neg v2\_struct\_0\ X1)\wedge((\neg v6\_struct\_0\ X1)\wedge((v13\_algstr\_0\ X1)\wedge \\
& ((v33\_algstr\_0\ X1)\wedge((v3\_group\_1\ X1)\wedge((v5\_group\_1\ X1)\wedge((v2\_rlvect\_1 \\
& X1)\wedge((v3\_rlvect\_1\ X1)\wedge((v4\_rlvect\_1\ X1)\wedge((v4\_vectsp\_1\ X1)\wedge \\
& ((v5\_vectsp\_1\ X1)\wedge(l6\_algstr\_0\ X1))))))))))\wedge((m1\_matrix\_1 \\
& X2\ (u1\_struct\_0\ X1)\ X0\ X0)\wedge(m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0)))\Rightarrow \\
& (k3\_matrix\_6\ X0\ X1\ X2\ X3 = k1\_matrix\_4\ X1\ X2\ X3)
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1\ X0)\wedge \\
& (((\neg v2\_struct\_0\ X1)\wedge((\neg v6\_struct\_0\ X1)\wedge((v13\_algstr\_0\ X1)\wedge \\
& ((v33\_algstr\_0\ X1)\wedge((v3\_group\_1\ X1)\wedge((v5\_group\_1\ X1)\wedge((v2\_rlvect\_1 \\
& X1)\wedge((v3\_rlvect\_1\ X1)\wedge((v4\_rlvect\_1\ X1)\wedge((v4\_vectsp\_1\ X1)\wedge \\
& ((v5\_vectsp\_1\ X1)\wedge(l6\_algstr\_0\ X1))))))))))\wedge((m1\_matrix\_1 \\
& X2\ (u1\_struct\_0\ X1)\ X0\ X0)\wedge(m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0)))\Rightarrow \\
& (k2\_matrix\_6\ X0\ X1\ X2\ X3 = k3\_matrix\_3\ X1\ X2\ X3)
\end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.((v7\_ordinal1\ X0)\wedge(((\neg v2\_struct\_0 \\
& X1)\wedge((\neg v6\_struct\_0\ X1)\wedge((v13\_algstr\_0\ X1)\wedge((v33\_algstr\_0\ X1)\wedge \\
& ((v3\_group\_1\ X1)\wedge((v5\_group\_1\ X1)\wedge((v2\_rlvect\_1\ X1)\wedge((v3\_rlvect\_1 \\
& X1)\wedge((v4\_rlvect\_1\ X1)\wedge((v4\_vectsp\_1\ X1)\wedge((v5\_vectsp\_1\ X1)\wedge \\
& (l6\_algstr\_0\ X1))))))))))\wedge(m1\_matrix\_1\ X2\ (u1\_struct\_0\ X1) \\
& X0\ X0))\Rightarrow(k1\_matrix\_6\ X0\ X1\ X2 = k2\_matrix\_3\ X1\ X2)
\end{aligned} \tag{9}$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0\ X0)\wedge(l1\_struct\_0\ X0))\Rightarrow(\neg v1\_xboole\_0\ (u1\_struct\_0\ X0)) \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0\ X0)\wedge((v7\_ordinal1 \\
& X1)\wedge(v7\_ordinal1\ X2)))\Rightarrow(\forall X3.(m1\_matrix\_1\ X3\ X0\ X1\ X2)\Rightarrow \\
& ((v1\_matrix\_1\ X3)\wedge(m2\_finseq\_1\ X3\ (k3\_finseq\_2\ X0))))
\end{aligned} \tag{11}$$

Assume the following.

$$\forall X0.(l6\_algstr\_0\ X0)\Rightarrow((l2\_algstr\_0\ X0)\wedge(l5\_algstr\_0\ X0)) \tag{12}$$

Assume the following.

$$\forall X0.(l2\_algstr\_0\ X0)\Rightarrow((l2\_struct\_0\ X0)\wedge(l1\_algstr\_0\ X0)) \tag{13}$$

Assume the following.

$$\forall X0.(l1\_algstr\_0\ X0)\Rightarrow(l1\_struct\_0\ X0) \tag{14}$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v7\_ordinal1\ X0)\wedge((\neg v1\_xboole\_0\ X1)\wedge(m1\_matrix\_1\ X2\ X1\ X0\ X0)))\Rightarrow(m1\_matrix\_1\ (k5\_matrix\_1\ X0\ X1\ X2)\ X1\ X0\ X0)$$
(15)

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1\ X0)\wedge(((\neg v2\_struct\_0\ X1)\wedge((\neg v6\_struct\_0\ X1)\wedge((v13\_algstr\_0\ X1)\wedge((v33\_algstr\_0\ X1)\wedge((v3\_group\_1\ X1)\wedge((v5\_group\_1\ X1)\wedge((v2\_rlvect\_1\ X1)\wedge((v3\_rlvect\_1\ X1)\wedge((v4\_rlvect\_1\ X1)\wedge((v4\_vectsp\_1\ X1)\wedge((v5\_vectsp\_1\ X1)\wedge(l6\_algstr\_0\ X1))))))))))))))\wedge((m1\_matrix\_1\ X2\ (u1\_struct\_0\ X1)\ X0\ X0)\wedge(m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0)))\Rightarrow(m1\_matrix\_1\ (k3\_matrix\_6\ X0\ X1\ X2\ X3)\ (u1\_struct\_0\ X1)\ X0\ X0)$$
(16)

Assume the following.

$$\forall X0.\forall X1.\forall X2.((v7\_ordinal1\ X0)\wedge(((\neg v2\_struct\_0\ X1)\wedge((\neg v6\_struct\_0\ X1)\wedge((v13\_algstr\_0\ X1)\wedge((v33\_algstr\_0\ X1)\wedge((v3\_group\_1\ X1)\wedge((v5\_group\_1\ X1)\wedge((v2\_rlvect\_1\ X1)\wedge((v3\_rlvect\_1\ X1)\wedge((v4\_rlvect\_1\ X1)\wedge((v4\_vectsp\_1\ X1)\wedge((v5\_vectsp\_1\ X1)\wedge(l6\_algstr\_0\ X1))))))))))))))\wedge(m1\_matrix\_1\ X2\ (u1\_struct\_0\ X1)\ X0\ X0))\Rightarrow(m1\_matrix\_1\ (k1\_matrix\_6\ X0\ X1\ X2)\ (u1\_struct\_0\ X1)\ X0\ X0)$$
(17)

Assume the following.

$$\forall X0.(v7\_ordinal1\ X0)\Rightarrow(\forall X1.((\neg v2\_struct\_0\ X1)\wedge((\neg v6\_struct\_0\ X1)\wedge((v13\_algstr\_0\ X1)\wedge((v33\_algstr\_0\ X1)\wedge((v3\_group\_1\ X1)\wedge((v5\_group\_1\ X1)\wedge((v2\_rlvect\_1\ X1)\wedge((v3\_rlvect\_1\ X1)\wedge((v4\_rlvect\_1\ X1)\wedge((v4\_vectsp\_1\ X1)\wedge((v5\_vectsp\_1\ X1)\wedge(l6\_algstr\_0\ X1))))))))))))\Rightarrow(\forall X2.(m1\_matrix\_1\ X2\ (u1\_struct\_0\ X1)\ X0\ X0)\Rightarrow((v3\_matrix\_6\ X2\ X0\ X1)\Leftrightarrow(k5\_matrix\_1\ X0\ (u1\_struct\_0\ X1)\ X2 = k1\_matrix\_6\ X0\ X1\ X2)))$$
(18)

Assume the following.

$$\forall X0.((\neg v2\_struct\_0\ X0)\wedge((\neg v6\_struct\_0\ X0)\wedge((v13\_algstr\_0\ X0)\wedge((v33\_algstr\_0\ X0)\wedge((v3\_group\_1\ X0)\wedge((v5\_group\_1\ X0)\wedge((v2\_rlvect\_1\ X0)\wedge((v3\_rlvect\_1\ X0)\wedge((v4\_rlvect\_1\ X0)\wedge((v4\_vectsp\_1\ X0)\wedge((v5\_vectsp\_1\ X0)\wedge(l6\_algstr\_0\ X0))))))))))))\Rightarrow(\forall X1.((v1\_matrix\_1\ X1)\wedge(m2\_finseq\_1\ X1\ (k3\_finseq\_2\ (u1\_struct\_0\ X0))))\Rightarrow(\forall X2.((v1\_matrix\_1\ X2)\wedge(m2\_finseq\_1\ X2\ (k3\_finseq\_2\ (u1\_struct\_0\ X0))))\Rightarrow(k1\_matrix\_4\ X0\ X1\ X2 = k3\_matrix\_3\ X0\ X1\ (k2\_matrix\_3\ X0\ X2))))$$
(19)

**Theorem 1**

$$\begin{aligned} & \forall X0.(v7\_ordinal1\ X0) \Rightarrow (\forall X1.((\neg v2\_struct\_0\ X1) \wedge \\ & ((\neg v6\_struct\_0\ X1) \wedge (v13\_algstr\_0\ X1) \wedge (v33\_algstr\_0\ X1) \wedge \\ & (v3\_group\_1\ X1) \wedge (v5\_group\_1\ X1) \wedge (v2\_rlvect\_1\ X1) \wedge (v3\_rlvect\_1 \\ & X1) \wedge (v4\_rlvect\_1\ X1) \wedge (v4\_vectsp\_1\ X1) \wedge (v5\_vectsp\_1\ X1) \wedge \\ & (l6\_algstr\_0\ X1)))))) \Rightarrow (\forall X2.(m1\_matrix\_1\ X2\ (u1\_struct\_0 \\ X1)\ X0\ X0) \Rightarrow ((\neg r1\_xxreal\_0\ X0\ k6\_numbers) \Rightarrow (v3\_matrix\_6\ (k3\_matrix\_6 \\ X0\ X1\ X2\ (k5\_matrix\_1\ X0\ (u1\_struct\_0\ X1)\ X2))\ X0\ X1))) \end{aligned}$$