

t34_nfcont_1

(TMQ9YQExRoWN6zxMn5Q57JXSX66RLbQgnfy)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_xboole_0 : \iota$ be given. Let $v1_nfcont_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r3_nfcont_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_numbers : \iota$ be given. Let $k3_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_seq_4 : \iota \Rightarrow \iota$ be given. Let $k2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_seq_4 : \iota \Rightarrow \iota$ be given. Let $r4_nfcont_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l1_normsp_0 : \iota \Rightarrow o$ be given. Let $k2_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_normsp_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$

be given. Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X0) k1_numbers)))) \Rightarrow (\neg(k1_relset_1 (u1_struct_0 \\
& X0) X1 \neq k1_xboole_0) \wedge ((v1_nfcont_1 (k1_relset_1 (u1_struct_0 \\
& X0) X1) X0) \wedge ((r4_nfcont_1 X0 X1 (k1_relset_1 (u1_struct_0 X0) X1)) \wedge \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow (\neg(X2 \in k1_relset_1 (u1_struct_0 X0) X1) \wedge \\
& ((X3 \in k1_relset_1 (u1_struct_0 X0) X1) \wedge ((k7_partfun1 k1_numbers \\
& X1 X2 = k4_seq_4 (k2_relset_1 k1_numbers X1)) \wedge (k7_partfun1 k1_numbers \\
& X1 X3 = k5_seq_4 (k2_relset_1 k1_numbers X1))))))))))))) \Rightarrow
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge \\
& ((v2_rlvect_1 X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 \\
& X1) \wedge ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge \\
& ((v3_normsp_0 X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 \\
& X1)))))))))) \Rightarrow (\forall X2.((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 \\
& X2) \wedge ((v2_rlvect_1 X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge \\
& ((v5_rlvect_1 X2) \wedge ((v6_rlvect_1 X2) \wedge ((v7_rlvect_1 X2) \wedge ((v8_rlvect_1 \\
& X2) \wedge ((v3_normsp_0 X2) \wedge ((v4_normsp_0 X2) \wedge ((v2_normsp_1 X2) \wedge \\
& (l1_normsp_1 X2)))))))))) \Rightarrow (\forall X3.((v1_funct_1 X3) \wedge \\
& (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X1) (u1_struct_0 \\
& X2)))) \Rightarrow ((r3_nfcont_1 X1 X2 X3 X0) \Rightarrow ((r4_nfcont_1 X1 (k3_normsp_0 \\
& (u1_struct_0 X1) X2 X3) X0) \wedge (r3_nfcont_1 X1 X2 (k5_vfunct_1 (u1_struct_0 \\
& X1) X2 X3) X0)))))) \Rightarrow
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0) \wedge (((\neg v2_struct_0 \\
& X1) \wedge (l1_normsp_0 X1)) \wedge ((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 (u1_struct_0 X1)))))) \Rightarrow (k3_normsp_0 X0 X1 X2 = \\
& k2_normsp_0 X1 X2)
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (\\
& k1_relset_1 X0 X1 = k9_xtuple_0 X1)
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 \\
& (u1_struct_0 X0))
\end{aligned} \tag{5}$$

Assume the following.

$$\forall X0.(l2_struct_0 X0)\Rightarrow(l1_struct_0 X0) \quad (6)$$

Assume the following.

$$\forall X0.(l2_normsp_0 X0)\Rightarrow((l1_normsp_0 X0)\wedge(l2_struct_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(l1_normsp_1 X0)\Rightarrow((l1_rlvect_1 X0)\wedge(l2_normsp_0 X0)) \quad (8)$$

Assume the following.

$$\begin{aligned} &\forall X0.\forall X1.\forall X2.((\neg v1_xboole_0 X0)\wedge(((\neg v2_struct_0 \\ &X1)\wedge(l1_normsp_0 X1))\wedge((v1_funct_1 X2)\wedge(m1_subset_1 X2 (k1_zfmisc_1 \\ &(k2_zfmisc_1 X0 (u1_struct_0 X1)))))))\Rightarrow((v1_funct_1 (k3_normsp_0 \\ &X0 X1 X2))\wedge(m1_subset_1 (k3_normsp_0 X0 X1 X2) (k1_zfmisc_1 (k2_zfmisc_1 \\ &X0 k1_numbers)))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} &\forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge \\ &(l1_normsp_0 X1))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge(m1_subset_1 \\ &X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1))))))\Rightarrow(\forall X3. \\ &((v1_funct_1 X3)\wedge(m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 \\ &k1_numbers))))\Rightarrow((X3 = k3_normsp_0 X0 X1 X2)\Leftrightarrow((k9_xtuple_0 X3 = \\ &k9_xtuple_0 X2)\wedge(\forall X4.(m1_subset_1 X4 X0)\Rightarrow((X4 \in k9_xtuple_0 \\ &X3)\Rightarrow(k1_funct_1 X3 X4 = k1_normsp_0 X1 (k7_partfun1 (u1_struct_0 \\ &X1) X2 X4)))))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (12)$$

Theorem 1

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge ((v3_normsp_0 \\
& X0) \wedge ((v4_normsp_0 X0) \wedge ((v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v5_rlvect_1 X1) \wedge \\
& ((v6_rlvect_1 X1) \wedge ((v7_rlvect_1 X1) \wedge ((v8_rlvect_1 X1) \wedge ((v3_normsp_0 \\
& X1) \wedge ((v4_normsp_0 X1) \wedge ((v2_normsp_1 X1) \wedge (l1_normsp_1 X1)))))))))) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\
& (u1_struct_0 X1) (u1_struct_0 X0)))))) \Rightarrow (\neg(k1_relset_1 (u1_struct_0 \\
& X1) X2 \neq k1_xboole_0) \wedge ((v1_nfcont_1 (k1_relset_1 (u1_struct_0 \\
& X1) X2) X1) \wedge ((r3_nfcont_1 X1 X0 X2 (k1_relset_1 (u1_struct_0 X1) \\
& X2)) \wedge (\forall X3.(m1_subset_1 X3 (u1_struct_0 X1)) \Rightarrow (\forall X4. \\
& (m1_subset_1 X4 (u1_struct_0 X1)) \Rightarrow (\neg(X3 \in k1_relset_1 (u1_struct_0 \\
& X1) X2) \wedge ((X4 \in k1_relset_1 (u1_struct_0 X1) X2) \wedge ((k7_partfun1 \\
& k1_numbers (k3_normsp_0 (u1_struct_0 X1) X0 X2) X3 = k4_seq_4 (k2_relset_1 \\
& k1_numbers (k3_normsp_0 (u1_struct_0 X1) X0 X2))) \wedge (k7_partfun1 \\
& k1_numbers (k3_normsp_0 (u1_struct_0 X1) X0 X2) X4 = k5_seq_4 (k2_relset_1 \\
& k1_numbers (k3_normsp_0 (u1_struct_0 X1) X0 X2))))))))))
\end{aligned}$$