

t35\_ordinal3  
(TMFTcgCsGnbA6EH8Lj7to2pb31eysjTRXSQ)

October 27, 2020

Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Let  $r1\_ordinal1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k11\_ordinal2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_xboole\_0 : \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0. \forall X1. \neg(X0 \in X1) \wedge (r1\_tarski X1 X0) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. (v3\_ordinal1 X0) \Rightarrow (\forall X1. (v3\_ordinal1 X1) \Rightarrow (\forall X2. \\ & (v3\_ordinal1 X2) \Rightarrow ((X1 \in X2) \Rightarrow ((X0 = k1\_xboole\_0) \vee (k11\_ordinal2 \\ & X1 X0 \in k11\_ordinal2 X2 X0)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. (v3\_ordinal1 X0) \Rightarrow (\forall X1. (v3\_ordinal1 X1) \Rightarrow ((r1\_ordinal1 X0 X1) \vee (X1 \in X0))) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. ((v3\_ordinal1 X0) \wedge (v3\_ordinal1 X1)) \Rightarrow ((r1\_ordinal1 X0 X1) \Leftrightarrow (r1\_tarski X0 X1)) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. ((v3\_ordinal1 X0) \wedge (v3\_ordinal1 X1)) \Rightarrow (v3\_ordinal1 (k11\_ordinal2 X0 X1)) \quad (5)$$

**Theorem 1**

$$\begin{aligned} & \forall X0. (v3\_ordinal1 X0) \Rightarrow (\forall X1. (v3\_ordinal1 X1) \Rightarrow (\forall X2. \\ & (v3\_ordinal1 X2) \Rightarrow ((r1\_ordinal1 (k11\_ordinal2 X0 X1) (k11\_ordinal2 \\ & X2 X1)) \Rightarrow ((X1 = k1\_xboole\_0) \vee (r1\_ordinal1 X0 X2)))))) \end{aligned}$$