

t35_osalg_2
(TMWn6aifdnUXxMNxRmNxttuxE7iDUujqjf5)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v4_osalg_1 : \iota \Rightarrow o$ be given. Let $v5_osalg_1 : \iota \Rightarrow o$ be given. Let $l3_osalg_1 : \iota \Rightarrow o$ be given. Let $v12_osalg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l3_msualg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v3_msualg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_msualg_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_osalg_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r8_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $u3_msualg_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_osalg_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_msualg_1 : \iota \Rightarrow o$ be given. Let $r2_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $g3_msualg_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $u4_msualg_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v11_osalg_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $m3_pboole : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_osalg_1 : \iota \Rightarrow o$ be given. Let $l2_osalg_1 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_msualg_1 \\ & \quad X0))) \Rightarrow (\forall X1. (l3_msualg_1 X1 X0) \Rightarrow (\forall X2. (m1_msualg_2 \\ & \quad X2 X0 X1) \Rightarrow (\forall X3. (m1_msualg_2 X3 X0 X1) \Rightarrow ((r2_pboole (u1_struct_0 \\ & \quad X0) (u3_msualg_1 X0 X2) (u3_msualg_1 X0 X3)) \Rightarrow (m1_msualg_2 X2 X0 \\ & \quad X3)))))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge (l1_msualg_1 \\ & \quad X0))) \Rightarrow (\forall X1. (l3_msualg_1 X1 X0) \Rightarrow (\forall X2. (l3_msualg_1 \\ & \quad X2 X0) \Rightarrow (((m1_msualg_2 X1 X0 X2) \wedge (m1_msualg_2 X2 X0 X1)) \Rightarrow (g3_msualg_1 \\ & \quad X0 (u3_msualg_1 X0 X1) (u4_msualg_1 X0 X1) = g3_msualg_1 X0 (u3_msualg_1 \\ & \quad X0 X2) (u4_msualg_1 X0 X2)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v4_osalg_1 \\ X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))))) \Rightarrow (\forall X1.(l3_msualg_1 \\ X1 X0) \Rightarrow ((v12_osalg_1 X1 X0) \Leftrightarrow ((v1_relat_1 (u3_msualg_1 X0 X1)) \wedge \\ ((v4_relat_1 (u3_msualg_1 X0 X1) (u1_struct_0 X0)) \wedge ((v1_funct_1 \\ (u3_msualg_1 X0 X1)) \wedge ((v1_partfun1 (u3_msualg_1 X0 X1) (u1_struct_0 \\ X0)) \wedge (v11_osalg_1 (u3_msualg_1 X0 X1) X0))))))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. r1_tarski X0 X0 \quad (4)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. ((\neg v1_xboole_0 X0) \wedge ((v1_relat_1 \\ X1) \wedge ((v4_relat_1 X1 X0) \wedge ((v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \wedge \\ ((v1_relat_1 X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 \\ X2 X0)))))) \Rightarrow ((r8_pboole X0 X1 X2) \Leftrightarrow (X1 = X2)) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 \\ (u1_struct_0 X0)) \quad (6)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge (\\ (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0)))) \Rightarrow (\forall X2. (m3_pboole \\ X2 X0 X1) \Rightarrow ((v1_relat_1 X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge \\ (v1_partfun1 X2 X0)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge \\ ((v4_osalg_1 X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))))) \wedge ((v12_osalg_1 \\ X1 X0) \wedge (l3_msualg_1 X1 X0)) \Rightarrow (\forall X2. (m2_osalg_2 X2 X0 X1) \Rightarrow \\ (m3_pboole X2 (u1_struct_0 X0) (u3_msualg_1 X0 X1))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge \\ (l1_msualg_1 X0))) \wedge (l3_msualg_1 X1 X0)) \Rightarrow (\forall X2. (m1_msualg_2 \\ X2 X0 X1) \Rightarrow (l3_msualg_1 X2 X0)) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0. (l3_osalg_1 X0) \Rightarrow ((l1_osalg_1 X0) \wedge (l2_osalg_1 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l2_osalg_1 X0) \Rightarrow ((l1_msualg_1 X0) \wedge (l1_orders_2 X0)) \quad (11)$$

Assume the following.

$$\forall X0.(l1_orders_2 X0) \Rightarrow (l1_struct_0 X0) \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge (\neg v11_struct_0 \\ & X0) \wedge ((v4_osalg_1 X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))) \wedge \\ & ((v12_osalg_1 X1 X0) \wedge (l3_msualg_1 X1 X0)) \wedge (m2_osalg_2 X2 X0 X1)) \Rightarrow \\ & ((v3_msualg_1 (k10_osalg_2 X0 X1 X2) X0) \wedge ((v12_osalg_1 (k10_osalg_2 \\ & X0 X1 X2) X0) \wedge (m1_msualg_2 (k10_osalg_2 X0 X1 X2) X0 X1))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\ & (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\ & ((r2_pboole X0 X1 X2) \Leftrightarrow (\forall X3. (X3 \in X0) \Rightarrow (r1_tarski (k1_funct_1 \\ & X1 X3) (k1_funct_1 X2 X3)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v4_osalg_1 \\ & X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))) \Rightarrow (\forall X1. ((v12_osalg_1 \\ & X1 X0) \wedge (l3_msualg_1 X1 X0)) \Rightarrow (\forall X2. (m3_pboole X2 (u1_struct_0 \\ & X0) (u3_msualg_1 X0 X1)) \Rightarrow ((m2_osalg_2 X2 X0 X1) \Leftrightarrow ((v1_relat_1 X2) \wedge \\ & ((v4_relat_1 X2 (u1_struct_0 X0)) \wedge ((v1_funct_1 X2) \wedge ((v1_partfun1 \\ & X2 (u1_struct_0 X0)) \wedge (v11_osalg_1 X2 X0)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge \\ & (v1_funct_1 X1) \wedge (v1_partfun1 X1 X0))) \Rightarrow (\forall X2. ((v1_relat_1 \\ & X2) \wedge ((v4_relat_1 X2 X0) \wedge ((v1_funct_1 X2) \wedge (v1_partfun1 X2 X0)))) \Rightarrow \\ & ((m3_pboole X2 X0 X1) \Leftrightarrow (r2_pboole X0 X2 X1)) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v4_osalg_1 \\ & X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))) \Rightarrow (\forall X1. ((v12_osalg_1 \\ & X1 X0) \wedge (l3_msualg_1 X1 X0)) \Rightarrow (\forall X2. (m2_osalg_2 X2 X0 X1) \Rightarrow \\ & (\forall X3. ((v3_msualg_1 X3 X0) \wedge ((v12_osalg_1 X3 X0) \wedge (m1_msualg_2 \\ & X3 X0 X1))) \Rightarrow ((X3 = k10_osalg_2 X0 X1 X2) \Leftrightarrow ((m2_osalg_2 X2 X0 X3) \wedge \\ & \forall X4. ((v12_osalg_1 X4 X0) \wedge (m1_msualg_2 X4 X0 X1)) \Rightarrow ((m2_osalg_2 \\ & X2 X0 X4) \Rightarrow ((v12_osalg_1 X3 X0) \wedge (m1_msualg_2 X3 X0 X4)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (l1_msualg_1 X0)) \wedge \\ & (l3_msualg_1 X1 X0)) \Rightarrow ((v3_msualg_1 X1 X0) \Rightarrow (X1 = g3_msualg_1 X0 \\ & (u3_msualg_1 X0 X1) (u4_msualg_1 X0 X1))) \end{aligned} \quad (18)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v4_osalg_1 \\ & X0) \wedge ((v5_osalg_1 X0) \wedge (l3_osalg_1 X0)))))) \Rightarrow (\forall X1. ((v12_osalg_1 \\ & X1 X0) \wedge (l3_msualg_1 X1 X0)) \Rightarrow (\forall X2. ((v3_msualg_1 X2 X0) \wedge \\ & ((v12_osalg_1 X2 X0) \wedge (m1_msualg_2 X2 X0 X1))) \Rightarrow (\forall X3. (m2_osalg_2 \\ & X3 X0 X1) \Rightarrow ((r8_pboole (u1_struct_0 X0) X3 (u3_msualg_1 X0 X2)) \Rightarrow \\ & (k10_osalg_2 X0 X1 X3 = X2)))))) \end{aligned}$$