

t35_rmod_2

(TMdGngegE7RENFDcCMXyiojPak8s7RAxM2V)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $v4_vectsp_1 : \iota \Rightarrow o$ be given. Let $v5_vectsp_1 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $l6_algstr_0 : \iota \Rightarrow o$ be given. Let $v4_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l1_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_struct_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_rmod_2 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_rmod_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $l5_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_vectsp_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
 & X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
 & ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))) \Rightarrow \\
 & (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
 & X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\
 & (l1_vectsp_2 X1 X0))))))) \Rightarrow (\forall X2. (m1_rmod_2 X2 X0 X1) \Rightarrow (r1_struct_0 \\
 & X2 (k4_struct_0 X1))))
 \end{aligned} \tag{1}$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \tag{2}$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \tag{3}$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge \\ & ((v3_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \wedge \\ & ((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v2_rlvect_1 X1) \wedge (\\ & v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge (v4_vectsp_2 X1 X0) \wedge (l1_vectsp_2 \\ & X1 X0)))))) \Rightarrow (\forall X2. (m1_rmod_2 X2 X0 X1) \Rightarrow ((\neg v2_struct_0 \\ & X2) \wedge (v13_algstr_0 X2) \wedge (v2_rlvect_1 X2) \wedge (v3_rlvect_1 X2) \wedge \\ & ((v4_rlvect_1 X2) \wedge (v4_vectsp_2 X2 X0) \wedge (l1_vectsp_2 X2 X0)))))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0. (l6_algstr_0 X0) \Rightarrow ((l2_algstr_0 X0) \wedge (l5_algstr_0 X0)) \quad (5)$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (6)$$

Assume the following.

$$\forall X0. (l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (7)$$

Assume the following.

$$\forall X0. (l1_struct_0 X0) \Rightarrow (\forall X1. (l1_vectsp_2 X1 X0) \Rightarrow (l2_algstr_0 X1)) \quad (8)$$

Assume the following.

$$\forall X0. (l2_struct_0 X0) \Rightarrow (m1_subset_1 (k4_struct_0 X0) (u1_struct_0 X0)) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge \\ & ((v3_group_1 X0) \wedge (v4_vectsp_1 X0) \wedge (v5_vectsp_1 X0) \wedge (v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))) \wedge \\ & ((\neg v2_struct_0 X1) \wedge (v13_algstr_0 X1) \wedge (v2_rlvect_1 X1) \wedge (\\ & v3_rlvect_1 X1) \wedge (v4_rlvect_1 X1) \wedge (v4_vectsp_2 X1 X0) \wedge (l1_vectsp_2 \\ & X1 X0)))))) \Rightarrow ((v2_vectsp_2 (k1_rmod_2 X0 X1) X0) \wedge (m1_rmod_2 \\ & (k1_rmod_2 X0 X1) X0 X1)) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0. (l1_struct_0 X0) \Rightarrow (\forall X1. (r1_struct_0 X0 X1) \Leftrightarrow (X1 \in u1_struct_0 X0)) \quad (11)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_group_1 \\
& X0) \wedge ((v4_vectsp_1 X0) \wedge ((v5_vectsp_1 X0) \wedge ((v2_rlvect_1 X0) \wedge \\
& ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge (l6_algstr_0 X0)))))))))) \Rightarrow \\
& (\forall X1.((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge ((v4_vectsp_2 X1 X0) \wedge \\
& (l1_vectsp_2 X1 X0)))))))))) \Rightarrow (\forall X2.((v2_vectsp_2 X2 X0) \wedge (\\
& m1_rmod_2 X2 X0 X1)) \Rightarrow ((X2 = k1_rmod_2 X0 X1) \Leftrightarrow (u1_struct_0 X2 = k6_domain_1 \\
& (u1_struct_0 X1) (k4_struct_0 X1))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\forall X0. \forall X1. (X1 = k1_tarski X0) \Leftrightarrow (\forall X2. (X2 \in X1) \Leftrightarrow (X2 = X0)) \tag{13}$$

Theorem 1

$$\begin{aligned}
& \forall X0. \forall X1. ((\neg v2_struct_0 X1) \wedge ((v13_algstr_0 X1) \wedge \\
& ((v3_group_1 X1) \wedge ((v4_vectsp_1 X1) \wedge ((v5_vectsp_1 X1) \wedge ((v2_rlvect_1 \\
& X1) \wedge ((v3_rlvect_1 X1) \wedge ((v4_rlvect_1 X1) \wedge (l6_algstr_0 X1)))))))))) \Rightarrow \\
& (\forall X2. ((\neg v2_struct_0 X2) \wedge ((v13_algstr_0 X2) \wedge ((v2_rlvect_1 \\
& X2) \wedge ((v3_rlvect_1 X2) \wedge ((v4_rlvect_1 X2) \wedge ((v4_vectsp_2 X2 X1) \wedge \\
& (l1_vectsp_2 X2 X1)))))))))) \Rightarrow ((r1_struct_0 (k1_rmod_2 X1 X2) X0) \Leftrightarrow \\
& (X0 = k4_struct_0 X2))
\end{aligned}$$