

t35_topgen_4
(TMa3untd3GGu771RQFfKUnD3vc8djF6CzdM)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $v5_topgen_4 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_struct_0 : \iota \Rightarrow \iota$ be given. Let $k3_tarski : \iota \Rightarrow \iota$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v4_pre_topc : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v2_tops_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k5_setfam_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_finset_1 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v4_card_3 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. k3_tarski (k1_tarski X0) = X0 \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\ X0))) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 \\ X0))) \Rightarrow (\forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k1_zfmisc_1 \\ (u1_struct_0 X0)))) \Rightarrow ((X2 = k6_domain_1 (k1_zfmisc_1 (u1_struct_0 \\ X0)) X1) \Rightarrow ((v4_pre_topc X1 X0) \Leftrightarrow (v2_tops_2 X2 X0)))))) \end{aligned} \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (k1_zfmisc_1 X0))) \Rightarrow (k5_setfam_1 X0 X1 = k3_tarski X1) \quad (4)$$

Assume the following.

$$\forall X0. ((v2_pre_topc X0) \wedge (l1_pre_topc X0)) \Rightarrow (v4_pre_topc (k2_struct_0 X0) X0) \quad (5)$$

Assume the following.

$$\forall X0. \neg v1_xboole_0 (k1_zfmisc_1 X0) \quad (6)$$

Assume the following.

$$\forall X0.v1_finset_1 (k1_tarski X0) \quad (7)$$

Assume the following.

$$\forall X0.(l1_pre_topc X0) \Rightarrow (l1_struct_0 X0) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l1_struct_0 X0) \Rightarrow (m1_subset_1 (k2_struct_0 X0) (k1_zfmisc_1 (u1_struct_0 X0))) \quad (10)$$

Assume the following.

$$\begin{aligned} \forall X0.((v2_pre_topc X0) \wedge (l1_pre_topc X0)) \Rightarrow (\forall X1. \\ (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow ((v5_topgen_4 \\ X1 X0) \Leftrightarrow (\exists X2.((v4_card_3 X2) \wedge ((v2_tops_2 X2 X0) \wedge (m1_subset_1 \\ X2 (k1_zfmisc_1 (k1_zfmisc_1 (u1_struct_0 X0)))))) \wedge (X1 = k5_setfam_1 \\ (u1_struct_0 X0) X2)))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall X0.(v1_finset_1 X0) \Rightarrow (v4_card_3 X0) \quad (12)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc X0))) \Rightarrow (v5_topgen_4 (k2_struct_0 X0) X0)$$