

t35\_zf\_lang1  
(TMHD6iB7eUXDcYsmeAHiyDUGSFtB5ay3s4D)

October 27, 2020

Let  $v1\_zf\_lang : \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $v9\_zf\_lang : \iota \Rightarrow o$  be given. Let  $v4\_zf\_lang : \iota \Rightarrow o$  be given. Let  $v5\_zf\_lang : \iota \Rightarrow o$  be given. Let  $k20\_zf\_lang : \iota \Rightarrow \iota$  be given. Let  $k22\_zf\_lang : \iota \Rightarrow \iota$  be given. Let  $k21\_zf\_lang : \iota \Rightarrow \iota$  be given. Let  $k7\_zf\_lang : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k6\_zf\_lang : \iota \Rightarrow \iota$  be given. Let  $k11\_zf\_lang : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m1\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned} & \forall X0.((v1\_zf\_lang X0) \wedge (m2\_finseq\_1 X0 k5\_numbers)) \Rightarrow (\forall X1. \\ & ((v1\_zf\_lang X1) \wedge (m2\_finseq\_1 X1 k5\_numbers)) \Rightarrow ((k21\_zf\_lang \\ & (k7\_zf\_lang X0 X1) = X0) \wedge (k22\_zf\_lang (k7\_zf\_lang X0 X1) = X1))) \end{aligned} \quad (1)$$

Assume the following.

$$\forall X0.((v1\_zf\_lang X0) \wedge (m2\_finseq\_1 X0 k5\_numbers)) \Rightarrow (k20\_zf\_lang (k6\_zf\_lang X0) = X0) \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1\_zf\_lang X0) \wedge (m2\_finseq\_1 X0 k5\_numbers)) \Rightarrow (\forall X1. \\ & ((v1\_zf\_lang X1) \wedge (m2\_finseq\_1 X1 k5\_numbers)) \Rightarrow (k20\_zf\_lang \\ & (k11\_zf\_lang X0 X1) = k7\_zf\_lang X0 (k6\_zf\_lang X1))) \end{aligned} \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (m2\_finseq\_1 X1 X0) \Leftrightarrow (m1\_finseq\_1 X1 X0) \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((v1\_zf\_lang X0) \wedge (m1\_finseq\_1 X0 k5\_numbers)) \wedge \\ & ((v1\_zf\_lang X1) \wedge (m1\_finseq\_1 X1 k5\_numbers))) \Rightarrow (v1\_zf\_lang \\ & (k7\_zf\_lang X0 X1)) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.((v1\_zf\_lang X0) \wedge (m1\_finseq\_1 X0 k5\_numbers)) \Rightarrow (v1\_zf\_lang (k6\_zf\_lang X0)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((m1\_finseq\_1 X0 k5\_numbers)\wedge(m1\_finseq\_1 X1 k5\_numbers))\Rightarrow(m2\_finseq\_1 (k7\_zf\_lang X0 X1) k5\_numbers) \quad (7)$$

Assume the following.

$$\forall X0.(m1\_finseq\_1 X0 k5\_numbers)\Rightarrow(m2\_finseq\_1 (k6\_zf\_lang X0) k5\_numbers) \quad (8)$$

Assume the following.

$$\forall X0.((v1\_zf\_lang X0)\wedge(m1\_finseq\_1 X0 k5\_numbers))\Rightarrow((v1\_zf\_lang (k20\_zf\_lang X0))\wedge(m2\_finseq\_1 (k20\_zf\_lang X0) k5\_numbers)) \quad (9)$$

Assume the following.

$$\forall X0.((v1\_zf\_lang X0)\wedge(m2\_finseq\_1 X0 k5\_numbers))\Rightarrow(((v9\_zf\_lang X0)\Leftrightarrow(\exists X1.((v1\_zf\_lang X1)\wedge(m2\_finseq\_1 X1 k5\_numbers))\wedge(\exists X2.((v1\_zf\_lang X2)\wedge(m2\_finseq\_1 X2 k5\_numbers))\wedge(X0 = k11\_zf\_lang X1 X2)))))) \quad (10)$$

Assume the following.

$$\forall X0.((v1\_zf\_lang X0)\wedge(m2\_finseq\_1 X0 k5\_numbers))\Rightarrow(\forall X1.((v1\_zf\_lang X1)\wedge(m2\_finseq\_1 X1 k5\_numbers))\Rightarrow(k11\_zf\_lang X0 X1 = k6\_zf\_lang (k7\_zf\_lang X0 (k6\_zf\_lang X1)))) \quad (11)$$

Assume the following.

$$\forall X0.((v1\_zf\_lang X0)\wedge(m2\_finseq\_1 X0 k5\_numbers))\Rightarrow(((v5\_zf\_lang X0)\Leftrightarrow(\exists X1.((v1\_zf\_lang X1)\wedge(m2\_finseq\_1 X1 k5\_numbers))\wedge(\exists X2.((v1\_zf\_lang X2)\wedge(m2\_finseq\_1 X2 k5\_numbers))\wedge(X0 = k7\_zf\_lang X1 X2)))))) \quad (12)$$

Assume the following.

$$\forall X0.((v1\_zf\_lang X0)\wedge(m2\_finseq\_1 X0 k5\_numbers))\Rightarrow(((v4\_zf\_lang X0)\Leftrightarrow(\exists X1.((v1\_zf\_lang X1)\wedge(m2\_finseq\_1 X1 k5\_numbers))\wedge(X0 = k6\_zf\_lang X1)))) \quad (13)$$

**Theorem 1**

$$\forall X0.((v1\_zf\_lang X0)\wedge(m2\_finseq\_1 X0 k5\_numbers))\Rightarrow(((v9\_zf\_lang X0)\Rightarrow((v4\_zf\_lang X0)\wedge((v5\_zf\_lang (k20\_zf\_lang X0))\wedge(v4\_zf\_lang (k22\_zf\_lang (k20\_zf\_lang X0)))))))$$