

## t36\_clvect\_2

(TMK399ExszbSTMfNLxTjVXQopQKdXLAgxLR)

October 27, 2020

Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v5\_clvect\_1 : \iota \Rightarrow o$  be given. Let  $v2\_csspace : \iota \Rightarrow o$  be given. Let  $l1\_csspace : \iota \Rightarrow o$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_clvect\_2 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_clvect\_2 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_comseq\_2 : \iota \Rightarrow o$  be given. Let  $k3\_clvect\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k16\_csspace : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_rlvect\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_seq\_2 : \iota \Rightarrow \iota$  be given. Let  $k6\_numbers : \iota$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
 & X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v2\_clvect\_1 X0) \wedge \\
 & ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v2\_csspace \\
 & X0) \wedge (l1\_csspace X0)))))))))) \Rightarrow (\forall X1. ((v1\_funct\_1 X1) \wedge \\
 & ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\
 & (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\
 & (\forall X2. ((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 \\
 & X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
 & X0)))))) \Rightarrow (((v1\_clvect\_2 X1 X0) \wedge (v1\_clvect\_2 X2 X0)) \Rightarrow (v1\_clvect\_2 \\
 & (k16\_csspace X0 X1 X2) X0))))
 \end{aligned}$$

(1)

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v2\_clvect\_1 X0) \wedge \\
& ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v2\_csspace \\
& X0) \wedge (l1\_csspace X0)))))))))) \Rightarrow (\forall X1.(m1\_subset\_1 X1 ( \\
& u1\_struct\_0 X0)) \Rightarrow (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 \\
& X2 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 \\
& (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow (((v1\_clvect\_2 \\
& X2 X0) \wedge (k1\_clvect\_2 X0 X2 = X1)) \Rightarrow ((v2\_comseq\_2 (k3\_clvect\_2 X0 \\
& X2 X1)) \wedge (k2\_seq\_2 (k3\_clvect\_2 X0 X2 X1) = k6\_numbers))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge ((v2\_rlvect\_1 \\
& X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v2\_clvect\_1 X0) \wedge \\
& ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 X0) \wedge ((v2\_csspace \\
& X0) \wedge (l1\_csspace X0)))))))))) \Rightarrow (\forall X1.((v1\_funct\_1 X1) \wedge \\
& ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\
& (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\
& (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 \\
& X0)) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0)))))) \Rightarrow (((v1\_clvect\_2 X1 X0) \wedge (v1\_clvect\_2 X2 X0)) \Rightarrow (k1\_clvect\_2 \\
& X0 (k16\_csspace X0 X1 X2) = k3\_rlvect\_1 X0 (k1\_clvect\_2 X0 X1) (k1\_clvect\_2 \\
& X0 X2))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (((\neg v2\_struct\_0 X0) \wedge ((v13\_algstr\_0 X0) \wedge \\
& ((v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v2\_clvect\_1 \\
& X0) \wedge ((v3\_clvect\_1 X0) \wedge ((v4\_clvect\_1 X0) \wedge ((v5\_clvect\_1 X0) \wedge \\
& ((v2\_csspace X0) \wedge (l1\_csspace X0)))))))))) \wedge ((v1\_funct\_1 X1) \wedge \\
& ((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0)) \wedge (m1\_subset\_1 X1 \\
& (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0)))))) \Rightarrow \\
& (m1\_subset\_1 (k1\_clvect\_2 X0 X1) (u1\_struct\_0 X0))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.(((\neg v2\_struct\_0 X0)\wedge((v13\_algstr\_0 \\
& X0)\wedge((v2\_rlvect\_1 X0)\wedge((v3\_rlvect\_1 X0)\wedge((v4\_rlvect\_1 X0)\wedge \\
& ((v2\_clvect\_1 X0)\wedge((v3\_clvect\_1 X0)\wedge((v4\_clvect\_1 X0)\wedge((v5\_clvect\_1 \\
& X0)\wedge((v2\_csspace X0)\wedge(l1\_csspace X0))))))))))\wedge(((v1\_funct\_1 \\
& X1)\wedge((v1\_funct\_2 X1 k5\_numbers (u1\_struct\_0 X0))\wedge(m1\_subset\_1 \\
& X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 X0))))))\wedge \\
& ((v1\_funct\_1 X2)\wedge((v1\_funct\_2 X2 k5\_numbers (u1\_struct\_0 X0))\wedge \\
& (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0))))))\Rightarrow((v1\_funct\_1 (k16\_csspace X0 X1 X2))\wedge((v1\_funct\_2 \\
& (k16\_csspace X0 X1 X2) k5\_numbers (u1\_struct\_0 X0))\wedge(m1\_subset\_1 \\
& (k16\_csspace X0 X1 X2) (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0))))))
\end{aligned} \tag{5}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0)\wedge((v13\_algstr\_0 X0)\wedge((v2\_rlvect\_1 \\
& X0)\wedge((v3\_rlvect\_1 X0)\wedge((v4\_rlvect\_1 X0)\wedge((v2\_clvect\_1 X0)\wedge \\
& ((v3\_clvect\_1 X0)\wedge((v4\_clvect\_1 X0)\wedge((v5\_clvect\_1 X0)\wedge((v2\_csspace \\
& X0)\wedge(l1\_csspace X0))))))))))\Rightarrow(\forall X1.(m1\_subset\_1 X1 ( \\
& u1\_struct\_0 X0))\Rightarrow(\forall X2.(m1\_subset\_1 X2 (u1\_struct\_0 X0))\Rightarrow \\
& (\forall X3.((v1\_funct\_1 X3)\wedge((v1\_funct\_2 X3 k5\_numbers (u1\_struct\_0 \\
& X0))\wedge(m1\_subset\_1 X3 (k1\_zfmisc\_1 (k2\_zfmisc\_1 k5\_numbers (u1\_struct\_0 \\
& X0))))))\Rightarrow(\forall X4.((v1\_funct\_1 X4)\wedge((v1\_funct\_2 X4 k5\_numbers \\
& (u1\_struct\_0 X0))\wedge(m1\_subset\_1 X4 (k1\_zfmisc\_1 (k2\_zfmisc\_1 \\
& k5\_numbers (u1\_struct\_0 X0))))))\Rightarrow(((v1\_clvect\_2 X3 X0)\wedge((k1\_clvect\_2 \\
& X0 X3 = X1)\wedge((v1\_clvect\_2 X4 X0)\wedge(k1\_clvect\_2 X0 X4 = X2))))\Rightarrow((v2\_comseq\_2 \\
& (k3\_clvect\_2 X0 (k16\_csspace X0 X3 X4) (k3\_rlvect\_1 X0 X1 X2)))\wedge \\
& (k2\_seq\_2 (k3\_clvect\_2 X0 (k16\_csspace X0 X3 X4) (k3\_rlvect\_1 X0 \\
& X1 X2)) = k6\_numbers))))))
\end{aligned}$$