

t36\_relat\_1 (TMVijF-  
PbFGS9Jf9xCeWDb4LVRcLgEUxTKLd)

October 27, 2020

Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $k3\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_tarski : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. v1\_relat\_1 (k3\_relat\_1 X0 X1) \quad (1)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. (v1\_relat\_1 X2) \Rightarrow ((X2 = k3\_relat\_1 \\ X0 X1) \Leftrightarrow (\forall X3. \forall X4. (k4\_tarski X3 X4 \in X2) \Leftrightarrow (\exists X5. \\ (k4\_tarski X3 X5 \in X0) \wedge (k4\_tarski X5 X4 \in X1)))) \end{aligned} \quad (2)$$

**Theorem 1**

$$\begin{aligned} \forall X0. (v1\_relat\_1 X0) \Rightarrow (\forall X1. (v1\_relat\_1 X1) \Rightarrow (\forall X2. \\ (v1\_relat\_1 X2) \Rightarrow (k3\_relat\_1 (k3\_relat\_1 X0 X1) X2 = k3\_relat\_1 \\ X0 (k3\_relat\_1 X1 X2)))) \end{aligned}$$