

t36_seq_1
(TMQ4ajLGKx23hNrNPjatvDYP9Gnkv7VCYjX)

October 27, 2020

Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k1_numbers : \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r2_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k20_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k37_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_seq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_real_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xcmplx_0 : \iota \Rightarrow o$ be given. Let $k3_xcmplx_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_xcmplx_0 : \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_valued_0 : \iota \Rightarrow o$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k35_valued_1 : \iota \Rightarrow \iota$ be given. Let $v1_xreal_0 : \iota \Rightarrow o$ be given. Let $k4_ordinal1 : \iota$ be given. Let $v3_membered : \iota \Rightarrow o$ be given. Let $k18_valued_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_valued_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_membered : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\begin{aligned}
& \forall X0.((v1_funct_1 X0) \wedge ((v1_funct_2 X0 k5_numbers k1_numbers) \wedge \\
& (m1_subset_1 X0 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))) \Rightarrow \\
& (\forall X1.((v1_funct_1 X1) \wedge ((v1_funct_2 X1 k5_numbers k1_numbers) \wedge \\
& (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))) \Rightarrow \\
& (\forall X2.((v1_funct_1 X2) \wedge ((v1_funct_2 X2 k5_numbers k1_numbers) \wedge \\
& (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers k1_numbers)))) \Rightarrow \\
& ((r2_funct_2 k5_numbers k1_numbers X0 (k20_valued_1 k5_numbers \\
& k1_numbers k1_numbers X1 X2)) \Leftrightarrow (\forall X3.(m2_subset_1 X3 k1_numbers \\
& k5_numbers) \Rightarrow (k1_seq_1 X0 X3 = k8_real_1 (k1_seq_1 X1 X3) (k1_seq_1 \\
& X2 X3))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v1_xcmplx_0 X0) \Rightarrow (\forall X1.(v1_xcmplx_0 X1) \Rightarrow (k3_xcmplx_0 \\
& (k5_xcmplx_0 X0) (k5_xcmplx_0 X1) = k5_xcmplx_0 (k3_xcmplx_0 X0 \\
& X1)))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned} & \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_valued_0 X0))) \Rightarrow \\ & (\forall X1.k1_funct_1 (k35_valued_1 X0) X1 = k5_xcmplx_0 (k1_funct_1 X0 X1)) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X2) \wedge \\ & ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((r2_funct_2 X0 X1 X2 \\ & X3) \Rightarrow (r2_funct_2 X0 X1 X3 X2)) \end{aligned} \quad (4)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.(((v1_funct_1 X2) \wedge \\ & ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 \\ & X0 X1)))))) \wedge ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 \\ & X3 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow (r2_funct_2 X0 X1 X2 X2) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((m1_subset_1 X0 k1_numbers) \wedge (v1_xreal_0 \\ & X1)) \Rightarrow (k8_real_1 X0 X1 = k3_xcmplx_0 X0 X1) \end{aligned} \quad (6)$$

Assume the following.

$$k5_numbers = k4_ordinal1 \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v3_membered X1) \wedge ((v1_funct_1 \\ & X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow (k37_valued_1 \\ & X0 X1 X2 = k35_valued_1 X2) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((v3_membered \\ & X1) \wedge ((v3_membered X2) \wedge (((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \wedge ((v1_funct_1 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X2)))))) \Rightarrow (k20_valued_1 X0 X1 X2 X3 X4 = k18_valued_1 \\ & X3 X4) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v3_valued_0 \\ & X0))) \Rightarrow (k1_seq_1 X0 X1 = k1_funct_1 X0 X1) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v1_xboole_0 X1) \wedge (v3_membered \\ & X1)) \wedge ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X0 X1) \wedge (m1_subset_1 X2 \\ & (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((v1_funct_1 (k35_valued_1 \\ & X2)) \wedge (v1_partfun1 (k35_valued_1 X2) X0)) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v3_valued_0 \\ & X0))) \Rightarrow (v1_xreal_0 (k1_funct_1 X0 X1)) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_valued_0 \\ & X0))) \Rightarrow (v1_xcmplx_0 (k1_funct_1 X0 X1)) \end{aligned} \quad (13)$$

Assume the following.

$$v3_membered k1_numbers \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. (((\neg v1_xboole_0 \\ & X1) \wedge (v3_membered X1)) \wedge (((\neg v1_xboole_0 X2) \wedge (v3_membered X2)) \wedge \\ & (((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X0 X1) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))))) \wedge ((v1_funct_1 X4) \wedge ((v1_funct_2 X4 X0 X2) \wedge \\ & (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 X2))))))) \Rightarrow ((v1_funct_1 \\ & (k18_valued_1 X3 X4)) \wedge (v1_partfun1 (k18_valued_1 X3 X4) X0)) \end{aligned} \quad (15)$$

Assume the following.

$$\neg v1_xboole_0 k1_numbers \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X1) \wedge ((v4_relat_1 X1 X0) \wedge (\\ & (v1_funct_1 X1) \wedge ((v1_partfun1 X1 X0) \wedge (v1_valued_0 X1)))))) \Rightarrow (\\ & (v1_relat_1 (k35_valued_1 X1)) \wedge ((v1_funct_1 (k35_valued_1 X1)) \wedge \\ & ((v1_partfun1 (k35_valued_1 X1) X0) \wedge (v1_valued_0 (k35_valued_1 \\ & X1))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. ((v3_membered X1) \wedge ((v1_funct_1 \\ & X2) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))))) \Rightarrow ((v1_funct_1 \\ & (k37_valued_1 X0 X1 X2)) \wedge (m1_subset_1 (k37_valued_1 X0 X1 X2) (\\ & k1_zfmisc_1 (k2_zfmisc_1 X0 k1_numbers)))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. ((v3_membered \\ & X1) \wedge ((v3_membered X2) \wedge (((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))) \wedge ((v1_funct_1 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X2)))))) \Rightarrow ((v1_funct_1 (k20_valued_1 X0 X1 X2 \\ & X3 X4) \wedge (m1_subset_1 (k20_valued_1 X0 X1 X2 X3 X4) (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 k1_numbers)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. ((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v3_valued_0 \\ & X0))) \Rightarrow (m1_subset_1 (k1_seq_1 X0 X1) k1_numbers) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. ((v3_membered \\ & X1) \wedge ((v3_membered X2) \wedge (((v1_funct_1 X3) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1)))) \wedge ((v1_funct_1 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X2)))))) \Rightarrow (k20_valued_1 X0 X1 X2 X3 X4 = k20_valued_1 \\ & X0 X1 X2 X4 X3) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_valued_0 \\ & X0))) \wedge ((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_valued_0 X1)))) \Rightarrow \\ & (k18_valued_1 X0 X1 = k18_valued_1 X1 X0) \end{aligned} \quad (22)$$

Assume the following.

$$\forall X0. (v3_membered X0) \Rightarrow (v1_membered X0) \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 \\ & (k2_zfmisc_1 X0 X1))) \Rightarrow ((v1_partfun1 X2 X0) \Rightarrow (v1_funct_2 X2 X0 X1)) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (v3_membered X1) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v3_valued_0 X2)) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (v1_membered\ X1) \Rightarrow (\forall X2. (m1_subset_1 \\ & X2\ (k1_zfmisc_1\ (k2_zfmisc_1\ X0\ X1))) \Rightarrow (v1_valued_0\ X2)) \end{aligned} \quad (28)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((v1_funct_1\ X0) \wedge ((v1_funct_2\ X0\ k5_numbers\ k1_numbers) \wedge \\ & (m1_subset_1\ X0\ (k1_zfmisc_1\ (k2_zfmisc_1\ k5_numbers\ k1_numbers)))))) \Rightarrow \\ & (\forall X1. ((v1_funct_1\ X1) \wedge ((v1_funct_2\ X1\ k5_numbers\ k1_numbers) \wedge \\ & (m1_subset_1\ X1\ (k1_zfmisc_1\ (k2_zfmisc_1\ k5_numbers\ k1_numbers)))))) \Rightarrow \\ & (r2_funct_2\ k5_numbers\ k1_numbers\ (k20_valued_1\ k5_numbers\ k1_numbers \\ & k1_numbers\ (k37_valued_1\ k5_numbers\ k1_numbers\ X0)\ (k37_valued_1 \\ & k5_numbers\ k1_numbers\ X1))\ (k37_valued_1\ k5_numbers\ k1_numbers \\ & (k20_valued_1\ k5_numbers\ k1_numbers\ k1_numbers\ X0\ X1)))) \end{aligned}$$