

t37_index_1

(TMd5wiEokqiqSBeAPzegqMsgsEp6PduXQSU)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v11_struct_0 : \iota \Rightarrow o$ be given. Let $v2_cat_1 : \iota \Rightarrow o$ be given. Let $v3_cat_1 : \iota \Rightarrow o$ be given. Let $v4_cat_1 : \iota \Rightarrow o$ be given. Let $v5_cat_1 : \iota \Rightarrow o$ be given. Let $v6_cat_1 : \iota \Rightarrow o$ be given. Let $l1_cat_1 : \iota \Rightarrow o$ be given. Let $m2_cat_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m5_index_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $u4_struct_0 : \iota \Rightarrow \iota$ be given. Let $u1_graph_1 : \iota \Rightarrow \iota$ be given. Let $u2_graph_1 : \iota \Rightarrow \iota$ be given. Let $u1_cat_1 : \iota \Rightarrow \iota$ be given. Let $k7_isocat_1 : \iota \Rightarrow \iota$ be given. Let $m4_index_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k14_index_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k16_index_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v3_cat_5 : \iota \Rightarrow o$ be given. Let $k15_index_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_index_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l5_struct_0 : \iota \Rightarrow o$ be given. Let $l1_graph_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m3_index_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_cat_1 : \iota \Rightarrow o$ be given. Let $k10_index_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned}
 & \forall X0.((\neg v2_struct_0 X0) \wedge (\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
 & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
 & X0) \wedge (l1_cat_1 X0)))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\neg \\
 & v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
 & X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))) \Rightarrow (\forall X2. \\
 & (m2_cat_1 X2 X0 X1) \Rightarrow (\forall X3.(m5_index_1 X3 (u1_struct_0 X1) \\
 & (u4_struct_0 X1) (u1_graph_1 X1) (u2_graph_1 X1) (u1_cat_1 X1) \\
 & (k7_isocat_1 X1)) \Rightarrow (\forall X4.(m4_index_1 X4 (u1_struct_0 X1) \\
 & (u4_struct_0 X1) (u1_graph_1 X1) (u2_graph_1 X1) X3) \Rightarrow (\forall X5. \\
 & ((\neg v2_struct_0 X5) \wedge (\neg v11_struct_0 X5) \wedge ((v2_cat_1 X5) \wedge ((v3_cat_1 \\
 & X5) \wedge ((v4_cat_1 X5) \wedge ((v5_cat_1 X5) \wedge ((v6_cat_1 X5) \wedge ((v3_cat_5 \\
 & X5) \wedge (l1_cat_1 X5)))))) \Rightarrow (\forall X6.(m2_cat_1 X6 X4 X5) \Rightarrow (k14_index_1 \\
 & X0 X1 X1 X2 (k15_index_1 X1 X3 X4 X5 X6) = k15_index_1 X0 (k14_index_1 \\
 & X0 X1 X1 X2 X3) X4 X5 X6))))))
 \end{aligned}$$

(1)

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
& X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
& X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\neg \\
& v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
& X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge ((v3_cat_5 X1) \wedge (l1_cat_1 \\
& X1))))))) \Rightarrow (\forall X2.(m5_index_1 X2 (u1_struct_0 X0) (u4_struct_0 \\
& X0) (u1_graph_1 X0) (u2_graph_1 X0) (u1_cat_1 X0) (k7_isocat_1 \\
& X0)) \Rightarrow (\forall X3.(m5_index_1 X3 (u1_struct_0 X1) (u4_struct_0 \\
& X1) (u1_graph_1 X1) (u2_graph_1 X1) (u1_cat_1 X1) (k7_isocat_1 \\
& X1)) \Rightarrow (\forall X4.(m4_index_1 X4 (u1_struct_0 X1) (u4_struct_0 \\
& X1) (u1_graph_1 X1) (u2_graph_1 X1) X3) \Rightarrow ((m4_index_1 X1 (u1_struct_0 \\
& X0) (u4_struct_0 X0) (u1_graph_1 X0) (u2_graph_1 X0) X2) \Rightarrow (k16_index_1 \\
& X0 X1 X2 X3 = k15_index_1 X0 X2 X1 X4 (k9_index_1 X1 X3 X4))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\
& X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\
& X0) \wedge (l1_cat_1 X0))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\neg \\
& v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\
& X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1))))))) \Rightarrow (\forall X2. \\
& (m2_cat_1 X2 X0 X1) \Rightarrow (\forall X3.(m5_index_1 X3 (u1_struct_0 X1) \\
& (u4_struct_0 X1) (u1_graph_1 X1) (u2_graph_1 X1) (u1_cat_1 X1) \\
& (k7_isocat_1 X1)) \Rightarrow (\forall X4.(m4_index_1 X4 (u1_struct_0 X1) \\
& (u4_struct_0 X1) (u1_graph_1 X1) (u2_graph_1 X1) X3) \Rightarrow (m4_index_1 \\
& X4 (u1_struct_0 X0) (u4_struct_0 X0) (u1_graph_1 X0) (u2_graph_1 \\
& X0) (k14_index_1 X0 X1 X1 X2 X3))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0) \wedge (l1_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u1_struct_0 X0)) \tag{4}$$

Assume the following.

$$\forall X0.((\neg v11_struct_0 X0) \wedge (l5_struct_0 X0)) \Rightarrow (\neg v1_xboole_0 (u4_struct_0 X0)) \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(l1_graph_1 X0) \Rightarrow ((v1_funct_1 (u2_graph_1 X0)) \wedge ((\\
& v1_funct_2 (u2_graph_1 X0) (u4_struct_0 X0) (u1_struct_0 X0)) \wedge \\
& (m1_subset_1 (u2_graph_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u4_struct_0 \\
& X0) (u1_struct_0 X0))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0.(l1_graph_1 X0) \Rightarrow ((v1_funct_1 (u1_graph_1 X0)) \wedge ((v1_funct_2 (u1_graph_1 X0) (u4_struct_0 X0) (u1_struct_0 X0)) \wedge (m1_subset_1 (u1_graph_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u4_struct_0 X0) (u1_struct_0 X0)))))) \quad (7)$$

Assume the following.

$$\forall X0.(l1_cat_1 X0) \Rightarrow ((v1_funct_1 (u1_cat_1 X0)) \wedge (m1_subset_1 (u1_cat_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 (u4_struct_0 X0) (u4_struct_0 X0)) (u4_struct_0 X0)))))) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.\forall X4.\forall X5. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X1 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X1 X0)))))) \wedge (((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X1 X0) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X1 X0)))))) \wedge (((v1_funct_1 X4) \wedge (m1_subset_1 X4 (k1_zfmisc_1 (k2_zfmisc_1 (k2_zfmisc_1 X1 X1) X1)))))) \wedge ((v1_funct_1 X5) \wedge ((v1_funct_2 X5 X0 X1) \wedge (m1_subset_1 X5 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))))))))) \Rightarrow (\forall X6.(m5_index_1 X6 X0 X1 X2 X3 X4 X5) \Rightarrow (m3_index_1 X6 X0 X1 X2 X3)) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.\forall X4.((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (((v1_funct_1 X2) \wedge ((v1_funct_2 X2 X1 X0) \wedge (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X1 X0)))))) \wedge (((v1_funct_1 X3) \wedge ((v1_funct_2 X3 X1 X0) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 X1 X0)))))) \wedge (m3_index_1 X4 X0 X1 X2 X3)))) \Rightarrow (\forall X5.(m4_index_1 X5 X0 X1 X2 X3 X4) \Rightarrow ((\neg v2_struct_0 X5) \wedge ((\neg v11_struct_0 X5) \wedge ((v2_cat_1 X5) \wedge ((v3_cat_1 X5) \wedge ((v4_cat_1 X5) \wedge ((v5_cat_1 X5) \wedge ((v6_cat_1 X5) \wedge ((v3_cat_5 X5) \wedge (l1_cat_1 X5)))))))))) \quad (10)$$

Assume the following.

$$\forall X0.(l5_struct_0 X0) \Rightarrow (l1_struct_0 X0) \quad (11)$$

Assume the following.

$$\forall X0.(l1_graph_1 X0) \Rightarrow (l5_struct_0 X0) \quad (12)$$

Assume the following.

$$\forall X0.(l1_cat_1 X0) \Rightarrow (l1_graph_1 X0) \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.(((\neg v2_struct_0 X0)\wedge(\neg v11_struct_0 \\ & X0)\wedge((v2_cat_1 X0)\wedge((v3_cat_1 X0)\wedge((v4_cat_1 X0)\wedge((v5_cat_1 \\ & X0)\wedge((v6_cat_1 X0)\wedge(l1_cat_1 X0))))))))\wedge((m5_index_1 X1 (u1_struct_0 \\ & X0) (u4_struct_0 X0) (u1_graph_1 X0) (u2_graph_1 X0) (u1_cat_1 \\ & X0) (k7_isocat_1 X0))\wedge(m4_index_1 X2 (u1_struct_0 X0) (u4_struct_0 \\ & X0) (u1_graph_1 X0) (u2_graph_1 X0) X1))\Rightarrow(m2_cat_1 (k9_index_1 \\ & X0 X1 X2) X0 X2) \end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0)\wedge(\neg v11_struct_0 X0)\wedge((v2_cat_1 \\ & X0)\wedge((v3_cat_1 X0)\wedge((v4_cat_1 X0)\wedge((v5_cat_1 X0)\wedge((v6_cat_1 \\ & X0)\wedge(l1_cat_1 X0))))))))\Rightarrow((v1_funct_1 (k7_isocat_1 X0))\wedge((\\ & v1_funct_2 (k7_isocat_1 X0) (u1_struct_0 X0) (u4_struct_0 X0))\wedge \\ & (m1_subset_1 (k7_isocat_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 \\ & X0) (u4_struct_0 X0)))))) \end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.\forall X4.(((\neg v2_struct_0 \\ & X0)\wedge(\neg v11_struct_0 X0)\wedge((v2_cat_1 X0)\wedge((v3_cat_1 X0)\wedge((v4_cat_1 \\ & X0)\wedge((v5_cat_1 X0)\wedge((v6_cat_1 X0)\wedge(l1_cat_1 X0))))))))\wedge(((\\ & \neg v2_struct_0 X1)\wedge(\neg v11_struct_0 X1)\wedge((v2_cat_1 X1)\wedge((v3_cat_1 \\ & X1)\wedge((v4_cat_1 X1)\wedge((v5_cat_1 X1)\wedge((v6_cat_1 X1)\wedge(l1_cat_1 \\ & X1))))))))\wedge(((\neg v2_struct_0 X2)\wedge(\neg v11_struct_0 X2)\wedge((v2_cat_1 \\ & X2)\wedge((v3_cat_1 X2)\wedge((v4_cat_1 X2)\wedge((v5_cat_1 X2)\wedge((v6_cat_1 \\ & X2)\wedge(l1_cat_1 X2))))))))\wedge((m2_cat_1 X3 X0 X1)\wedge(m5_index_1 X4 \\ & (u1_struct_0 X2) (u4_struct_0 X2) (u1_graph_1 X2) (u2_graph_1 \\ & X2) (u1_cat_1 X2) (k7_isocat_1 X2))))\Rightarrow(m5_index_1 (k14_index_1 \\ & X0 X1 X2 X3 X4) (u1_struct_0 X0) (u4_struct_0 X0) (u1_graph_1 X0) \\ & (u2_graph_1 X0) (u1_cat_1 X0) (k7_isocat_1 X0)) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge(\neg v11_struct_0 X0)\wedge \\ & ((v2_cat_1 X0)\wedge((v3_cat_1 X0)\wedge((v4_cat_1 X0)\wedge((v5_cat_1 X0)\wedge \\ & ((v6_cat_1 X0)\wedge(l1_cat_1 X0))))))))\wedge(m5_index_1 X1 (u1_struct_0 \\ & X0) (u4_struct_0 X0) (u1_graph_1 X0) (u2_graph_1 X0) (u1_cat_1 \\ & X0) (k7_isocat_1 X0))\Rightarrow((v1_cat_1 (k10_index_1 X0 X1))\wedge(m4_index_1 \\ & (k10_index_1 X0 X1) (u1_struct_0 X0) (u4_struct_0 X0) (u1_graph_1 \\ & X0) (u2_graph_1 X0) X1)) \end{aligned} \tag{17}$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((\neg v11_struct_0 X0) \wedge ((v2_cat_1 \\ & X0) \wedge ((v3_cat_1 X0) \wedge ((v4_cat_1 X0) \wedge ((v5_cat_1 X0) \wedge ((v6_cat_1 \\ & X0) \wedge (l1_cat_1 X0)))))))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((\\ & \neg v11_struct_0 X1) \wedge ((v2_cat_1 X1) \wedge ((v3_cat_1 X1) \wedge ((v4_cat_1 \\ & X1) \wedge ((v5_cat_1 X1) \wedge ((v6_cat_1 X1) \wedge (l1_cat_1 X1)))))))) \Rightarrow (\forall X2. \\ & (m2_cat_1 X2 X0 X1) \Rightarrow (\forall X3.(m5_index_1 X3 (u1_struct_0 X1) \\ & (u4_struct_0 X1) (u1_graph_1 X1) (u2_graph_1 X1) (u1_cat_1 X1) \\ & (k7_isocat_1 X1)) \Rightarrow (\forall X4.(m4_index_1 X4 (u1_struct_0 X1) \\ & (u4_struct_0 X1) (u1_graph_1 X1) (u2_graph_1 X1) X3) \Rightarrow (\forall X5. \\ & (m5_index_1 X5 (u1_struct_0 X4) (u4_struct_0 X4) (u1_graph_1 X4) \\ & (u2_graph_1 X4) (u1_cat_1 X4) (k7_isocat_1 X4)) \Rightarrow (k14_index_1 \\ & X0 X1 X1 X2 (k16_index_1 X1 X4 X3 X5) = k16_index_1 X0 X4 (k14_index_1 \\ & X0 X1 X1 X2 X3) X5)))))) \end{aligned}$$