

t38\_glib\_003  
(TMPH1wF1CJ28Xv8hSzAcKVAfRu3fXoiwEDx)

October 27, 2020

Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_numbers : \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_finset\_1 : \iota \Rightarrow o$  be given. Let  $v1\_glib\_000 : \iota \Rightarrow o$  be given. Let  $v3\_glib\_003 : \iota \Rightarrow o$  be given. Let  $k6\_glib\_000 : \iota \Rightarrow \iota$  be given. Let  $k7\_glib\_003 : \iota \Rightarrow \iota$  be given. Let  $k13\_glib\_003 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_funct\_4 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k16\_funcop\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $k1\_funct\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k13\_glib\_000 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v2\_xxreal\_0 : \iota \Rightarrow o$  be given. Let  $np\_7 : \iota$  be given. Let  $m2\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_numbers : \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k4\_ordinal1 : \iota$  be given. Let  $k4\_glib\_003 : \iota$  be given. Let  $k7\_funcop\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_tarski : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall X0.((v1\_relat\_1 X0) \wedge ((v4\_relat\_1 X0 k5\_numbers) \wedge ((v1\_funct\_1 \\ X0) \wedge (v1\_finset\_1 X0)))) \Rightarrow (\forall X1. \forall X2. (v7\_ordinal1 \\ X2) \Rightarrow (k1\_funct\_1 (k13\_glib\_000 X0 X2 X1) X2 = X1)) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} ((v2\_xxreal\_0 np\_7) \wedge (m2\_subset\_1 np\_7 k1\_numbers k5\_numbers)) \wedge \\ ((m1\_subset\_1 np\_7 k5\_numbers) \wedge (m1\_subset\_1 np\_7 k1\_numbers)) \end{aligned} \quad (2)$$

Assume the following.

$$k5\_numbers = k4\_ordinal1 \quad (3)$$

Assume the following.

$$\begin{aligned} \forall X0. \forall X1. \forall X2. ((v1\_relat\_1 X0) \wedge ((v4\_relat\_1 \\ X0 k5\_numbers) \wedge ((v1\_funct\_1 X0) \wedge ((v1\_finset\_1 X0) \wedge ((v1\_glib\_000 \\ X0) \wedge (v3\_glib\_003 X0)))))) \Rightarrow ((v1\_relat\_1 (k13\_glib\_003 X0 X1 X2)) \wedge \\ ((v4\_relat\_1 (k13\_glib\_003 X0 X1 X2) k5\_numbers) \wedge ((v1\_funct\_1 \\ (k13\_glib\_003 X0 X1 X2)) \wedge ((v1\_finset\_1 (k13\_glib\_003 X0 X1 X2)) \wedge \\ ((v1\_glib\_000 (k13\_glib\_003 X0 X1 X2)) \wedge (v3\_glib\_003 (k13\_glib\_003 \\ X0 X1 X2))))))) \end{aligned} \quad (4)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0) \wedge ((v4\_relat\_1 X0 \ k5\_numbers) \wedge ((v1\_funct\_1 X0) \wedge ((v1\_finset\_1 X0) \wedge ((v1\_glib\_000 X0) \wedge (v3\_glib\_003 X0)))))) \Rightarrow (k7\_glib\_003 X0 = k1\_funct\_1 X0 \ k4\_glib\_003) \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. k16\_funcop\_1 X0 X1 = k7\_funcop\_1 (k1\_tarski X0) X1 \quad (6)$$

Assume the following.

$$k4\_glib\_003 = np\_7 \quad (7)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0) \wedge ((v4\_relat\_1 X0 \ k5\_numbers) \wedge ((v1\_funct\_1 X0) \wedge ((v1\_finset\_1 X0) \wedge ((v1\_glib\_000 X0) \wedge (v3\_glib\_003 X0)))))) \Rightarrow (\forall X1. \forall X2. ((X1 \in k6\_glib\_000 X0) \Rightarrow (k13\_glib\_003 X0 X1 X2 = k13\_glib\_000 X0 \ k4\_glib\_003 (k1\_funct\_4 (k7\_glib\_003 X0) (k16\_funcop\_1 X1 X2)))) \wedge ((\neg X1 \in k6\_glib\_000 X0) \Rightarrow (k13\_glib\_003 X0 X1 X2 = X0))) \quad (8)$$

Assume the following.

$$\forall X0. (m1\_subset\_1 X0 \ k4\_ordinal1) \Rightarrow (v7\_ordinal1 X0) \quad (9)$$

**Theorem 1**

$$\forall X0.((v1\_relat\_1 X0) \wedge ((v4\_relat\_1 X0 \ k5\_numbers) \wedge ((v1\_funct\_1 X0) \wedge ((v1\_finset\_1 X0) \wedge ((v1\_glib\_000 X0) \wedge (v3\_glib\_003 X0)))))) \Rightarrow (\forall X1. \forall X2. (X1 \in k6\_glib\_000 X0) \Rightarrow (k7\_glib\_003 (k13\_glib\_003 X0 X1 X2) = k1\_funct\_4 (k7\_glib\_003 X0) (k16\_funcop\_1 X1 X2)))$$