

t38_group_11
(TMarNH5RSTR52q6tBnDH35s5Xe2dQVbCQZ8)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_group_1 : \iota \Rightarrow o$ be given. Let $v3_group_1 : \iota \Rightarrow o$ be given. Let $l3_algstr_0 : \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_group_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_group_11 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_group_11 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_xboole_0 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k13_group_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \neg(X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. (\neg(\neg r1_xboole_0 X0 X1) \wedge (\forall X2. \neg(X2 \in X0) \wedge (X2 \in X1))) \wedge (\neg(\exists X2. (X2 \in X0) \wedge (X2 \in X1)) \wedge (r1_xboole_0 X0 X1)) \quad (3)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1. ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2. (m1_group_2 X2 X0) \Rightarrow (r1_tarski (k2_group_11 X0 (k1_group_11 X0 X1 X2) X2) X1))) \quad (4)$$

Assume the following.

$$\forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1. ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2. (m1_group_2 X2 X0) \Rightarrow (k1_group_11 X0 (k1_group_11 X0 X1 X2) X2 = k1_group_11 X0 X1 X2))) \quad (5)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge (m1_subset_1 \\ & X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2.(m1_group_2 \\ & X2 X0) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\neg (X3 \in k2_group_11 \\ & X0 (k1_group_11 X0 X1 X2) X2) \wedge (r1_xboole_0 (k13_group_2 X0 X2 X3) \\ & (k1_group_11 X0 X1 X2)))))) \end{aligned} \quad (6)$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge (m1_subset_1 \\ & X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2.(m1_group_2 \\ & X2 X0) \Rightarrow (r1_tarski X1 (k2_group_11 X0 X1 X2)))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 \\ & X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge ((m1_subset_1 X1 (\\ & k1_zfmisc_1 (u1_struct_0 X0))) \wedge (m1_group_2 X2 X0))) \Rightarrow (m1_subset_1 \\ & (k2_group_11 X0 X1 X2) (k1_zfmisc_1 (u1_struct_0 X0))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. \forall X2. (((\neg v2_struct_0 X0) \wedge ((v2_group_1 \\ & X0) \wedge ((v3_group_1 X0) \wedge (l3_algstr_0 X0)))) \wedge ((m1_subset_1 X1 (\\ & k1_zfmisc_1 (u1_struct_0 X0))) \wedge (m1_group_2 X2 X0))) \Rightarrow (m1_subset_1 \\ & (k1_group_11 X0 X1 X2) (k1_zfmisc_1 (u1_struct_0 X0))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall X0. \forall X1. (r1_tarski X0 X1) \Leftrightarrow (\forall X2. (X2 \in X0) \Rightarrow (X2 \in X1)) \quad (10)$$

Assume the following.

$$\forall X0. \forall X1. (X0 = X1) \Leftrightarrow ((r1_tarski X0 X1) \wedge (r1_tarski X1 X0)) \quad (11)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_group_1 X0) \wedge ((v3_group_1 \\ & X0) \wedge (l3_algstr_0 X0)))) \Rightarrow (\forall X1.((\neg v1_xboole_0 X1) \wedge (m1_subset_1 \\ & X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (\forall X2.(m1_group_2 \\ & X2 X0) \Rightarrow (k1_group_11 X0 (k2_group_11 X0 (k1_group_11 X0 X1 X2) X2) \\ & X2 = k1_group_11 X0 X1 X2))) \end{aligned}$$