

# t38\_mmlquery (TMHrdYDHGUhTZedPQvWyp- sqiJR3LPxU9gt7)

October 27, 2020

Let  $m1\_subset.1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc.1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc.1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k1\_relset.1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k18\_mmlquery : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_xboole.0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_xboole.0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k9\_xtuple.0 : \iota \Rightarrow \iota$  be given. Let  $k4\_relat.1 : \iota \Rightarrow \iota$  be given. Let  $k10\_xtuple.0 : \iota \Rightarrow \iota$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k6\_subset.1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_relat.1 : \iota \Rightarrow o$  be given. Let  $v4\_relat.1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v5\_relat.1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0.\forall X1.k4\_xboole.0 X0 (k4\_xboole.0 X0 X1) = k3\_xboole.0 X0 X1 \quad (1)$$

Assume the following.

$$\forall X0.(k9\_xtuple.0 (k4\_relat.1 X0) = X0) \wedge (k10\_xtuple.0 (k4\_relat.1 X0) = X0) \quad (2)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_subset.1 X0 (k1\_zfmisc.1 X1)) \Leftrightarrow (r1\_tarski X0 X1) \quad (3)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_subset.1 X1 (k1\_zfmisc.1 (k2\_zfmisc.1 X0 X0))) \Rightarrow (k18\_mmlquery X0 X1 = k4\_relat.1 (k6\_subset.1 X0 (k1\_relset.1 X0 X1))) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.(r1\_tarski X0 X1) \Rightarrow (k3\_xboole.0 X0 X1 = X0) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.k6\_subset.1 X0 X1 = k4\_xboole.0 X0 X1 \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v4\_relat\_1 X1 X0))\Rightarrow(k1\_relset\_1 X0 X1 = k9\_xtuple\_0 X1) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.((v1\_relat\_1 X1)\wedge(v4\_relat\_1 X1 X0))\Rightarrow(m1\_subset\_1 (k1\_relset\_1 X0 X1) (k1\_zfmisc\_1 X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0)))\Rightarrow(m1\_subset\_1 (k18\_mmlquery X0 X1) (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0))) \quad (9)$$

Assume the following.

$$\forall X0.\forall X1.k3\_xboole\_0 X0 X1 = k3\_xboole\_0 X1 X0 \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow((v4\_relat\_1 X2 X0)\wedge(v5\_relat\_1 X2 X1)) \quad (11)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X1)))\Rightarrow(v1\_relat\_1 X2) \quad (12)$$

**Theorem 1**

$$\forall X0.\forall X1.(m1\_subset\_1 X1 (k1\_zfmisc\_1 (k2\_zfmisc\_1 X0 X0)))\Rightarrow(k1\_relset\_1 X0 (k18\_mmlquery X0 (k18\_mmlquery X0 X1)) = k1\_relset\_1 X0 X1)$$