

t39_analort
(TMXG8BNKf2NgoPFmTeeyy7Afbnjib79Auy)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_analmetr : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $r2_analort : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $l2_algstr_0 : \iota \Rightarrow o$ be given. Let $k1_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_analoaf : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_analort : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $l1_algstr_0 : \iota \Rightarrow o$ be given. Let $l2_struct_0 : \iota \Rightarrow o$ be given. Let $u2_struct_0 : \iota \Rightarrow \iota$ be given. Let $k4_algstr_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\ & X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ & X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ & X0)) \Rightarrow (((k1_algstr_0 X0 X1 X2 = X1) \vee (k1_algstr_0 X0 X2 X1 = X1)) \Rightarrow (\\ & X2 = k4_struct_0 X0)))) \end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ & X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ & X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ & (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\ & X3 (u1_struct_0 X0)) \Rightarrow ((r1_analoaf X0 X1 X2 X3 X3) \wedge (r1_analoaf X0 \\ & X1 X1 X2 X3)))))) \end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow (\neg(r1_analmetr X0 X1 X2) \wedge (\forall X4.(m1_subset_1 \\
& X4 (u1_struct_0 X0)) \Rightarrow (X3 \neq k1_analort X0 X1 X2 X4))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v3_rlvect_1 \\
& X0) \wedge ((v4_rlvect_1 X0) \wedge (l2_algstr_0 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\
& X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\
& X0)) \Rightarrow ((k5_algstr_0 X0 X1 X2 = k4_struct_0 X0) \Rightarrow (X1 = X2))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\
& X0)) \Rightarrow ((X1 = k5_algstr_0 X0 (k3_rlvect_1 X0 X2 X3) X4) \Rightarrow ((r1_analoaf \\
& X0 X4 X2 X3 X1) \wedge (r1_analoaf X0 X4 X3 X2 X1))))))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\
& (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\
& X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\
& X0)) \Rightarrow ((r1_analoaf X0 X1 X2 X3 X4) \Rightarrow ((r1_analoaf X0 X2 X1 X4 X3) \wedge (r1_analoaf \\
& X0 X3 X4 X1 X2))))))
\end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. (((v2_rlvect_1 X0) \wedge (l1_algstr_0 \\
& X0)) \wedge ((m1_subset_1 X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 \\
& X0)))) \Rightarrow (k3_rlvect_1 X0 X1 X2 = k1_algstr_0 X0 X1 X2)
\end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r1_analmetr \\ X0 X1 X2) \Rightarrow ((X1 \neq k4_struct_0 X0) \wedge (X2 \neq k4_struct_0 X0)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (m1_subset_1 (u2_struct_0 X0) (u1_struct_0 X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l2_algstr_0 X0) \Rightarrow ((l2_struct_0 X0) \wedge (l1_algstr_0 X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l1_rlvect_1 X0) \Rightarrow (l2_algstr_0 X0) \quad (11)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.((l2_algstr_0 X0) \wedge ((m1_subset_1 \\ X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (m1_subset_1 \\ (k5_algstr_0 X0 X1 X2) (u1_struct_0 X0)) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.((l2_algstr_0 X0) \wedge (m1_subset_1 X1 (u1_struct_0 X0))) \Rightarrow (m1_subset_1 (k4_algstr_0 X0 X1) (u1_struct_0 X0)) \quad (13)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.\forall X3.(((\neg v2_struct_0 \\ X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 X0) \wedge ((v3_rlvect_1 X0) \wedge \\ ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 \\ X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 X0)))))))))) \wedge ((m1_subset_1 \\ X1 (u1_struct_0 X0)) \wedge ((m1_subset_1 X2 (u1_struct_0 X0)) \wedge (m1_subset_1 \\ X3 (u1_struct_0 X0)))))) \Rightarrow (m1_subset_1 (k1_analort X0 X1 X2 X3) (\\ u1_struct_0 X0)) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall X0.\forall X1.\forall X2.((l1_algstr_0 X0) \wedge ((m1_subset_1 \\ X1 (u1_struct_0 X0)) \wedge (m1_subset_1 X2 (u1_struct_0 X0)))) \Rightarrow (m1_subset_1 \\ (k1_algstr_0 X0 X1 X2) (u1_struct_0 X0)) \end{aligned} \quad (15)$$

Assume the following.

$$\forall X0.(l2_struct_0 X0) \Rightarrow (k4_struct_0 X0 = u2_struct_0 X0) \quad (16)$$

Assume the following.

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ &X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ &((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ &X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ &(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 \\ &X3 (u1_struct_0 X0)) \Rightarrow (\forall X4.(m1_subset_1 X4 (u1_struct_0 \\ &X0)) \Rightarrow (\forall X5.(m1_subset_1 X5 (u1_struct_0 X0)) \Rightarrow (\forall X6. \\ &(m1_subset_1 X6 (u1_struct_0 X0)) \Rightarrow ((r2_analort X0 X1 X2 X3 X4 X5 \\ &X6) \Leftrightarrow (r1_analof X0 (k1_analort X0 X1 X2 X3) (k1_analort X0 X1 X2 X4) \\ &X5 X6)))))))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} \forall X0.(l1_algstr_0 X0) \Rightarrow ((v3_rlvect_1 X0) \Leftrightarrow (\forall X1.(\\ &m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 \\ &(u1_struct_0 X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow \\ &(k1_algstr_0 X0 (k1_algstr_0 X0 X1 X2) X3 = k1_algstr_0 X0 X1 (k1_algstr_0 \\ &X0 X2 X3)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall X0.(l2_algstr_0 X0) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 \\ &X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow (k5_algstr_0 \\ &X0 X1 X2 = k1_algstr_0 X0 X1 (k4_algstr_0 X0 X2)))) \end{aligned} \quad (19)$$

Theorem 1

$$\begin{aligned} \forall X0. (&(\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\ &X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\ &((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\ &X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 (u1_struct_0 X0)) \Rightarrow \\ &(\forall X2.(m1_subset_1 X2 (u1_struct_0 X0)) \Rightarrow ((r1_analmetr \\ &X0 X1 X2) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (\forall X4. \\ &(m1_subset_1 X4 (u1_struct_0 X0)) \Rightarrow (\forall X5.(m1_subset_1 X5 \\ &(u1_struct_0 X0)) \Rightarrow (\exists X6.(m1_subset_1 X6 (u1_struct_0 X0)) \wedge \\ &((X5 \neq X6) \wedge (r2_analort X0 X1 X2 X5 X6 X3 X4)))))))))) \end{aligned}$$