

t39_ftacell1

(TMWzKcHC8JYxfvX3sAypDRBxkLPtaXs6GqK)

October 27, 2020

Let $v1_xtuple_0 : \iota \Rightarrow o$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_finseq_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k48_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_twoscomp : \iota$ be given. Let $k3_msafree2 : \iota \Rightarrow \iota$ be given. Let $k49_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_card_3 : \iota \Rightarrow \iota$ be given. Let $u3_msualg_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k19_ftacell1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k20_ftacell1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_margrel1 : \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k5_facirc_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $np_4 : \iota$ be given. Let $k23_ftacell1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_margrel1 : \iota \Rightarrow \iota$ be given. Let $k1_binarith : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_margrel1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k2_binarith : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k24_ftacell1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k45_gfacirc1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be

given. Assume the following.

$$\begin{aligned}
& \forall X0.(\neg v1_xtuple_0 X0) \Rightarrow (\forall X1.(\neg v1_xtuple_0 X1) \Rightarrow \\
& (\forall X2.(\neg v1_xtuple_0 X2) \Rightarrow (\forall X3.(\neg v1_xtuple_0 X3) \Rightarrow \\
& (\forall X4. \neg(X4 \neq k4_tarski (k10_finseq_1 X3 (k48_gfacirc1 X0 \\
& X1 X2)) k4_twoscomp) \wedge (\neg X4 \in k3_msafree2 (k49_gfacirc1 X0 X1 X2)) \wedge \\
& (\exists X5.(m1_subset_1 X5 (k4_card_3 (u3_msualg_1 (k19_ftacell1 \\
& X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 X3 X4)))) \wedge (\exists X6.(m1_subset_1 \\
& X6 k6_margrel1) \wedge (\exists X7.(m1_subset_1 X7 k6_margrel1) \wedge (\exists X8. \\
& (m1_subset_1 X8 k6_margrel1) \wedge (\exists X9.(m1_subset_1 X9 k6_margrel1) \wedge \\
& (\exists X10.(m1_subset_1 X10 k6_margrel1) \wedge ((X6 = k1_funct_1 \\
& X5 X0) \wedge ((X7 = k1_funct_1 X5 X1) \wedge ((X8 = k1_funct_1 X5 X2) \wedge ((X9 = k1_funct_1 \\
& X5 X3) \wedge ((X10 = k1_funct_1 X5 X4) \wedge (\neg(k1_funct_1 (k5_facirc_1 (k19_ftacell1 \\
& X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) (k48_gfacirc1 \\
& (k48_gfacirc1 X0 X1 X2) X4 X3) = k9_margrel1 (k2_binarith (k2_binarith \\
& (k2_binarith (k2_binarith (k9_margrel1 X6) (k9_margrel1 X7)) \\
& (k9_margrel1 X8)) (k9_margrel1 X9)) (k9_margrel1 X10)))) \wedge ((k1_funct_1 \\
& (k5_facirc_1 (k19_ftacell1 X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 \\
& X3 X4) X5 np_4) X0 = X6) \wedge ((k1_funct_1 (k5_facirc_1 (k19_ftacell1 \\
& X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) X1 = X7) \wedge ((k1_funct_1 \\
& (k5_facirc_1 (k19_ftacell1 X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 \\
& X3 X4) X5 np_4) X2 = X8) \wedge ((k1_funct_1 (k5_facirc_1 (k19_ftacell1 \\
& X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) X3 = X9) \wedge (k1_funct_1 \\
& (k5_facirc_1 (k19_ftacell1 X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 \\
& X3 X4) X5 np_4) X4 = X10)))))))))))))))))))))
\end{aligned} \tag{1}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(\neg v1_xtuple_0 X0) \Rightarrow (\forall X1.(\neg v1_xtuple_0 X1) \Rightarrow \\
& (\forall X2.(\neg v1_xtuple_0 X2) \Rightarrow (\forall X3.(\neg v1_xtuple_0 X3) \Rightarrow \\
& (\forall X4.(\neg(X4 \neq k4_tarski (k10_finseq_1 X3 (k48_gfacirc1 X0 \\
& X1 X2)) k4_twoscomp) \wedge ((\neg X4 \in k3_msafree2 (k49_gfacirc1 X0 X1 X2)) \wedge \\
& (\exists X5.(m1_subset_1 X5 (k4_card_3 (u3_msualg_1 (k19_ftacell1 \\
& X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 X3 X4)))) \wedge (\exists X6.(m1_subset_1 \\
& X6 k6_margrel1) \wedge (\exists X7.(m1_subset_1 X7 k6_margrel1) \wedge (\exists X8. \\
& (m1_subset_1 X8 k6_margrel1) \wedge (\exists X9.(m1_subset_1 X9 k6_margrel1) \wedge \\
& (\exists X10.(m1_subset_1 X10 k6_margrel1) \wedge ((X6 = k1_funct_1 \\
& X5 X0) \wedge ((X7 = k1_funct_1 X5 X1) \wedge ((X8 = k1_funct_1 X5 X2) \wedge ((X9 = k1_funct_1 \\
& X5 X3) \wedge ((X10 = k1_funct_1 X5 X4) \wedge (\neg(k1_funct_1 (k5_facirc_1 (k19_ftacell1 \\
& X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) (k45_gfacirc1 \\
& (k48_gfacirc1 X0 X1 X2) X4 X3) = k9_margrel1 (k1_binarith (k1_binarith \\
& (k10_margrel1 (k2_binarith (k2_binarith (k9_margrel1 X6) (k9_margrel1 \\
& X7)) (k9_margrel1 X8)) (k9_margrel1 X10)) (k10_margrel1 (k9_margrel1 \\
& X10) (k9_margrel1 X9))) (k10_margrel1 (k9_margrel1 X9) (k2_binarith \\
& (k2_binarith (k9_margrel1 X6) (k9_margrel1 X7)) (k9_margrel1 \\
& X8)))))) \wedge ((k1_funct_1 (k5_facirc_1 (k19_ftacell1 X0 X1 X2 X3 X4) \\
& (k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) X0 = X6) \wedge ((k1_funct_1 (k5_facirc_1 \\
& (k19_ftacell1 X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) \\
& X1 = X7) \wedge ((k1_funct_1 (k5_facirc_1 (k19_ftacell1 X0 X1 X2 X3 X4) \\
& (k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) X2 = X8) \wedge ((k1_funct_1 (k5_facirc_1 \\
& (k19_ftacell1 X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) \\
& X3 = X9) \wedge (k1_funct_1 (k5_facirc_1 (k19_ftacell1 X0 X1 X2 X3 X4) (\\
& k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) X4 = X10)))))))))))))))))) \\
& \quad \quad \quad (2)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. k24_ftacell1 \\
& X0 X1 X2 X3 X4 = k48_gfacirc1 (k48_gfacirc1 X0 X1 X2) X4 X3 \quad (3)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. \forall X4. k23_ftacell1 \\
& X0 X1 X2 X3 X4 = k45_gfacirc1 (k48_gfacirc1 X0 X1 X2) X4 X3 \quad (4)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall X0.(\neg v1_xtuple_0 X0) \Rightarrow (\forall X1.(\neg v1_xtuple_0 X1) \Rightarrow \\
& (\forall X2.(\neg v1_xtuple_0 X2) \Rightarrow (\forall X3.(\neg v1_xtuple_0 X3) \Rightarrow \\
& (\forall X4.(\neg(X4 \neq k4_tarski (k10_finseq_1 X3 (k48_gfacirc1 X0 \\
& X1 X2)) k4_twoscomp) \wedge ((\neg X4 \in k3_msafree2 (k49_gfacirc1 X0 X1 X2)) \wedge \\
& (\exists X5.(m1_subset_1 X5 (k4_card_3 (u3_msualg_1 (k19_ftacell1 \\
& X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 X3 X4)))) \wedge (\exists X6.(m1_subset_1 \\
& X6 k6_margrel1) \wedge (\exists X7.(m1_subset_1 X7 k6_margrel1) \wedge (\exists X8. \\
& (m1_subset_1 X8 k6_margrel1) \wedge (\exists X9.(m1_subset_1 X9 k6_margrel1) \wedge \\
& (\exists X10.(m1_subset_1 X10 k6_margrel1) \wedge ((X6 = k1_funct_1 \\
& X5 X0) \wedge ((X7 = k1_funct_1 X5 X1) \wedge ((X8 = k1_funct_1 X5 X2) \wedge ((X9 = k1_funct_1 \\
& X5 X3) \wedge ((X10 = k1_funct_1 X5 X4) \wedge (\neg(k1_funct_1 (k5_facirc_1 (k19_ftacell1 \\
& X0 X1 X2 X3 X4) (k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) (k23_ftacell1 \\
& X0 X1 X2 X3 X4) = k9_margrel1 (k1_binarith (k1_binarith (k10_margrel1 \\
& (k2_binarith (k2_binarith (k9_margrel1 X6) (k9_margrel1 X7)) \\
& (k9_margrel1 X8)) (k9_margrel1 X10)) (k10_margrel1 (k9_margrel1 \\
& X10) (k9_margrel1 X9))) (k10_margrel1 (k9_margrel1 X9) (k2_binarith \\
& (k2_binarith (k9_margrel1 X6) (k9_margrel1 X7)) (k9_margrel1 \\
& X8)))))) \wedge (k1_funct_1 (k5_facirc_1 (k19_ftacell1 X0 X1 X2 X3 X4) \\
& (k20_ftacell1 X0 X1 X2 X3 X4) X5 np_4) (k24_ftacell1 X0 X1 X2 X3 X4) = \\
& k9_margrel1 (k2_binarith (k2_binarith (k2_binarith (k2_binarith \\
& (k9_margrel1 X6) (k9_margrel1 X7)) (k9_margrel1 X8)) (k9_margrel1 \\
& X9)) (k9_margrel1 X10))))))))))))))
\end{aligned}$$