

## t39\_matrix\_8

(TMZEr8Fs6yYiowqPSLbDRNxtJoCnohzar6e)

October 27, 2020

Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $v2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v6\_struct\_0 : \iota \Rightarrow o$  be given. Let  $v13\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v33\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $v3\_group\_1 : \iota \Rightarrow o$  be given. Let  $v5\_group\_1 : \iota \Rightarrow o$  be given. Let  $v2\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v3\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_rlvect\_1 : \iota \Rightarrow o$  be given. Let  $v4\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $v5\_vectsp\_1 : \iota \Rightarrow o$  be given. Let  $l6\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $m1\_matrix\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $r1\_matrix\_8 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k6\_numbers : \iota$  be given. Let  $k2\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_matrix\_1 : \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k3\_finseq\_2 : \iota \Rightarrow \iota$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_matrix\_1 : \iota \Rightarrow \iota$  be given. Let  $k4\_matrix\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k3\_matrix\_3 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $k2\_matrix\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k2\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k4\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l2\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l5\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_algstr\_0 : \iota \Rightarrow o$  be given. Let  $k5\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v1\_matrix\_6 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Assume the following.

$$\begin{aligned}
 & \forall X0. ((\neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
 & X0) \wedge ((v33\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ( \\
 & (v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v4\_vectsp\_1 \\
 & X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (\forall X1. \\
 & ((v1\_matrix\_1 X1) \wedge (m2\_finseq\_1 X1 (k3\_finseq\_2 (u1\_struct\_0 \\
 & X0)))) \Rightarrow (\forall X2. ((v1\_matrix\_1 X2) \wedge (m2\_finseq\_1 X2 (k3\_finseq\_2 \\
 & (u1\_struct\_0 X0)))) \Rightarrow (\forall X3. ((v1\_matrix\_1 X3) \wedge (m2\_finseq\_1 \\
 & X3 (k3\_finseq\_2 (u1\_struct\_0 X0)))) \Rightarrow (((k3\_finseq\_1 X2 = k3\_finseq\_1 \\
 & X3) \wedge ((k1\_matrix\_1 X2 = k1\_matrix\_1 X3) \wedge (k3\_finseq\_1 X1 = k1\_matrix\_1 \\
 & X2))) \Rightarrow ((r1\_xxreal\_0 (k3\_finseq\_1 X2) k6\_numbers) \vee ((r1\_xxreal\_0 \\
 & (k3\_finseq\_1 X1) k6\_numbers) \vee (k4\_matrix\_3 X0 (k3\_matrix\_3 X0 \\
 & X2 X3) X1 = k3\_matrix\_3 X0 (k4\_matrix\_3 X0 X2 X1) (k4\_matrix\_3 X0 X3 \\
 & X1)))))))))
 \end{aligned}$$

(1)

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2\_struct\_0 X0) \wedge ((\neg v6\_struct\_0 X0) \wedge ((v13\_algstr\_0 \\
& X0) \wedge ((v33\_algstr\_0 X0) \wedge ((v3\_group\_1 X0) \wedge ((v5\_group\_1 X0) \wedge ( \\
& (v2\_rlvect\_1 X0) \wedge ((v3\_rlvect\_1 X0) \wedge ((v4\_rlvect\_1 X0) \wedge ((v4\_vectsp\_1 \\
& X0) \wedge ((v5\_vectsp\_1 X0) \wedge (l6\_algstr\_0 X0)))))))))) \Rightarrow (\forall X1. \\
& ((v1\_matrix\_1 X1) \wedge (m2\_finseq\_1 X1 (k3\_finseq\_2 (u1\_struct\_0 \\
& X0)))) \Rightarrow (\forall X2.((v1\_matrix\_1 X2) \wedge (m2\_finseq\_1 X2 (k3\_finseq\_2 \\
& (u1\_struct\_0 X0)))) \Rightarrow (\forall X3.((v1\_matrix\_1 X3) \wedge (m2\_finseq\_1 \\
& X3 (k3\_finseq\_2 (u1\_struct\_0 X0)))) \Rightarrow (((k3\_finseq\_1 X2 = k3\_finseq\_1 \\
& X3) \wedge ((k1\_matrix\_1 X2 = k1\_matrix\_1 X3) \wedge (k1\_matrix\_1 X1 = k3\_finseq\_1 \\
& X2))) \Rightarrow ((r1\_xxreal\_0 (k3\_finseq\_1 X1) k6\_numbers) \vee ((r1\_xxreal\_0 \\
& (k3\_finseq\_1 X2) k6\_numbers) \vee (k4\_matrix\_3 X0 X1 (k3\_matrix\_3 \\
& X0 X2 X3) = k3\_matrix\_3 X0 (k4\_matrix\_3 X0 X1 X2) (k4\_matrix\_3 X0 X1 \\
& X3)))))))))
\end{aligned} \tag{2}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v7\_ordinal1 X0) \Rightarrow (\forall X1.(\neg v1\_xboole\_0 X1) \Rightarrow ( \\
& \forall X2.(m1\_matrix\_1 X2 X1 X0 X0) \Rightarrow ((k3\_finseq\_1 X2 = X0) \wedge ((k1\_matrix\_1 \\
& X2 = X0) \wedge (k2\_matrix\_1 X2 = k2\_zfmisc\_1 (k2\_finseq\_1 X0) (k2\_finseq\_1 \\
& X0))))))
\end{aligned} \tag{3}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1 X0) \wedge \\
& (((\neg v2\_struct\_0 X1) \wedge ((\neg v6\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge \\
& ((v33\_algstr\_0 X1) \wedge ((v3\_group\_1 X1) \wedge ((v5\_group\_1 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge \\
& ((v5\_vectsp\_1 X1) \wedge (l6\_algstr\_0 X1)))))))))) \wedge ((m1\_matrix\_1 \\
& X2 (u1\_struct\_0 X1) X0 X0) \wedge (m1\_matrix\_1 X3 (u1\_struct\_0 X1) X0 X0))) \Rightarrow \\
& ((r1\_matrix\_8 X0 X1 X2 X3) \Rightarrow (r1\_matrix\_8 X0 X1 X3 X2))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1 X0) \wedge \\
& (((\neg v2\_struct\_0 X1) \wedge ((\neg v6\_struct\_0 X1) \wedge ((v13\_algstr\_0 X1) \wedge \\
& ((v33\_algstr\_0 X1) \wedge ((v3\_group\_1 X1) \wedge ((v5\_group\_1 X1) \wedge ((v2\_rlvect\_1 \\
& X1) \wedge ((v3\_rlvect\_1 X1) \wedge ((v4\_rlvect\_1 X1) \wedge ((v4\_vectsp\_1 X1) \wedge \\
& ((v5\_vectsp\_1 X1) \wedge (l6\_algstr\_0 X1)))))))))) \wedge ((m1\_matrix\_1 \\
& X2 (u1\_struct\_0 X1) X0 X0) \wedge (m1\_matrix\_1 X3 (u1\_struct\_0 X1) X0 X0))) \Rightarrow \\
& (k4\_matrix\_6 X0 X1 X2 X3 = k4\_matrix\_3 X1 X2 X3)
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1\ X0)\wedge \\ & (((\neg v2\_struct\_0\ X1)\wedge(\neg v6\_struct\_0\ X1)\wedge(v13\_algstr\_0\ X1)\wedge \\ & ((v33\_algstr\_0\ X1)\wedge(v3\_group\_1\ X1)\wedge(v5\_group\_1\ X1)\wedge(v2\_rlvect\_1 \\ & X1)\wedge(v3\_rlvect\_1\ X1)\wedge(v4\_rlvect\_1\ X1)\wedge(v4\_vectsp\_1\ X1)\wedge \\ & ((v5\_vectsp\_1\ X1)\wedge(l6\_algstr\_0\ X1))))))\wedge(m1\_matrix\_1 \\ & X2\ (u1\_struct\_0\ X1)\ X0\ X0)\wedge(m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0))\Rightarrow \\ & (k2\_matrix\_6\ X0\ X1\ X2\ X3 = k3\_matrix\_3\ X1\ X2\ X3) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.((\neg v2\_struct\_0\ X0)\wedge(l1\_struct\_0\ X0))\Rightarrow(\neg v1\_xboole\_0\ (u1\_struct\_0\ X0)) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((\neg v1\_xboole\_0\ X0)\wedge(v7\_ordinal1 \\ & X1)\wedge(v7\_ordinal1\ X2))\Rightarrow(\forall X3.(m1\_matrix\_1\ X3\ X0\ X1\ X2)\Rightarrow \\ & ((v1\_matrix\_1\ X3)\wedge(m2\_finseq\_1\ X3\ (k3\_finseq\_2\ X0)))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall X0.(l6\_algstr\_0\ X0)\Rightarrow((l2\_algstr\_0\ X0)\wedge(l5\_algstr\_0\ X0)) \quad (9)$$

Assume the following.

$$\forall X0.(l2\_algstr\_0\ X0)\Rightarrow((l2\_struct\_0\ X0)\wedge(l1\_algstr\_0\ X0)) \quad (10)$$

Assume the following.

$$\forall X0.(l1\_algstr\_0\ X0)\Rightarrow(l1\_struct\_0\ X0) \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.((v7\_ordinal1\ X0)\wedge((\neg v2\_struct\_0 \\ & X1)\wedge(\neg v6\_struct\_0\ X1)\wedge(v13\_algstr\_0\ X1)\wedge(v33\_algstr\_0\ X1)\wedge \\ & ((v3\_group\_1\ X1)\wedge(v5\_group\_1\ X1)\wedge(v2\_rlvect\_1\ X1)\wedge(v3\_rlvect\_1 \\ & X1)\wedge(v4\_rlvect\_1\ X1)\wedge(v4\_vectsp\_1\ X1)\wedge(v5\_vectsp\_1\ X1)\wedge \\ & (l6\_algstr\_0\ X1))))))\wedge(m1\_matrix\_1\ X2\ (u1\_struct\_0\ X1) \\ & X0\ X0))\Rightarrow(m1\_matrix\_1\ (k5\_matrix\_6\ X0\ X1\ X2)\ (u1\_struct\_0\ X1)\ X0 \\ & X0) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1\ X0)\wedge \\ & (((\neg v2\_struct\_0\ X1)\wedge(\neg v6\_struct\_0\ X1)\wedge(v13\_algstr\_0\ X1)\wedge \\ & ((v33\_algstr\_0\ X1)\wedge(v3\_group\_1\ X1)\wedge(v5\_group\_1\ X1)\wedge(v2\_rlvect\_1 \\ & X1)\wedge(v3\_rlvect\_1\ X1)\wedge(v4\_rlvect\_1\ X1)\wedge(v4\_vectsp\_1\ X1)\wedge \\ & ((v5\_vectsp\_1\ X1)\wedge(l6\_algstr\_0\ X1))))))\wedge(m1\_matrix\_1 \\ & X2\ (u1\_struct\_0\ X1)\ X0\ X0)\wedge(m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0))\Rightarrow \\ & (m1\_matrix\_1\ (k4\_matrix\_6\ X0\ X1\ X2\ X3)\ (u1\_struct\_0\ X1)\ X0\ X0) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned}
& \forall X0.\forall X1.\forall X2.\forall X3.((v7\_ordinal1\ X0)\wedge \\
& ((\neg v2\_struct\_0\ X1)\wedge(\neg v6\_struct\_0\ X1)\wedge((v13\_algstr\_0\ X1)\wedge \\
& ((v33\_algstr\_0\ X1)\wedge(v3\_group\_1\ X1)\wedge((v5\_group\_1\ X1)\wedge((v2\_rlvect\_1 \\
& X1)\wedge((v3\_rlvect\_1\ X1)\wedge((v4\_rlvect\_1\ X1)\wedge((v4\_vectsp\_1\ X1)\wedge \\
& ((v5\_vectsp\_1\ X1)\wedge(l6\_algstr\_0\ X1))))))))))\wedge((m1\_matrix\_1 \\
& X2\ (u1\_struct\_0\ X1)\ X0\ X0)\wedge(m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0)))\Rightarrow \\
& (m1\_matrix\_1\ (k2\_matrix\_6\ X0\ X1\ X2\ X3)\ (u1\_struct\_0\ X1)\ X0\ X0)
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& \forall X0.(v7\_ordinal1\ X0)\Rightarrow(\forall X1.((\neg v2\_struct\_0\ X1)\wedge \\
& ((\neg v6\_struct\_0\ X1)\wedge((v13\_algstr\_0\ X1)\wedge((v33\_algstr\_0\ X1)\wedge( \\
& (v3\_group\_1\ X1)\wedge((v5\_group\_1\ X1)\wedge((v2\_rlvect\_1\ X1)\wedge((v3\_rlvect\_1 \\
& X1)\wedge((v4\_rlvect\_1\ X1)\wedge((v4\_vectsp\_1\ X1)\wedge((v5\_vectsp\_1\ X1)\wedge \\
& (l6\_algstr\_0\ X1))))))))))\Rightarrow(\forall X2.(m1\_matrix\_1\ X2\ (u1\_struct\_0 \\
& X1)\ X0\ X0)\Rightarrow(\forall X3.(m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0)\Rightarrow \\
& ((r1\_matrix\_8\ X0\ X1\ X2\ X3)\Leftrightarrow(\exists X4.(m1\_matrix\_1\ X4\ (u1\_struct\_0 \\
& X1)\ X0\ X0)\wedge((v1\_matrix\_6\ X4\ X0\ X1)\wedge(X2 = k4\_matrix\_6\ X0\ X1\ (k4\_matrix\_6 \\
& X0\ X1\ (k5\_matrix\_6\ X0\ X1\ X4)\ X3)\ X4))))))
\end{aligned} \tag{15}$$

**Theorem 1**

$$\begin{aligned}
& \forall X0.(v7\_ordinal1\ X0)\Rightarrow(\forall X1.((\neg v2\_struct\_0\ X1)\wedge \\
& ((\neg v6\_struct\_0\ X1)\wedge((v13\_algstr\_0\ X1)\wedge((v33\_algstr\_0\ X1)\wedge( \\
& (v3\_group\_1\ X1)\wedge((v5\_group\_1\ X1)\wedge((v2\_rlvect\_1\ X1)\wedge((v3\_rlvect\_1 \\
& X1)\wedge((v4\_rlvect\_1\ X1)\wedge((v4\_vectsp\_1\ X1)\wedge((v5\_vectsp\_1\ X1)\wedge \\
& (l6\_algstr\_0\ X1))))))))))\Rightarrow(\forall X2.(m1\_matrix\_1\ X2\ (u1\_struct\_0 \\
& X1)\ X0\ X0)\Rightarrow(\forall X3.(m1\_matrix\_1\ X3\ (u1\_struct\_0\ X1)\ X0\ X0)\Rightarrow \\
& ((r1\_matrix\_8\ X0\ X1\ X2\ X3)\Rightarrow((r1\_xxreal\_0\ X0\ k6\_numbers)\vee(r1\_matrix\_8 \\
& X0\ X1\ (k2\_matrix\_6\ X0\ X1\ X2\ X2)\ (k2\_matrix\_6\ X0\ X1\ X3\ X3))))))
\end{aligned}$$