

t3_borsuk_1 (TMG-
pwTMg8xY2Ty5UgnaAE7GX99vQHGBuRV8)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v2_pre_topc : \iota \Rightarrow o$ be given. Let $l1_pre_topc : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v5_pre_topc : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_connsp_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $m2_connsp_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k8_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $k1_tops_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $k8_relat_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $l1_struct_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (r1_tarski (k1_tarski X0) X1) \Leftrightarrow (X0 \in X1) \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\ & X0))) \Rightarrow (\forall X1. ((\neg v2_struct_0 X1) \wedge ((v2_pre_topc X1) \wedge (l1_pre_topc \\ & X1)))) \Rightarrow (\forall X2. ((v1_funct_1 X2) \wedge ((v1_funct_2 X2 (u1_struct_0 \\ & X0) (u1_struct_0 X1)) \wedge ((v5_pre_topc X2 X0 X1) \wedge (m1_subset_1 X2 \\ & (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X1)))))) \Rightarrow \quad (2) \\ & (\forall X3. (m1_subset_1 X3 (k1_zfmisc_1 (u1_struct_0 X1))) \Rightarrow \\ & (r1_tarski (k8_relset_1 (u1_struct_0 X0) (u1_struct_0 X1) X2 (\\ & k1_tops_1 X1 X3)) (k1_tops_1 X0 (k8_relset_1 (u1_struct_0 X0) (\\ & u1_struct_0 X1) X2 X3)))))) \end{aligned}$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1_tarski X0 X1) \wedge (r1_tarski X1 X2)) \Rightarrow (r1_tarski X0 X2) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (v1_relat_1 X2) \Rightarrow ((r1_tarski X0 X1) \Rightarrow (r1_tarski (k8_relat_1 X2 X0) (k8_relat_1 X2 X1))) \quad (4)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(k8_relset_1 X0 X1 X2 X3 = k8_relat_1 X2 X3) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow(k6_domain_1 X0 X1 = k1_tarski X1) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.v1_relat_1 (k2_zfmisc_1 X0 X1) \quad (7)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_struct_0 X0))\Rightarrow(\neg v1_xboole_0 (u1_struct_0 X0)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(((\neg v2_struct_0 X0)\wedge((v2_pre_topc X0)\wedge(l1_pre_topc X0)))\wedge(m1_subset_1 X1 (u1_struct_0 X0)))\Rightarrow(\forall X2.(m1_connsp_2 X2 X0 X1)\Rightarrow(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0)))) \quad (9)$$

Assume the following.

$$\forall X0.(l1_pre_topc X0)\Rightarrow(l1_struct_0 X0) \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.\forall X3.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(m1_subset_1 (k8_relset_1 X0 X1 X2 X3) (k1_zfmisc_1 X0)) \quad (11)$$

Assume the following.

$$\forall X0.((v2_pre_topc X0)\wedge(l1_pre_topc X0))\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow(\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow((m2_connsp_2 X2 X0 X1)\Leftrightarrow(r1_tarski X1 (k1_tops_1 X0 X2)))))) \quad (12)$$

Assume the following.

$$\forall X0.((\neg v2_struct_0 X0)\wedge((v2_pre_topc X0)\wedge(l1_pre_topc X0)))\Rightarrow(\forall X1.(m1_subset_1 X1 (u1_struct_0 X0))\Rightarrow(\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (u1_struct_0 X0)))\Rightarrow((m1_connsp_2 X2 X0 X1)\Leftrightarrow(X1 \in k1_tops_1 X0 X2)))) \quad (13)$$

Assume the following.

$$\forall X0.(v1_relat_1 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0))\Rightarrow(v1_relat_1 X1)) \quad (14)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge ((v2_pre_topc X0) \wedge (l1_pre_topc \\ & X0))) \Rightarrow (\forall X1.((\neg v2_struct_0 X1) \wedge ((v2_pre_topc X1) \wedge (l1_pre_topc \\ & X1)))) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 X0))) \Rightarrow (\forall X3. \\ & ((v1_funct_1 X3) \wedge ((v1_funct_2 X3 (u1_struct_0 X1) (u1_struct_0 \\ & X0)) \wedge ((v5_pre_topc X3 X1 X0) \wedge (m1_subset_1 X3 (k1_zfmisc_1 (k2_zfmisc_1 \\ & (u1_struct_0 X1) (u1_struct_0 X0))))))) \Rightarrow (\forall X4.(m1_connsp_2 \\ & X4 X0 X2) \Rightarrow (m2_connsp_2 (k8_relset_1 (u1_struct_0 X1) (u1_struct_0 \\ & X0) X3 X4) X1 (k8_relset_1 (u1_struct_0 X1) (u1_struct_0 X0) X3 (\\ & k6_domain_1 (u1_struct_0 X0) X2)))))) \end{aligned}$$