

t3_cqc_the3

(TMYzfFaGC6NagctHE8MJLpg5ve9xacGx2F6)

October 27, 2020

Let $m1_qc_lang1 : \iota \Rightarrow o$ be given. Let $m2_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_qc_lang1 : \iota \Rightarrow \iota$ be given. Let $k3_cqc_lang : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $r3_cqc_the1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k6_domain_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_tarski : \iota \Rightarrow \iota$ be given. Let $v1_cqc_the1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_cqc_the1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. (r1_tarski (k1_tarski X0) X1) \Leftrightarrow (X0 \in X1) \quad (1)$$

Assume the following.

$$\forall X0. (m1_qc_lang1 X0) \Rightarrow (\forall X1. (m1_subset_1 X1 (k1_zfmisc_1 (k3_cqc_lang X0))) \Rightarrow (v1_cqc_the1 (k1_cqc_the1 X0 X1) X0)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 X2 X0 X1) \Leftrightarrow (m1_subset_1 X2 X1)) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge (m1_subset_1 X1 X0)) \Rightarrow (k6_domain_1 X0 X1 = k1_tarski X1) \quad (4)$$

Assume the following.

$$\forall X0. (m1_qc_lang1 X0) \Rightarrow (\neg v1_xboole_0 (k3_cqc_lang X0)) \quad (5)$$

Assume the following.

$$\forall X0. \forall X1. ((\neg v1_xboole_0 X0) \wedge ((\neg v1_xboole_0 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X0)))) \Rightarrow (\forall X2. (m2_subset_1 X2 X0 X1) \Rightarrow (m1_subset_1 X2 X0)) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.((\neg v1_xboole_0 X0)\wedge(m1_subset_1 X1 X0))\Rightarrow (m1_subset_1 (k6_domain_1 X0 X1) (k1_zfmisc_1 X0)) \quad (7)$$

Assume the following.

$$\forall X0.(m1_qc_lang1 X0)\Rightarrow(m1_subset_1 (k3_cqc_lang X0) (k1_zfmisc_1 (k9_qc_lang1 X0))) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.((m1_qc_lang1 X0)\wedge(m1_subset_1 X1 (k1_zfmisc_1 (k3_cqc_lang X0))))\Rightarrow(m1_subset_1 (k1_cqc_the1 X0 X1) (k1_zfmisc_1 (k3_cqc_lang X0))) \quad (9)$$

Assume the following.

$$\forall X0.(m1_qc_lang1 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k3_cqc_lang X0)))\Rightarrow(\forall X2.(m1_subset_1 X2 (k9_qc_lang1 X0))\Rightarrow((r3_cqc_the1 X0 X1 X2)\Leftrightarrow(X2 \in k1_cqc_the1 X0 X1)))) \quad (10)$$

Assume the following.

$$\forall X0.(m1_qc_lang1 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 (k3_cqc_lang X0)))\Rightarrow(\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k3_cqc_lang X0)))\Rightarrow((X2 = k1_cqc_the1 X0 X1)\Leftrightarrow(\forall X3.(m2_subset_1 X3 (k9_qc_lang1 X0) (k3_cqc_lang X0))\Rightarrow((X3 \in X2)\Leftrightarrow(\forall X4.(m1_subset_1 X4 (k1_zfmisc_1 (k3_cqc_lang X0)))\Rightarrow(((v1_cqc_the1 X4 X0)\wedge(r1_tarski X1 X4))\Rightarrow(X3 \in X4)))))))))) \quad (11)$$

Assume the following.

$$\forall X0.(v1_xboole_0 X0)\Rightarrow(\forall X1.(m1_subset_1 X1 (k1_zfmisc_1 X0))\Rightarrow(v1_xboole_0 X1)) \quad (12)$$

Theorem 1

$$\forall X0.(m1_qc_lang1 X0)\Rightarrow(\forall X1.(m2_subset_1 X1 (k9_qc_lang1 X0) (k3_cqc_lang X0))\Rightarrow(\forall X2.(m2_subset_1 X2 (k9_qc_lang1 X0) (k3_cqc_lang X0))\Rightarrow(\forall X3.(m1_subset_1 X3 (k1_zfmisc_1 (k3_cqc_lang X0)))\Rightarrow(((r3_cqc_the1 X0 X3 X1)\wedge(r3_cqc_the1 X0 (k6_domain_1 (k3_cqc_lang X0) X1) X2))\Rightarrow(r3_cqc_the1 X0 X3 X2))))))$$