

# t3\_finsop\_1

(TMX968QaxsZJUS7zF1pPEKBbThTJhdnPnSh)

October 27, 2020

Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $m2\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v1\_funct\_2 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_zfmisc\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $v2\_binop\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_binop\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_setwiseo : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $r1\_xxreal\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $np\_1 : \iota$  be given. Let  $k3\_finseq\_1 : \iota \Rightarrow \iota$  be given. Let  $k1\_finsop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k7\_setwiseo : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k5\_numbers : \iota$  be given. Let  $k3\_finsop\_1 : \iota \Rightarrow \iota$  be given. Let  $k2\_finsop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k8\_funcop\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_binop\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $v7\_ordinal1 : \iota \Rightarrow o$  be given. Let  $k6\_numbers : \iota$  be given. Let  $m1\_finseq\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v1\_finseq\_1 : \iota \Rightarrow o$  be given. Let  $k1\_card\_1 : \iota \Rightarrow \iota$  be given. Let  $v1\_finset\_1 : \iota \Rightarrow o$  be given. Let  $v1\_card\_1 : \iota \Rightarrow o$  be given. Let  $v3\_ordinal1 : \iota \Rightarrow o$  be given. Assume the following.

$$\forall X0.(v7\_ordinal1 X0) \Rightarrow ((\neg r1\_xxreal\_0 np\_1 X0) \Rightarrow (X0 = k6\_numbers)) \quad (1)$$

Assume the following.

$$\forall X0.\forall X1.(m2\_finseq\_1 X1 X0) \Leftrightarrow (m1\_finseq\_1 X1 X0) \quad (2)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow (k3\_finseq\_1 X0 = k1\_card\_1 X0) \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1.(m2\_finseq\_1 X1 X0) \Rightarrow \\ & (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (k2\_zfmisc\_1 X0 \\ & X0) X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 \\ & X0 X0) X0)))))) \Rightarrow (((k3\_finseq\_1 X1 = k6\_numbers) \wedge ((v1\_setwiseo \\ & X2 X0) \wedge ((v2\_binop\_1 X2 X0) \wedge (v1\_binop\_1 X2 X0)))) \Rightarrow (k1\_finsop\_1 \\ & X0 X1 X2 = k7\_setwiseo k5\_numbers X0 X2 (k3\_finsop\_1 X1) (k2\_finsop\_1 \\ & X0 (k8\_funcop\_1 X0 k5\_numbers (k4\_binop\_1 X0 X2)) X1)))))) \quad (4) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall X0.(\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1.(m2\_finseq\_1 X1 X0) \Rightarrow \\ (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (k2\_zfmisc\_1 X0 \\ X0) X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 \\ X0 X0) X0)))))) \Rightarrow (((r1\_xxreal\_0 np\_1 (k3\_finseq\_1 X1)) \wedge ((v2\_binop\_1 \\ X2 X0) \wedge (v1\_binop\_1 X2 X0))) \Rightarrow (k1\_finsop\_1 X0 X1 X2 = k7\_setwiseo \\ k5\_numbers X0 X2 (k3\_finsop\_1 X1) (k2\_finsop\_1 X0 (k8\_funcop\_1 \\ X0 k5\_numbers (k4\_binop\_1 X0 X2)) X1)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\forall X0.(v1\_finset\_1 X0) \Rightarrow ((v1\_finset\_1 (k1\_card\_1 X0)) \wedge (v1\_card\_1 (k1\_card\_1 X0))) \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.(m1\_finseq\_1 X1 X0) \Rightarrow ((v1\_relat\_1 X1) \wedge (v1\_funct\_1 X1) \wedge (v1\_finseq\_1 X1)) \quad (7)$$

Assume the following.

$$\forall X0.v1\_card\_1 (k1\_card\_1 X0) \quad (8)$$

Assume the following.

$$\forall X0.((v3\_ordinal1 X0) \wedge (v1\_finset\_1 X0)) \Rightarrow (v7\_ordinal1 X0) \quad (9)$$

Assume the following.

$$\forall X0.((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finseq\_1 X0))) \Rightarrow ((v1\_relat\_1 X0) \wedge ((v1\_funct\_1 X0) \wedge (v1\_finset\_1 X0))) \quad (10)$$

Assume the following.

$$\forall X0.(v1\_card\_1 X0) \Rightarrow (v3\_ordinal1 X0) \quad (11)$$

**Theorem 1**

$$\begin{aligned} \forall X0.(\neg v1\_xboole\_0 X0) \Rightarrow (\forall X1.(m2\_finseq\_1 X1 X0) \Rightarrow \\ (\forall X2.((v1\_funct\_1 X2) \wedge ((v1\_funct\_2 X2 (k2\_zfmisc\_1 X0 \\ X0) X0) \wedge (m1\_subset\_1 X2 (k1\_zfmisc\_1 (k2\_zfmisc\_1 (k2\_zfmisc\_1 \\ X0 X0) X0)))))) \Rightarrow (((v2\_binop\_1 X2 X0) \wedge (v1\_binop\_1 X2 X0)) \Rightarrow (((\neg v1\_setwiseo \\ X2 X0) \wedge (\neg r1\_xxreal\_0 np\_1 (k3\_finseq\_1 X1))) \vee (k1\_finsop\_1 X0 \\ X1 X2 = k7\_setwiseo k5\_numbers X0 X2 (k3\_finsop\_1 X1) (k2\_finsop\_1 \\ X0 (k8\_funcop\_1 X0 k5\_numbers (k4\_binop\_1 X0 X2)) X1)))))) \end{aligned}$$