

t3_fintopo2

(TMakT48P3QJFz8YLQoyBpTqsMhCCqwfSVao)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $k5_fin_topo : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_fin_topo : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k8_fin_topo : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k9_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k3_subset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (k5_fin_topo \\ & X0 X1 = k9_subset_1 (u1_struct_0 X0) (k9_fin_topo X0 X1) (k3_subset_1 \\ & (u1_struct_0 X0) (k8_fin_topo X0 X1)))) \end{aligned} \quad (1)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (m1_subset_1 X1 (k1_zfmisc_1 X0)) \Rightarrow (\forall X2. \\ & (m1_subset_1 X2 (k1_zfmisc_1 X0)) \Rightarrow (k7_subset_1 X0 X1 X2 = k9_subset_1 \\ & X0 X1 (k3_subset_1 X0 X2))) \end{aligned} \quad (2)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (m1_subset_1 \\ & (k9_fin_topo X0 X1) (k1_zfmisc_1 (u1_struct_0 X0))) \end{aligned} \quad (3)$$

Assume the following.

$$\begin{aligned} & \forall X0. \forall X1. (((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \wedge \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0)))) \Rightarrow (m1_subset_1 \\ & (k8_fin_topo X0 X1) (k1_zfmisc_1 (u1_struct_0 X0))) \end{aligned} \quad (4)$$

Theorem 1

$$\begin{aligned} & \forall X0.((\neg v2_struct_0 X0) \wedge (l1_orders_2 X0)) \Rightarrow (\forall X1. \\ & (m1_subset_1 X1 (k1_zfmisc_1 (u1_struct_0 X0))) \Rightarrow (k5_fin_topo \\ & X0 X1 = k7_subset_1 (u1_struct_0 X0) (k9_fin_topo X0 X1) (k8_fin_topo \\ & X0 X1))) \end{aligned}$$