

t3_integr18

(TMYKu4VPaTKRBekjjyfr5Hp7vxPbs6Y7ztt)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v13_algstr_0 : \iota \Rightarrow o$ be given. Let $v2_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_rlvect_1 : \iota \Rightarrow o$ be given. Let $v4_rlvect_1 : \iota \Rightarrow o$ be given. Let $v5_rlvect_1 : \iota \Rightarrow o$ be given. Let $v6_rlvect_1 : \iota \Rightarrow o$ be given. Let $v7_rlvect_1 : \iota \Rightarrow o$ be given. Let $v8_rlvect_1 : \iota \Rightarrow o$ be given. Let $v3_normsp_0 : \iota \Rightarrow o$ be given. Let $v4_normsp_0 : \iota \Rightarrow o$ be given. Let $v2_normsp_1 : \iota \Rightarrow o$ be given. Let $l1_normsp_1 : \iota \Rightarrow o$ be given. Let $m2_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_numbers : \iota$ be given. Let $r2_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k5_numbers : \iota$ be given. Let $k4_vfunct_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k4_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_rlvect_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $l1_rlvect_1 : \iota \Rightarrow o$ be given. Let $k3_finseq_1 : \iota \Rightarrow \iota$ be given. Let $k1_relset_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_funct_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k7_partfun1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_finseq_1 : \iota \Rightarrow o$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $m1_finseq_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k9_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $l2_normsp_0 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \neg(v1_xboole_0 X0) \wedge ((X0 \neq X1) \wedge (v1_xboole_0 X1)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg(X0 \in X1) \wedge ((m1_subset_1 X1 (k1_zfmisc_1 X2)) \wedge (v1_xboole_0 X2)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 X2))) \Rightarrow (m1_subset_1 X0 X2) \quad (3)$$

Assume the following.

$$\begin{aligned}
& \forall X0.((\neg v2_struct_0 X0) \wedge ((v13_algstr_0 X0) \wedge ((v2_rlvect_1 \\
& X0) \wedge ((v3_rlvect_1 X0) \wedge ((v4_rlvect_1 X0) \wedge ((v5_rlvect_1 X0) \wedge \\
& ((v6_rlvect_1 X0) \wedge ((v7_rlvect_1 X0) \wedge ((v8_rlvect_1 X0) \wedge (l1_rlvect_1 \\
& X0)))))))))) \Rightarrow (\forall X1.(m1_subset_1 X1 k1_numbers) \Rightarrow (\forall X2. \\
& (m2_finseq_1 X2 (u1_struct_0 X0)) \Rightarrow (\forall X3.(m2_finseq_1 X3 \\
& (u1_struct_0 X0)) \Rightarrow ((k3_finseq_1 X2 = k3_finseq_1 X3) \wedge (\forall X4. \\
& (m1_subset_1 X4 k5_numbers) \Rightarrow ((X4 \in k1_relset_1 k5_numbers X2) \Rightarrow \\
& (k1_funct_1 X3 X4 = k1_rlvect_1 X0 (k7_partfun1 (u1_struct_0 X0) \\
& X2 X4) X1)))))) \Rightarrow (k4_rlvect_1 X0 X3 = k1_rlvect_1 X0 (k4_rlvect_1 X0 \\
& X2) X1))))))
\end{aligned} \tag{4}$$

Assume the following.

$$\begin{aligned}
& \forall X0.((v1_relat_1 X0) \wedge ((v1_funct_1 X0) \wedge (v1_finseq_1 X0))) \Rightarrow \\
& (\forall X1.((v1_relat_1 X1) \wedge ((v1_funct_1 X1) \wedge (v1_finseq_1 \\
& X1))) \Rightarrow ((k3_finseq_1 X0 = k3_finseq_1 X1) \Leftrightarrow (k1_relset_1 k5_numbers \\
& X0 = k1_relset_1 k5_numbers X1)))
\end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. \forall X2. \forall X3. ((m1_subset_1 X2 \\
& (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \wedge (m1_subset_1 X3 (k1_zfmisc_1 \\
& (k2_zfmisc_1 X0 X1)))) \Rightarrow ((r2_relset_1 X0 X1 X2 X3) \Leftrightarrow (X2 = X3))
\end{aligned} \tag{6}$$

Assume the following.

$$\forall X0. \forall X1. (m2_finseq_1 X1 X0) \Leftrightarrow (m1_finseq_1 X1 X0) \tag{7}$$

Assume the following.

$$\forall X0. \forall X1. ((v1_relat_1 X1) \wedge (v4_relat_1 X1 X0)) \Rightarrow (k1_relset_1 X0 X1 = k9_xtuple_0 X1) \tag{8}$$

Assume the following.

$$\begin{aligned}
& \forall X0. \forall X1. (m2_finseq_1 X1 X0) \Rightarrow ((v1_funct_1 X1) \wedge (\\
& (v1_finseq_1 X1) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 k5_numbers \\
& X0))))))
\end{aligned} \tag{9}$$

Assume the following.

$$\forall X0. \forall X1. (m1_finseq_1 X1 X0) \Rightarrow ((v1_relat_1 X1) \wedge (v1_funct_1 X1) \wedge (v1_finseq_1 X1)) \tag{10}$$

Assume the following.

$$\forall X0. (l1_normsp_1 X0) \Rightarrow ((l1_rlvect_1 X0) \wedge (l2_normsp_0 X0)) \tag{11}$$

Assume the following.

$$\begin{aligned} & \forall X0.\forall X1.\forall X2.\forall X3.((\neg v1_xboole_0 X0)\wedge \\ & (((\neg v2_struct_0 X1)\wedge(l1_rlvect_1 X1))\wedge((v1_funct_1 X2)\wedge(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1))))))\wedge(m1_subset_1 \\ & X3 k1_numbers)))\Rightarrow((v1_funct_1 (k4_vfunct_1 X0 X1 X2 X3))\wedge(m1_subset_1 \\ & (k4_vfunct_1 X0 X1 X2 X3) (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 \\ & X1)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge(v4_relat_1 X1 X0))\Rightarrow(m1_subset_1 (k1_relset_1 X0 X1) (k1_zfmisc_1 X0)) \quad (13)$$

Assume the following.

$$\forall X0.\forall X1.((v1_relat_1 X1)\wedge((v5_relat_1 X1 X0)\wedge(v1_funct_1 X1)))\Rightarrow(\forall X2.(X2 \in k9_xtuple_0 X1)\Rightarrow(k7_partfun1 X0 X1 X2 = k1_funct_1 X1 X2)) \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall X0.(\neg v1_xboole_0 X0)\Rightarrow(\forall X1.((\neg v2_struct_0 X1)\wedge \\ & (l1_rlvect_1 X1))\Rightarrow(\forall X2.((v1_funct_1 X2)\wedge(m1_subset_1 \\ & X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1))))))\Rightarrow(\forall X3. \\ & (m1_subset_1 X3 k1_numbers)\Rightarrow(\forall X4.((v1_funct_1 X4)\wedge(m1_subset_1 \\ & X4 (k1_zfmisc_1 (k2_zfmisc_1 X0 (u1_struct_0 X1))))))\Rightarrow((X4 = k4_vfunct_1 \\ & X0 X1 X2 X3)\Leftrightarrow((k1_relset_1 X0 X4 = k1_relset_1 X0 X2)\wedge(\forall X5. \\ & (m1_subset_1 X5 X0)\Rightarrow((X5 \in k1_relset_1 X0 X4)\Rightarrow(k7_partfun1 (u1_struct_0 \\ & X1) X4 X5 = k1_rlvect_1 X1 (k7_partfun1 (u1_struct_0 X1) X2 X5) X3)))))))))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall X0.\forall X1.(v1_xboole_0 X0)\Rightarrow(\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_xboole_0 X2)) \quad (16)$$

Assume the following.

$$\forall X0.\forall X1.(m1_finseq_1 X1 X0)\Rightarrow(v5_relat_1 X1 X0) \quad (17)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow((v4_relat_1 X2 X0)\wedge(v5_relat_1 X2 X1)) \quad (18)$$

Theorem 1

$$\begin{aligned} & \forall X0. ((\neg v2_struct_0 X0) \wedge (v13_algstr_0 X0) \wedge (v2_rlvect_1 \\ & X0) \wedge (v3_rlvect_1 X0) \wedge (v4_rlvect_1 X0) \wedge (v5_rlvect_1 X0) \wedge \\ & ((v6_rlvect_1 X0) \wedge (v7_rlvect_1 X0) \wedge (v8_rlvect_1 X0) \wedge (v3_normsp_0 \\ & X0) \wedge (v4_normsp_0 X0) \wedge (v2_normsp_1 X0) \wedge (l1_normsp_1 X0)))))) \Rightarrow \\ & (\forall X1. (m2_finseq_1 X1 (u1_struct_0 X0)) \Rightarrow (\forall X2. (m2_finseq_1 \\ & X2 (u1_struct_0 X0)) \Rightarrow (\forall X3. (m1_subset_1 X3 k1_numbers) \Rightarrow \\ & ((r2_relset_1 k5_numbers (u1_struct_0 X0) X2 (k4_vfunct_1 k5_numbers \\ & X0 X1 X3)) \Rightarrow (k4_rlvect_1 X0 X2 = k1_rlvect_1 X0 (k4_rlvect_1 X0 X1) \\ & X3)))))) \end{aligned}$$