

t3\_memstr\_0 (TMPmQb-  
vRG3QSG3a5CfNfWaTWm1kAXE52anJ)

October 27, 2020

Let  $v1\_setfam\_1 : \iota \Rightarrow o$  be given. Let  $l1\_memstr\_0 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $v1\_relat\_1 : \iota \Rightarrow o$  be given. Let  $v4\_relat\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $u1\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $v1\_funct\_1 : \iota \Rightarrow o$  be given. Let  $v5\_funct\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k2\_memstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k9\_xtuple\_0 : \iota \Rightarrow \iota$  be given. Let  $k6\_memstr\_0 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $m1\_subset\_1 : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k1\_zfmisc\_1 : \iota \Rightarrow \iota$  be given. Let  $v1\_xboole\_0 : \iota \Rightarrow o$  be given. Let  $r1\_tarski : \iota \Rightarrow \iota \Rightarrow o$  be given. Let  $k5\_relat\_1 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k7\_subset\_1 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $k4\_xboole\_0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Let  $l2\_struct\_0 : \iota \Rightarrow o$  be given. Let  $l1\_struct\_0 : \iota \Rightarrow o$  be given. Let  $k8\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k2\_struct\_0 : \iota \Rightarrow \iota$  be given. Let  $k1\_tarski : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. \neg (X0 \in X1) \wedge ((m1\_subset\_1 X1 (k1\_zfmisc\_1 X2)) \wedge (v1\_xboole\_0 X2)) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (v1\_relat\_1 X1) \Rightarrow (r1\_tarski (k9\_xtuple\_0 (k5\_relat\_1 X1 X0)) X0) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. ((X0 \in X1) \wedge (m1\_subset\_1 X1 (k1\_zfmisc\_1 X2))) \Rightarrow (m1\_subset\_1 X0 X2) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 (k1\_zfmisc\_1 X1)) \Leftrightarrow (r1\_tarski X0 X1) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. (m1\_subset\_1 X0 X1) \Rightarrow ((v1\_xboole\_0 X1) \vee (X0 \in X1)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.r1\_tarSKI X0 X0 \quad (6)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1\_subset\_1 X1 (k1\_zfmisc\_1 X0)) \Rightarrow (k7\_subset\_1 X0 X1 X2 = k4\_xboole\_0 X1 X2) \quad (7)$$

Assume the following.

$$\forall X0.(l2\_struct\_0 X0) \Rightarrow (l1\_struct\_0 X0) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.(l1\_memstr\_0 X1 X0) \Rightarrow (l2\_struct\_0 X1) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall X0.(\neg v1\_setfam\_1 X0) \Rightarrow (\forall X1.(l1\_memstr\_0 X1 X0) \Rightarrow \\ (\forall X2.((v1\_relat\_1 X2) \wedge ((v4\_relat\_1 X2 (u1\_struct\_0 X1)) \wedge \\ ((v1\_funct\_1 X2) \wedge (v5\_funct\_1 X2 (k2\_memstr\_0 X0 X1)))))) \Rightarrow (k6\_memstr\_0 \\ X0 X1 X2 = k5\_relat\_1 X2 (k8\_struct\_0 X1)))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(X2 = k4\_xboole\_0 X0 X1) \Leftrightarrow (\forall X3. (X3 \in X2) \Leftrightarrow ((X3 \in X0) \wedge (\neg X3 \in X1))) \quad (11)$$

Assume the following.

$$\forall X0.(l1\_struct\_0 X0) \Rightarrow (k2\_struct\_0 X0 = u1\_struct\_0 X0) \quad (12)$$

Assume the following.

$$\forall X0.\forall X1.(X1 = k1\_tarSKI X0) \Leftrightarrow (\forall X2.(X2 \in X1) \Leftrightarrow (X2 = X0)) \quad (13)$$

Assume the following.

$$\forall X0.(l2\_struct\_0 X0) \Rightarrow (k8\_struct\_0 X0 = k7\_subset\_1 (u1\_struct\_0 X0) (k2\_struct\_0 X0) (k1\_tarSKI (k4\_struct\_0 X0))) \quad (14)$$

**Theorem 1**

$$\begin{aligned} \forall X0.(\neg v1\_setfam\_1 X0) \Rightarrow (\forall X1.(l1\_memstr\_0 X1 X0) \Rightarrow \\ (\forall X2.((v1\_relat\_1 X2) \wedge ((v4\_relat\_1 X2 (u1\_struct\_0 X1)) \wedge \\ ((v1\_funct\_1 X2) \wedge (v5\_funct\_1 X2 (k2\_memstr\_0 X0 X1)))))) \Rightarrow (\neg k4\_struct\_0 \\ X1 \in k9\_xtuple\_0 (k6\_memstr\_0 X0 X1 X2)))) \end{aligned}$$