

t3_msscyc_1 (TM- cAiNmL9QqduVnFGBPNa9o7EEEzv3HcjY7)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $l1_graph_1 : \iota \Rightarrow o$ be given. Let $r1_tarski : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k2_xboole_0 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k10_xtuple_0 : \iota \Rightarrow \iota$ be given. Let $u1_graph_1 : \iota \Rightarrow \iota$ be given. Let $u2_graph_1 : \iota \Rightarrow \iota$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $v1_funct_1 : \iota \Rightarrow o$ be given. Let $v1_funct_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u4_struct_0 : \iota \Rightarrow \iota$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $v5_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v4_relat_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Assume the following.

$$\forall X0. \forall X1. \forall X2. ((r1_tarski X0 X1) \wedge (r1_tarski X2 X1)) \Rightarrow (r1_tarski (k2_xboole_0 X0 X2) X1) \quad (1)$$

Assume the following.

$$\forall X0. (l1_graph_1 X0) \Rightarrow ((v1_funct_1 (u2_graph_1 X0)) \wedge ((v1_funct_2 (u2_graph_1 X0) (u4_struct_0 X0) (u1_struct_0 X0)) \wedge (m1_subset_1 (u2_graph_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u4_struct_0 X0) (u1_struct_0 X0)))))) \quad (2)$$

Assume the following.

$$\forall X0. (l1_graph_1 X0) \Rightarrow ((v1_funct_1 (u1_graph_1 X0)) \wedge ((v1_funct_2 (u1_graph_1 X0) (u4_struct_0 X0) (u1_struct_0 X0)) \wedge (m1_subset_1 (u1_graph_1 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u4_struct_0 X0) (u1_struct_0 X0)))))) \quad (3)$$

Assume the following.

$$\forall X0. \forall X1. (v1_relat_1 X1) \Rightarrow ((v5_relat_1 X1 X0) \Leftrightarrow (r1_tarski (k10_xtuple_0 X1) X0)) \quad (4)$$

Assume the following.

$$\forall X0. \forall X1. \forall X2. (m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow ((v4_relat_1 X2 X0) \wedge (v5_relat_1 X2 X1)) \quad (5)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1)))\Rightarrow(v1_relat_1 X2) \quad (6)$$

Theorem 1

$$\forall X0.((\neg v2_struct_0 X0)\wedge(l1_graph_1 X0))\Rightarrow(r1_tarski (k2_xboole_0 (k10_xtuple_0 (u1_graph_1 X0)) (k10_xtuple_0 (u2_graph_1 X0))) (u1_struct_0 X0))$$