

t3_osalg_4

(TMXkE1zzHkYmaVfCTGVyWbJ46fjGLG3Ujf3)

October 27, 2020

Let $v2_struct_0 : \iota \Rightarrow o$ be given. Let $v3_orders_2 : \iota \Rightarrow o$ be given. Let $v4_orders_2 : \iota \Rightarrow o$ be given. Let $v5_orders_2 : \iota \Rightarrow o$ be given. Let $l1_orders_2 : \iota \Rightarrow o$ be given. Let $m1_subset_1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $u1_struct_0 : \iota \Rightarrow \iota$ be given. Let $r1_osalg_4 : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow o$ be given. Let $v1_xboole_0 : \iota \Rightarrow o$ be given. Let $v1_partfun1 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k1_zfmisc_1 : \iota \Rightarrow \iota$ be given. Let $k2_zfmisc_1 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Let $k1_relat_1 : \iota \Rightarrow \iota$ be given. Let $k1_osalg_4 : \iota \Rightarrow \iota$ be given. Let $v3_relat_2 : \iota \Rightarrow o$ be given. Let $v8_relat_2 : \iota \Rightarrow o$ be given. Let $v1_relat_1 : \iota \Rightarrow o$ be given. Let $r8_relat_2 : \iota \Rightarrow \iota \Rightarrow o$ be given. Let $k4_tarski : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall X0. \forall X1. \neg(X0 \in X1) \wedge (v1_xboole_0 X1) \quad (1)$$

Assume the following.

$$\forall X0. \forall X1. (m1_subset_1 X0 X1) \Rightarrow ((v1_xboole_0 X1) \wedge (X0 \in X1)) \quad (2)$$

Assume the following.

$$\forall X0. \forall X1. ((v1_partfun1 X1 X0) \wedge (m1_subset_1 X1 (k1_zfmisc_1 (k2_zfmisc_1 X0 X0)))) \Rightarrow (k1_relat_1 X1 = X0) \quad (3)$$

Assume the following.

$$\forall X0. ((\neg(v2_struct_0 X0) \wedge (v3_orders_2 X0) \wedge ((v4_orders_2 X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))) \Rightarrow ((v1_partfun1 (k1_osalg_4 X0) (u1_struct_0 X0)) \wedge ((v3_relat_2 (k1_osalg_4 X0)) \wedge ((v8_relat_2 (k1_osalg_4 X0)) \wedge (m1_subset_1 (k1_osalg_4 X0) (k1_zfmisc_1 (k2_zfmisc_1 (u1_struct_0 X0) (u1_struct_0 X0)))))))) \quad (4)$$

Assume the following.

$$\forall X0. (v1_relat_1 X0) \Rightarrow (\forall X1. (r8_relat_2 X0 X1) \Leftrightarrow (\forall X2. \forall X3. \forall X4. ((X2 \in X1) \wedge ((X3 \in X1) \wedge ((X4 \in X1) \wedge ((k4_tarski X2 X3 \in X0) \wedge (k4_tarski X3 X4 \in X0)))))) \Rightarrow (k4_tarski X2 X4 \in X0)) \quad (5)$$

Assume the following.

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v4_orders_2 \\ X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ X0)) \Rightarrow ((r1_osalg_4 X0 X1 X2) \Leftrightarrow (k4_tarski X1 X2 \in k1_osalg_4 X0)))) \end{aligned} \quad (6)$$

Assume the following.

$$\forall X0.(v1_relat_1 X0) \Rightarrow ((v8_relat_2 X0) \Leftrightarrow (r8_relat_2 X0 (k1_relat_1 X0))) \quad (7)$$

Assume the following.

$$\forall X0.\forall X1.(v1_xboole_0 X0) \Rightarrow (\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_xboole_0 X2)) \quad (8)$$

Assume the following.

$$\forall X0.\forall X1.\forall X2.(m1_subset_1 X2 (k1_zfmisc_1 (k2_zfmisc_1 X0 X1))) \Rightarrow (v1_relat_1 X2) \quad (9)$$

Theorem 1

$$\begin{aligned} \forall X0.((\neg v2_struct_0 X0) \wedge ((v3_orders_2 X0) \wedge ((v4_orders_2 \\ X0) \wedge ((v5_orders_2 X0) \wedge (l1_orders_2 X0)))))) \Rightarrow (\forall X1.(m1_subset_1 \\ X1 (u1_struct_0 X0)) \Rightarrow (\forall X2.(m1_subset_1 X2 (u1_struct_0 \\ X0)) \Rightarrow (\forall X3.(m1_subset_1 X3 (u1_struct_0 X0)) \Rightarrow (((r1_osalg_4 \\ X0 X1 X2) \wedge (r1_osalg_4 X0 X2 X3)) \Rightarrow (r1_osalg_4 X0 X1 X3)))))) \end{aligned}$$